SCANDVIK LED ENGINE ROOM LIGHTS • PERKO DOME LIGHT • PERKO UTILITY LIGHT





Lumitec Ibiza LED Engine Room Light

Bright, reliable and easy to install. Delivers 1000 lumens. IP67 compliant. Compatible with most PWM LED dimmers

Voltage: 10-30 vDC 1000 lumens

1.3A @ 12 VDC; 600 mA @ 24 VDC Rated Watts: 16

CCT" 5000 Op. Temp F/C: -31/35 to +131/55 Mounting hole diameter: NA

Height: 2' Width: 9" Depth: 1'

Non-dimming; Compatible with third party dimmer

Order No. Mfg. No.		Mount	List	
328791 101520		Surface	\$139.00	



Scandvik E-330

LED Compact Engine Room / Utility Light

Surface mount light with polycarbonate lens and housing.

Wire can exit from bottom or end of fixture.. Voltage: 12/24 VDC (Range 10-30VDC)

Amps: 0.83 @ 12 VDC Amps: 0.42 @ 24 VDC Lumens: 727

LED Quantity: 33 x 0,5 Watt 2835 LEDs LED Color Temp: Cool White (5700-6300K)

Beam angle: 120° Protection: IP67

Dimensions: 6-3/8" L x 3-3/4" W x 5/8" H

Order No	Mfg No	List
287968	41590P	\$65.00



Scandvik E-330 LED Compact Engine Room / Utility Light

Flush or surface mount super bright, vibration resis-

Can be pered by DC batter system, AC generator/ shorepower or both. If connected to both, the PC board automatically

switched to DC power, when AC power is lost.

Meets regulation and standards for SAE J1171 USCG, ABYC & NMMA.

Trim ring included for surface mount installation.

Voltage: 12/24 VDC and/or 110/220 VAC

30 Watts Cool white light

3400 lumens Surface mount Dimensions: 16-5/8" L x 6" W x 1-1/2" High

Order No	Mfg No	List
287984	41593P	\$339.00





Scandvik E-360

Super Bright LED Engine Room Light

Ignition protected. Meets SAEJ1171, USCG, ABYC & NMMA

Protection: IP-68 Beam angle: 180°

Surface mount (hardware included) Wire can exit from bottom or end of fixture.

Voltage: 12 VDC Watts: 18 Amps: 1.5 Lumens 1,154 LED Type: SMD5630 LED Power: 0.5 Watts each

LED Quantity: 36 LED Color Temp: Cool white (5,500K-6300K) 13" L x 2-3/4" W x 1" H

10 L X L 0/ + VV X 1 11		
Order No	Mfg No	List
287971	41388P	\$99.00





Scandvik E-500 Super Bright LED Engine Room Light

Ignition prtected. Meets SAEJ1171, USCG, ABYC & NMMA

Protedtion: IP-68 Beam angle: 180°

Surface mount (hardware included) Wire can exit from bottom or end of fixture.

Voltage: 12/24 VDC Watts: 25

Amps: 2.1 @ 12 VDC Amps: 1.0 \$ 24 VDC Lumens 1,520 LED Type: SMD5630

LED Power: 0.5 Watts each LED Quantity: 50

LED Color Temp: Cool white (5,500K-6300K)

13" L x 2-3/4" x 1" H

Order No	Mfg No	List
287982	41389P	\$150.00






Perko Surface Mount Dome Light

Chrome plated zinc with black vinyl gasket. Double contact bayonet socket. Push switch with water resistant boot. Complete with 12 VDC bullb.

Order No	Mfg No	O.D. Globe	O.D. Base	Depth Overall	Bulb Watts	List
730193	0300DP0CHR	3"	3-3/4"	1-1/2"	7	\$53.85
702496	0300DP1CHR	4"	5"	1-7/8"	11	\$59.05
702498	0300DP2CHR	5"	6"	2"	17	\$69.15





Perko Exterior Dome Light

Features:

· Double contact bayonet socket.

Complete with 12 VDC bulb.

- Push switch with water resistant boot. · Ivory "Perko-Kote" powder coated zinc.

•	Black	vinyl	mounting	gasket.

Order No Mfg No O.D. O.D. Depth Max. List Globe Base Overall Watts							
	Order No	Mfg No					List
	730194	1253 DP1WHT	4"	5"	1-7/8"	17	\$54.20
	730192	1253DP2WHT	5"	6"	2"	17	\$64.25







Perko Flush Utility Light (Incandescent)

Molded plastic with diffusion lens. Complete with 12 VDC 3 Watt incandescent bulb. Snap on front cover conceals mounting screws. Installs in a 1-3/4" diameter hole. 2-1/4" x 2-1/4" flange. 1/4" snade connectors

•	space connectors.								
	Order No	Mfg No	Color	List					
	740004	1044DP1WHT	White	\$12.13					
	703199	1044DP1BLK	Black	\$12.13					

PERKO CABIN LIGHTS • WHITECAP CABIN LIGHTS • TH MARINE COURTESY LIGHTS • SEA DOG CABIN LIGHTS

PERKO Made in the USA

Perko Surface Mount Utility Light Features:

- Complete with 12 VDC one watt bulb.
- · Diffused light cover.
- Molded plastic. 1-3/8" x 5/8"

Order No	Mfg No	Color	List
702353	0140DPONYN	White	\$11.28



Whitecap Stainless Steel Dome Lights

Stainless Steel Dome Lights

• www.dshullco.com

Diffusing glass. Has it's own toggle switch. Electric socket designed to take a regular double contact bulb.

Red & White: Features 2 lights in one. One regular white dome light and one red (seperate switch light.

Order No	Mfg No	O.D. Globe	O.D. Base	Depth Overall	Light Color(s)	List
244130	S-2021C	4"	5-1/2" 1-5/8" White		White	\$35.53
244019	S-2022C	5"	6-3/4"	2"	White	\$40.98



T-H Marine L.E.D. Courtesy Lights

- LED Square Courtesy Light / Companion Way Light.
- Great for Compartments, Rod Lockers, Gear Bins, etc.
- LEDs have low Amp draw and long life (up to 100,000 hours)
- Frosted PC lens
- One Element Bulb in a Snap In Socket


Order No	Mfg No	Light Color	Face Color	Dimen- sions	Hole Size	List
302530	LED-51894-DP	White	White	2-1/4"	1-3/4"	\$15.27



Sea Dog Brass Cabin Light with Translucent Shade

Each Cabin Light has a polished brass body with a white translucent shade. Traditional styling. Prewired with on/off switch and 12 volt, 10 watt DC single contact bayonet bulb.

Order No	Mfg No	A	В	С	Screw Size	List
351941	400430-1	2-7/8"	3-7/8"	4-1/2"	#6 RH	\$59.50



Sea Dog Halogen Reading Lamps

Halogen reading lamp includes 2" reflector, clear glass lens and 10 watt, 12

oit MR-16 Halogen buib. Screw size: #6.								
Order No	Mfg No	Α	В	С	D	E	Finish	List
351975	400565-1	2"	2-1/2"	1-1/4"	2-3/16"	11/16"	Chrome	\$49.75









Sea Dog L.E.D. Berth Light

Each LED Berth Light has a MR-16 style LED bulb. Screw size: #6. 12 VDC.

Order No	Mfg No	A	В	С	D	Finish	List
351997	400825-1	2-1/2"	2-5/16"	4-13/16"	4-1/8"	Chrome	\$51.96
352008	400827-1	2-1/2"	2-5/16"	4-13/16"	4-1/8"	White	\$41.75
352019	400829-1	2-1/2"	2-5/16"	4-13/16"	4-1/8"	Black	\$41.75




Sea Dog Halogen Berth Light

Halogen Swivel Light is made of aluminum, powder coated white for durability and is wired with a rocker switch. Halogen Swivel Light uses MR-16 Style 12 volt, 10 watt DC Halogen replacement Bulb Part number 441816. Screw size: #6 RH.

Order No	Mfg No	A	В	C	D	Finish	List
351953	400527-1	2-7/16"	2-1/2"	4-3/4"	3-3/4"	White	\$32.25







Sea Dog Stainless Steel L.E.D. Courtesy Light

LED Courtesy Lights utilizes three bright LEDs that draw very low amperage and have very long life, 12 VDC

Order No	Mfg No	A	В	С	Screw Size	List
352020	401240-1	3-15/16"	1-1/8"	7/8"	#6 FH	\$22.50





Sea Dog Stainless Steel L.E.D. Utility Light


Plastic/stamped 304 Stainless. Screw size #6 FH. 12 V bulbs included.

Order No	Mfg No	A	В	C	List
352031	401410-1	1-3/4"	7/8"	5/8"	\$13.74



Scandvik LED Courtesy Light with Blue Light

Small size surface mount 2 LED light with polished 304 stainless steel Itrim. 12VDC.



Order No	Mfg No	Color	List
288394	41460P	Blue	\$9.50

954-463-4307 • 🔼 🕰

SEA DOG CABIN LIGHTS SCANDVIK LED DOME LIGHT





Sea Dog LED Day/Night Dome Light

Stamped 304 stainless steel.

Low current consumption of .068 A at 12 V they give off very little heat and have extremelyly long service life.

Vibration resistant

15 whte and 5 red white LEDs.

Surface mounts with three #6 fasteners (not included). Pre-wired with integral side mounted on/

Ì	n toggio.							
	Order No	Mfg No	A	В	C	List		
	244369	400353-1	5"	6-3/4"	2"	\$77.95		



Scandvik LED Cockpit Light

Surface mount.

Polycarbonate housing and lens. 5 x 0.5 Watt Warm White LEDs

64 Lumens 12VDC - 9W

IP-67



Order No	Mfg No	List
288348	41371P	\$32.00



Scandvik L.E.D. Dome Light

LED Dome Lights have very low current consumption at .068 amps at 12 volts and have extreme long life. LED Dome Lights give off very low heat and are resistant to vibration. LED Dome Lights have 20 white LEDs per light.



Order No	Mfg No	Diameter	LEDs	List
351863	41324P	5-1/2"	20	\$37.00
351874	41325P	6-5/8"	20	\$45.00



Scandvik Dual Color Exterior or Interior LED Ceiling Light

Small size, light-weight and powerful with splash-proof housing. Can be used in center console T-Tops, pilot house, stateroom, saloon, fly-bridge cap or covered aft-deck or side decks. Choice of flush white or stainless steel trim or

surface mount with stainless steel trim.

Dimmable with any "Pulse-width modulation" dimmer.

Polycarbonate lens.

12V

Screw mount

No switch

Snap-over trim ring.

Dimensions: 3" Diameter x 7/8" (flush mount) or 15/16" (surface mount).

Order No	Mfg No	Light Color	Trim	Туре	List
288293	41376P	White/Blue	S/S	Flush Mt.	\$31.00
288309	41377P	White/Blue	White	Flush Mt.	\$29.00
288315	41378P	White/Blue	S/S	Surface Mt.	\$37.00



Scandvik O-5 LED Courtesy Lights

Splash proof surface mount courtesy light features 5 bright

LEDs. Made of ABS material with white or stainless steel frame and translucent lens. An excellent choice for under gunwale lighting, under cabinet or mood lighting.

White LEDs: 5 4,500K .4 Watt Blue LEDs: 5 TOP

LED Beam Angle: 120° Lumen: White 15; Blue 2.8


12VDC

sions: 2-7/8" W x 1-1/2" H x 7/16" D

Difficitations. 2-1/0	W X 1-1/2 11 X 1/10	, D		
Order No	Mfg No	Color	Trim	List
288247	41360P	White	White	\$22.00
288258	41339P	Blue	White	\$22.00
288269	41361P	White	Stainless Steel	\$27.00
288271	41362P	Blue	Stainless Steel	\$27.00









Sea Dog L.E.D. Strip Light

LED Strip Lights have 6 LED's in each light and are rated at 12 VDC. Low amp draw.

Order No	Mfg No	A	В	С	List
352042	401450-1	3-15/16"	3/4"	15-16"	\$17.55



Scandvik LED Bunk or Cabin Light with Switch

Dimmable when wired to an external module (not included).

Operation voltage: 10-30VDC

8 Watts

LED Type: 32 x 0.5W Samsung 5630 LED

Warm white light

535 Lumen

Polycarbonate housing and diamond cut lens.

Surface mount. IP-40 (for interior use)

Dimensions: 13" L x 2-3/4" W x 7/8" H

Order No	Mfg No	List
287960	41364P	\$90.00



Scandvik R-5 LED Courtesy Lights (Down Illumination)
Surface mount with polished stainless steel trim suitable for either interior or exterior installation.

12VDC 0.4W 0.03A

LED Type: 5 x TOP LEDs

' W v 12/16" L v 1/2" D

DIMENSIONS: 2-3/8 W X 13/16 H X 1/2 D						
Order No	Mfg No	Color	List			
288225	41383P	White	\$23.00			
288236	41384P	Blue	\$23.00			

List

\$63.00

\$85.00

Scandvik LED Ceiling Light

Dimmable

Flush Mount

Polycarbonate lens with stainless steel trim ring.

Mfg No

41369P

41370P

Light Color

White/Blue

White/Blue

12/24VDC

Order No

288326

288337

Watts: 4": 7.5W; 6": 9.3W Lumens: 4: 225; 6": 355 Light color: Warm White



LEDs

16

26

SCANDVIK	



INNOVATIVE LIGHTING inc. Innovative Lighting LED Bulkhead / Livewell Lights - Recess

Operates 9-16 Volt DC systems. Rated @ 100,000 hours of service life. Requires 11/16" (.687) hole. Shock and vibration proof. Cool to the touch. No corrosion. Rated for underwater use. 1 LED in colors, 2 LEDs in white. Patent #D439350

1.25" x 1.00.

Order No	Mfg No	Color	List
342459	011-2500-7	Blue	\$12.20
342460	011-3500-7	Green	\$12.20
342471	011-4500-7	Red	\$12.20
303167	011-5500-7	White	\$12.20

Scandvik 4 Color LED Light Upgrades from 1 color to 4 colors. Replaces single color lights.

Multiple lights can be controlled from 1 switch.

Weatherproof down lights are able to display your choice of Daylight White, Blue, Red or Green with no special switches, wires or controllers. Only a regular 2 wire switch is needed. Switch light off and on again within 1.5 seconds to cycle through each of the 4 colors. Turning the light off for more than 1.5 seconds resets the light to white.

Made of rugged 316 stainless steel with IP67 protection,

this light is easily suitable for overhead interior ceilings or exterior location in T-tops, hard tops, flybridge or covered decks. Installation requires no special tools, strong stainless steel spring clips hold light firmly in place in a 1-7/8" - 2" diameter mounting hole. 12/24VDC. 2.6W

Diameter

4"

6"

Order No	Mfg No	List
288282	41416P	\$85.00



Hella Marine Easy Fit LED Courtesy Lamps

rior areas. Low power consumption, completely sealed with a long service life, these LED courtesy lamps are the choice of leading boatbuilders worldwide. Light is radiated downwards at 30°. The shallow mounting depth and round mounting shape allows quick and simple



Order No	Mfg No	List
231237	998560011	\$27.50



Hella Marine Slim Line Round LED Courtesy Lamps

An attractive, energy efficient, no maintenance solution for a variety of interior and exterior lighting applications. Mounting depth of only 13.0mm.

Cool and even spread of soft light without glare. Completely sealed, shock and vibration proof. UV and corrosion resistant.

Order No	Mfg No	Light Color(s)	Voltage	Face Color	List
231210	980500041	White	12 VDC	White Plastic	\$40.00
231220	980502241	Blue	12 VDC	White Plastic	\$42.50
121706	980507241	Red	12 VDC	White Plastic	\$30.00
121704	980500021	White	12 VDC	Stainless Steel	\$47.50
231215	980501041	White	24 VDC	White Plastic	\$40.00



Sea Dog Line LED Motion Activated Cabinet Light

Constructed of injection molded nylon and features 4 super bright white LEDs. Motion activated when the cabinet door is opened the light will remain on as long as the light sensor detects light, turning off when the door is shut or outside light is extinguished. Easily mounted in any enclosed area using the provided strip of two-sided tape or two #10 FH fasteners (not included). No wiring necessary the light is battery powered and uses 3 AAA batteries (included). The two center bulbs have a 60° beam angle for directed lighting while the two outside bulbs have a 120° beam angle for wider angle lighting. LED color: white.

Order No	Mfg No	A	В	С	List
354361	227154-1	6-7/8"	1-5/16"	3/4"	\$28.50

Barnegat Low Profile Courtesy Light

Low-profile light that can be used in many areas. Made of high-impact polycarbonate and looks great anywhere. 12 VDC.

Dimensions: 4-1/4" O.D., 1-7/8" D. Requires 2-3/4" I.D. cutout.

Order No	Mfg No	List
120539	QL-CL-F	\$42.00





INNOVATIVE

Innovative Lighting 3-LED Surface Mount Step Light

Operates 9-16 volt DC systems. Rated @ 100,000 hours of service life. Shock and vibration proof. Cool to the touch

Energy draw: 26 milliamps. No corrosion. Potted to seal out moisture. Chrome plated plastic construction. 1.71" x .865" x .40"

Order No	Mfg No	Color	List
342102	003-5200-7	White	\$15.47
342113	003-2200-7	Blue	\$15.47

Innovative Lighting 4-LED Bunk Light

Operates on 12 Volt DC Rated @ 50,000 Hours of Service Life Built in ON/OFF Switch For Interior Use Only Rotating Head

4 LEDs 0.607" v 1 01" v 1 00"

Difficults. 0.07 x 1.21 x 1.20						
Order No	Mfg No	Light Color(s)	Face Color	List		
342380	018-5100-7	White	White	\$34.53		



Innovative Lighting LED Starr Light - Recess Mount

Operates 9-16 Volt DC systems. Rated @ 100,000 Hours of service life. Requires 1.25" hole. Shock and vibration proof. Cool to the touch. No Corrosion. Rated for underwater use, 3 LEDs, Dimensions: 1.82" x 1.85".

Order No	Mfg No	List
342482	012-5500-7	\$21.76





Sea Dog Line LED Switch Activated Cabinet Light

Switch activated cabinet light is constructed of injection molded nylon and features 4 super bright white LEDs. It's small size allows it to be mounted in any cabinet, locker, or other location where short access lighting is needed. Installs with included #10 FH stainless steel mounting screws. No wiring necessary, the light is battery powered and uses 6 LR44 batteries, also included

Order No	Mfg No	A	В	C	List
354372	227162-1	2"	1-5/8"	13/16"	\$13.95

954-463-4307

SCANDVIK INTERIOR LIGHTS • LED UTILITY LIGHTS • T-TOP LED TUBE LIGHT









Innovative Lighting 3 LED Utility Light

Operates 9-16 Volt DC Systems 100,000 Hours of Service Life Shock and Vibration Proof

Cool to the Touch. Energy Draw 26 Milliamps. Screw Mount Base with Snap-In Light. Fully Potted Housing.

Nice Beam Pattern Emitted into Desired Area. 3 LEDs

Dimensions: 2.38" x 1.20" x 1.10"

Order No	Mfg No	Light Color(s)	Face Color	List
342056	207-5510-7	White	White	\$18.23
342067	207-2510-7	Blue	White	\$20.25
342091	207-4510-7	Red	White	\$14.72



Unique, low profile LED multi-purpose deck light designed for flat mount.

8.0 Watt equivalent to a 55 Watt halogen flood light.

Powerful 700 lumen output with 100° spread.

8' hidden power cable Limited one year warranty

12-24 volt applications. Very low power consumption (.9 amps @ 12V).

5-1/2" x 1-3/8" x 1/2" D

Order No	Mfg No	LED Color	List
369985	F38-8800W-1	White	\$90.00







Anderson Interior Lights

Chrome plated, molded ABS housing. Serves as interior, compartment, courtesy or general illumination light. Dimensions: 3-3/4" wide x 2-1/4" high x 1/2" deep (requires 1" hole

mounting).	(1/2 deep (requires 1 finite for	
Order No	Mfg No	List
252052	E126C	\$9.00

Light Colors

Anderson Hooded Interior Light

Highly polished, chrome plated brass unit is hooded to shield against upward glare. Surface mount on 2" centers with separate ground wire. Mounting screws included.

Order No	Mfg No	List
252053	E434	\$6.78





Attwood LED Courtesy Lights

For areas where low-level light is needed.

3-diode lights have an attractive honeycomb lens.

No heat build-up. Safe for enclosed areas. Waterproof to 7 feet. Use in livewells, even underwater

Extreme long life and resistance to vibration. 10 year manufacturer's warranty when properly installed. White light.

Interchaneable white and black bezels

2-3/4" diameter.					
Order No	Mfg No	LED Color	Bezel	List	
245113	6320W7	White	White	\$37.55	



Taco Marine T-Top LED Tube Light 300 Lumens white light / 150 Lumens color light.

Efficient 100,000 hours of operation.

Mounts with supplied mounting clips, tie wraps or Velcro. White LEDs offer max lighting.

Red LEDs ideal for chart reading.

Lengthy cable (18') offers easy hook-ups.

Limited One Year Warranty.

Order No	Mfg No	Description	List
369928	F38-2050B-1	Blue to White Complete Light	\$184.10
123303	F38-2050R-1	Red to White Complete Light	\$184.10
369939	F38-2060B-1	Blue Replacement Tube Only	\$100.10
123304	F38-2060R-1	Red Replacement Tube Only	\$100.10







Innovative Lighting 4-LED Courtesy Light Surface Mount

9-16 Volt DC Systems. Rated @ 100,000 Hours of Service Life. Shock and Vibration Proof. Cool to the Touch. Energy Draw 26 Milliamps. No Corrosion. Potted to Seal Out Moisture. 4 LEDs.

	Order No	Mfg No	Light Color(s)	Face Color	List
	342001	004-5100-7	White	White	\$15.20
ı	342012	004-2100-7	Blue	White	\$15.20
١	342023	004-3100-7	Green	White	\$15.20
I	342034	004-1100-7	Amber	White	\$5.20
l	342045	004-4100-7	Red	White	\$15.20







Peterson NightWatcher Docking Light Kits

- Produces a narrow, long-range beam for additional boating safety.
- Complete kit includes 2 lights, wiring, connectors, rocker switch, mounting hardware and installation instructions.
- 12 VDC

Order No	Mfg No	No. LEDs	List
252127	E582-2W	Slim Oval	\$88.50
252138	E586-2W	Compact Square	\$75.00

SCANDVIK

Scandvik Flush Mount LED Spreader Light

2 High Intensity x 5 Watt CREE LED Cool White (5,500-6,300K)

500 Lumens 120° Beam angle

12 VDC or 24 VDC (8-30 Volts) Dimensions: 4" W x 2-1/2" H x 2" D

Cutout template included (2-3/4" W x 1-5/8" H)

Order No	Mfg No	List
287989	41436P	\$84.00



Scandvik Bracket Mount LED Spreader Light

2 x 5 Watt CREE LED

Easy installation with a single bolt.

Cool White (5,500-6,300K)

500 Lumens

www.dshullco.com

12 VDC or 24 VDC (8-30 Volts)

0.7 Amp draw at 12 VDC

Polycarbonate lens

UV resistant DuPont Zytel composite housing.

316 SS bracket & hardware

Dimensions: 4-1/4" W x 2-5/8" H x 2-1/8" D

Order No	Mfg No	No. LEDs	List
287985	41435P	3 (1 Watt)	\$87.00





Scandvik Flush Mount LED Spreader Light

4 High Intensity x 3 Watt Samsung 3535 LEDs Cool white LED color (5,500-6300K)

Temperature of LED: less than 158° with 77° ambient temperature

634 Lumens

LED Lifetime: 50,000 hours. Working Voltage: 8 - 30 VDC 0.8 Amp draw at 12 VDC

Dimensions: 6-1/8" W x 2-9/16" H x 1-3/4" D

Order No	Mfg No	List		
287999	41343P	\$115.44		



Scandvik 41440 Bracket Mount LED Spreader Light

5 daylight white 3W LEDs providing 900 effective lumen out-

put.

. Voltage: 12/24 (8-30 VDC)

Bulb comparison: Similar to a 120 Watt bulb Color temperaturwe: 5,500 - 6,300 K

Beam angle: 68° Protection: IP68


Warranty: 3 year warranty

Dimensions: 4-1/2" W x 1-11/16" H - 1-3/4" D

	7 1/2 W X 1 11/10 11 1 0/4 D					
Order No		Mfg No No. LEDs		List		
288303		41440P	5	\$85.00		

Taco 6 LED Deck/Spreader Light

- 12-28V DC
- Six (6) high-powered 1-Watt LEDs



- · Wide 150 degrees light spread
- · Waterproof (non -submersion)
- · Adjustable stainless stell mounting bracket with adjustable tilt
- Includes clamp for standard 3/4" 1" IPS T-top ring (1-1/16" & 1-5/16" OD pipe)

Order No	Mfg No	No. LEDs	List
369758 F38-4600WHA-1		6 (1 Watt)	\$80.00







Jabsco Halogen Marine Floodlights

Designed to evenly light any horizontal surface. Unique trapezoidal light beam allows light to spread with even intensity when lamp is mounted from above at one end of a work area. Ideal for lighting deck or work surface from cabin top, spoiler or Tuna Tower. Great for R.V. use, such as lighting a campsite. Also ideal for emergency vehicles.

Order No	Mfg No	Volts	Size	List
183290	45900-1000	12 VDC	5" x 3"	\$100.00
711438	45900-0000	12 VDC	6" x 4"	\$134.55
183279	45900-0001	24 VDC	6" x 4"	\$167.68







Hella Targa Floodlight

Exceptional quality and reliability. Fully enclosed corrosion

resistant design. The antimagnetic quartz halogen floodlight is designed for easy installation and use on all types of marine vessels. The lamp's housing is pressure cast in aluminum and finished with powder coating. Consistent 500 Watt lighting performance.

Adjustable antimagnetic stirrup.

Cooling fins for maximum heat dissipation.

Tough safety glass for extreme temperature changes.

Stainless steel mounting bracket included.

12 V 50 bulb not included.

	Order No Mfg No		Housing Color	Lens	List
Ī	231123	007118051	White	Standard	\$65.00



Replacement Bulbs

Order No	Mfg No	Item	Voltage	List
231130	H83135051	55 W Bulb	12 VDC	\$6.67
231131	H83135211	70 W Bulb	24 VDC	\$6.67



Perko Fixed Spreader Light

Chrome plated bronze.

Complete with 10 watt, 12V bulb. Dimensions: 2-3/4" O.D. x 1-3/8" depth.

Order No	Mfg No	List	
730290	0265DPOCHR	\$71.35	



JABSCO FLOODLIGHTS & SEARCHLIGHTS • HELL FLOODLIGHT • ACR REMOTE CONTROLLED SEARCHLIGHTS







Jabsco Flush Mount Floodlight

Floodlight with trapazoidal beam. Easily adjustable light angle, up to 7° horizontally and 12° vertically. Sealed beam 50 watt tungsten halogen bulb with 450 hour average life. Tough polypropylene housing.

Order No	Mfg No	Dimensions	Voltage	List
183312	45960-0000	8-7/8" x 6-9/16"	12 VDC	\$226.35

Replacement Bulbs

Order No	Mfg No	Voltage	List
180947	18753-0352	12 VDC	\$69.83





Hella Quartz Halogen Floodlight

Exceptional quality and reliability. Fully enclosed corrosion

resistant design. The anti-magnetic quartz halogen floodlight is designed for easy installation and use on all types of marine vessels. The lamp's housing is pressure cast in aluminum and finished with powder coating.

• Consistent 500 Watt lighting performance.

- · Adjustable anti-magnetic stirrup.
- · Cooling fins for maximum heat dissipation.
- · Tough safety glass for extreme temperature changes.

Stainless steel mounting bracket included.

Bulb not included

Order No	Mfg No	Lens	Housing Color	Volts	List
231121	H16980011	Standard	White	110 VAC	\$53.33





Jabsco 135SL Remote Control Searchlight

Features:

Constructed of noncorrosive materials Sealed beam halogen lamp Remote control and 15' cable included Long life gear drive Low amp draw

Order No	Order No Mfg No		List	
280492	60020-0000	12 VDC	\$437.73	



Replacement Bulbs & Parts

Order No	Mfg No	Description	Voltage	List
180925	18785-0336	Sealed Beam Bulb	12 VDC	\$68.43





ACR Electronics 180,000 CD Remote Controlled Searchlight RCL-75

Dual lamp design provides redundancy, reliability. Easy to install. Includes Point Pad style remote control, 17 ft. wiring harness. Electronics are located in water-resistant light head for protection. Lamps rated for 200 hrs of use and are easily replaced.

Order No	Mfg No	List
238117	1946	\$380.00



Replacement Bulb

Order No	Mfg No	Item	List
238207	9403	Spare Bulb 12 VDC	\$30.50





ACR Electronics Remote Control Searchlight RCL-100LED with Master Controller and Wired Pad Controller

The LED version of our most popular RCL-100D searchlight provides high intensity LED performance that pierces through dark nights and low lighting conditions with a blazing 220,000 candela. The RCL-100 LED's traditionally sleek design makes it an attractive and cost effective choice for sport yachts, mega-yachts, sport fishers, and light commercial vessels. With more efficient LEDs, the RCL-100 LED has reduced power consumption demand by up to 50% on 12V vessels. Ultra bright 9 LED array generates over 220,000 peak candela.

Efficient, long lasting LED's - 40,000 operating hours.

Rugged, triple-primed and sealed, marine grade aluminum housing.

15' wiring harness included.

Order No	Mfg No	Voltage	List
237975	1951	12 or 24 VDC	\$1,540.00

Replacement Bulb



1928 3



Parts

Order No	Mfg No	Item	List
238013	6001	Replacement Bulb 12 VDC	\$103.00
238034	6003	Replacement Bulb 24 VDC	\$103.00
238216	1928.3	Remote Keypad	\$194.00





ACR Electronics Universal Remote Control

Consists of master control unit and Point Pad™, installed via single coaxial cable.

Allows finger tip control.

Has the capacity to perform up to six different duties; ideal for searchlights, winches and other

Easily retrofitted to most servo-motor drives.

Compatible with 12 or 24 VDC operation.

Order No	Mfg No	List
238048	9283.3	\$526.00

SCANDVIK LIGHT STRIPS



Scan-Strip Red, Green & Blue LED Flex-Strips

RGB Flex-Strips with an RF remote control, IP-68 protection means you can use the Flex-Strips indoors or outdoors.

Flexible silicone strips are embedded with SMD5050 LEDs to produce amazing effects.

Brilliant white and solid colors or dynamic infinite color control at the touch of a finger.

5m kit includes: 5m reel of Flex-Strip, 24 Silicone mounting clips and 2 end caps. 7m kit includes: 7m reel of Flex-Strip, 33 Silicone mounting clips and 2 end caps.

Order No	Mfg No	Legth	Description	List
288113	41532P	5m (16')	Complete Kit	\$245.00
288135	41534P	7m (23')	Complete Kit	\$299.00



www.dshullco.com

nal

what



Scan-Strip Dual Color (White & Blue) LED Flex-Strips

Available with brilliant cool white and Blue color LEDs.

You can turn on just the white or just the blue or a combination of the white and blue.

Flexible silicone strips come on 5 meter (16') reels and are 14mm wide. Wired on both ends so strips can be wired together to make longer runs.

Strips can be cut on the cut marks and sealed with silicone end caps to make shorter lengths.

Order No	Mfg No	List
288067	41524P	\$190.00





Scan-Strip Dual Color (White & Blue) LED Short Flex-Strips

Same dual color Flex-Strips available on 5 meter (16') reels in convenient short strips. They include the length of Flex-Strip with 3 silicone mounting clips and 2 silicone end caps. 21" package includes 3 mounting clips and 2 silicone end caps. 48" package includes 5 mounting clips and 2 silicone end caps

Order No	Mfg No	Legth	Color	List
288089	41514P	21"	Blue/White	\$22.00
000004	44.54.05	40"	D1 440.0	φ <u>ε</u> ο οο





Scan-Strip 4-Color RGBW LED Builds on popularity of original single color Scan-Strip LED. Mount them almost anywhere, under gunwales, in storage lockers, coolers, fish boxes. Use below deck in cabin areas for general lighting or courtesy lights Simple 2-wire connections with any on/off switch is all that is required to cycle from White to Blue to Red to Green. Switch off for more than 4 seconds resets the color to white.

Lifespan: 30,000 hours.

12 VDC

954-463-4307 •

Order No	Mfg No	Legth	Watts	List
288420	41650P	8"	1.2	\$31.50
288432	41615P	16"	2.4	\$46.50





Scan-Strip LED Strip Lighting

Use below deck in cabin areas for general lighting or courtesy lights.

High intensity LEDs. 12VDC

Amp draw:

4" = 0.13 Amps (5 LEDs) 8" = 0.40 Amps (17 LEDs) 16" = 0.75 Amps (34 LEDS) 36" = 1.90 Amps (85 LEDs) Dimensions:

4" = 4" L x 7/8" W x 1/2" H8" = 9" L x 7/8" W x 1/2" H16" = 16-1/4" L: x 7/8" W x 1/2" H 36" = 36" L x 7/8" W x 1/2" H

	(===-)			
Order No	Mfg No	Length	Color	List
288001	41354P	4"	White	\$13.00
288012	41357P	4"	Blue	\$13.00
288023	41346P	8"	White	\$26.00
288030	41347P	8"	Blue	\$26.00
288034	41350P	16"	White	\$52.00
288045	41351P	16"	Blue	\$52.00
288051	41358P	36"	White	\$95.00
288060	41359P	36"	Blue	\$95.00





Scan-Strip Flex-Strips Optional Extras



41600 & 41602

41601 & 41603

South Stripe Sprinker Extract					
Order No	Mfg No	Description	List		
288146	41600	12mm End Cap	\$1.25		
288157	41601	12mm Mounting Clip	\$0.50		
288168	41730	12mm x 48" Flex Trak	\$8.00		
288179	41602	14mm End Cap	\$1.25		
288181	41603	14mm Mounting Clip	\$1.25		
288192	41731	14mm 48" Flex Trak	\$9.60		





Innovative Lighting Flex-N-Lite LED Lighting Strip

Operates 9-16 Volt DC Systems Rated @ 100,000 Hours of Service Life Cool to the Touch Flexible Circuit Board Self Adhesive Tape Backing

Includes 16 inch Power Cord For Indoor or Outdoor Use 39 LEDs Can be cut to fit.

Order No

342157

342168





Jumper Wire

Order No	Mfg No	Length	Only
342202	017-9901-1	5"	\$1.28
342213	017-9903-1	15"	\$1.28
342224	017-9904-1	39"	\$2.13

Mfg No

017-5000-7

017-2000-7

Power Cord

Order No	Mfg No	Length	Only
342235	017-9906-1	39"	\$2.13

Dorcy International

1/2 Watt- 3AA LED Flashlight

The 3AA - 4 LED Carabineer Flashlight features a waterproof design with floatability. This flashlight is constructed with shock absorbing rubber around the head and the body of the light. The rubber design around the body allows for a slip-free comfortable grip, ensuring stability and durability. The 3AA – 4 LED Carabineer Flashlight has a uniquely built-in tail cap carabiner clip and comes complete with 3 AA cell batteries.

Order No	Mfg No	List
295512	41-2510	\$12.99



NEBO CSI Tactical 8 LED Flashlight & Laser

- 8 powerful ultra bright LEDs.
- Red laser pointer.
- Emergency flasher function.
- S O S flash mode
- Anti-roll anodized aluminum water resistant body design.
- Aggressive self-defense face.
- Rear tactical multi-function button.
- 3 AAA batteries included.

Order No	Mfg No	List
120076	5077	\$16.99

Nebo Slyde+ Flashlight

All the features of Slyde Flashlight and the + also includes programmable memory settings for each light mode, new C • O • B red light function, a 4x adjustable zoom and instant slide on.

High-power 300 lumen LED flashlight

High-power 200 lumen C • O • B LED work light.

Memory power setting

Powerful magnetic base

Anodized aircraft-grade aluminum; weather-proof and impact-resistant.

Powered by 4 AAA batteries

Length: 7.25" (compacted); 9.5" (extended); Diameter: Head 1.625"; Barrel 1.375"

	,		,,	,,	*
	Order	No		Mfg No	List
	1200	93		6525	\$34.99







Maglite LED Flashlights

Designed for professional and consumer use, Maglite® LED flashlights build on the experience in craftsmanship, engineering, and advanced technology evident in all Mag® flashlights. The Maglite® flashlight is internationally accepted as the Professional Flashlight®. Built tough enough to last a lifetime, its durability and patented features now combined with the new MAG-LED1 Technology make the Maglite® LED flashlight a technologically advanced lighting instrument.

Order No	Mfg No	Batteries	Length	Barrel Diameter	Head Diameter	List
351744	SP2P01H	2 "AA"	6.607"	.709"	1"	\$39.99
351731	ST2D016	2 "D"	10"	1-9/16"	2-1/4"	\$42.25



Dorcy 6V Floating LED Lantern

Durable construction and sealed On/Off switch.

Produces 100 lumens, 8 hour run time, and a 105 meter beam distance.

Can be powered by 4 AA batteries (included) or 6V spring top battery (not included).

	, , ,	, , , , , , , , , , , , , , , , , , , ,
Order No	Mfg No	List
295630	41-2079	\$8.99



Maglite Flashlight

- · High-intensity adjustable light (spot to flood).
- · Recessed, pushbutton, 3-position switch.
- Rugged, machined aluminum construction with knurled design.
- Anodized inside and out for improved corrosion resistant.
- · Water and shock resistant.
- · Spare lamp safely secured in tailcap.

Order No	Mfg No	Batteries	Length	Barrel Diameter	Head Diameter	List
351665	M2A01H	2 "AA"	5-3/4"	23/32"	1"	\$17.99
351670	SS2D016	2 "D"	10"	1-9/16"	2-1/4"	\$39.99







Nite Ize LED Upgrade for Maglite Flashlights

Extends battery life - Save money! Reliable and efficient L.E.D. technology As simple as replacing original bulb

Self-adjusting for all capacity levels - compatible with 2-6 cell

10 year lamp life - 100,000 hours of continuous use

Focus: Spot to flood

Pure white light - Bright white L.E.D.

Dependable - Shock resistant!

Order No	Mfg No	Туре	List
245578	LRB2-07-PR	D & C Cell	\$12.83



Nite Ize Universal Flashlight Holster

Universal holster stretches to fit most shapes and sizes of flashlights. Fits most AAA, AA, L123, C and D type flashlights.

віаск пуюп.		
Order No	Mfg No	List
2//5000	1 ПС 03	00.02







Dorcy 1000 Lumen Area Lantern

Sleek new design made of high quality plastic and ABS material. 100 plus hours of run time and a special night light setting. Fold away hang hook at the base and a folding handle on top. 3 COB LÉD technology.

Order No	Mfg No	List
295641	41-3117	\$29.99






Scandvik LED Solar Powered Dock Light

Uses solar power to charge the battery during the daytime and turns on automatically at night. The number or hours the dock light illuminates depends obn your geographical location, weather conditions and season. Mount lights 6 feet apart. Stainless steel wood screws included.

LED color: Cool White LED beam angle: 30° Solar battery: 2 VDC / 0.4 W



arge battery: NI-MH AAA 650mAH 1.2 VDC			
Order No	Mfg No	List	
288406	41750P	\$39.00	



Taylor Made Solar Powered LED Aluminum Dock Light

- · Made of anodized aluminum for superior weather resistance in marine environ-
- · IP68 waterproof design..

• www.dshullco.com

- · Superior bright LEDs, powerful solar panel and changeable AAA (NiMH) batteries provide all night illumination.
- · Low-profile design makes these lights perfect for docks and marina applications.
- Built-in reflector provides extra safety for passing boaters and makes them ideal for marking swim rafts.
- · Easy hassle-free mounting, no wires, no mess, no electrical cost.

Order No	Mfg No	List
353033	46310	\$42.28

Taylorbrite Solar Dock Light

Illuminates your dock with 360° bright white LED light. Can be mounted to any flat surface with just two #5 screws. It charges during the day and automatically turns on at dusk, shining all night long.

Note: please allow the solar dock light to charge 2-5 days in full sunlight before initial use.

Diameter: 5" Height: 1.5"

4 bright white LED lights

Clear plastic housing.

Weather resistant housing.

Order No	Mfg No	List
336565	46109	\$52.75





Cole Hersee Indicator Lights

Corrosion resistant construction. Heavy duty, universal-type units for long life and efficient operation. Spring actuated brass contacts assure proper contact with bulb. 16 gauge insulated copper wire leads, 8" long, are included. All units supplied with 12 volt bulb.

Standard smooth lens, 17/32" diameter. Bright chrome plated brass bezel, socket, and mounting

3/4" diameter, 1-1/16" long.

Fits panels up through 27/32" thick.

5 panisis ap anoagn 21/52 anom						
Order No	Mfg No	Color	List			
106346	M320-RC-BP	Red	\$26.62			



Sierra Indicator Lights 5/*16" Diameter:

14 VDC

5" tinned copper wire leads.

1/2" Diameter 14 VDC

4" tinned copper wire leads.



Order No	Mfg No	Color	Diam- eter	Voltage	List
287401	UN22100	Red	5/16"	14 V	\$8.99
287402	UN22120	Amber	5/16"	14 V	\$8.99
287400	UNN22110	Green	5/16"	14 V	\$9.12
287415	UN21280	Red	1/2"	14 V	\$8.49
287416	UN21320	Amber	1/2"	14 V	\$8.49
287414	UN21290	Green	1/2"	14 V	\$8.49

BLUE SEA

Blue Sea Systems LED Indicator Lights

Easily installed in any Blue Sea Systems circuit breaker panel. Simple push-in installation mounts in any material thickness. Useful as general indicator and alarm lights. Requires 11/64" hole for installation.

Specifications: Amperage draw 12 Volts DC: 5 milliamperes Amperage draw 24 Volts DC: 5 milliamperes Amperage draw 120 Volts AC: 0.5 milliamperes



Order No	Mfg No	Color	Voltage	List
385270	8033	Amber	12/24 VDC	\$3.39
385282	8171	Red	12/24 VDC	\$3.39
385293	8172	Green	12/24 VDC	\$3.39
385304	8169	Amber	120 VAC	\$3.39
385315	8066	Red	120 VAC	\$3.39
385326	8034	Green	120 VAC	\$3.39





Perko Lamp Sockets

0024DP1 & 0024DP2

0052

1109

Order No	Mfg No	Item	List
150014	0134	Double Contact Bayonet Base	\$34.33
702232	0024DP1	Double Contact Bayonet Socket	\$8.85
702233	0024DP2	Double Contact Bayonet Socket	\$13.93
702242	0052DP	Double Contact Bayonet Socket	\$17.18
703235	1109DP	Single Contact Bayonet Socket	\$14.40
150015	0135	Base w/Socket Assy for Perko #965, 945, 964, 972, 963	\$35.45








Cole Hersee Universal Lamp Socket

M-432

Non-corrosive construction. Moisture repellent insulators. Spring loaded brass contacts. Accepts standard bayonet base, double contact bulbs.

Order No	Mfg No	Terminal Type	List
108650	M432-BP	Screw	\$16.77
108653	26100-BP	Wire Leads	\$16.12

LIGHT BULBS




Single Contact Bayonet Base Bulbs

onigie cuitact dayunet dase duns							
Order No	Mfg No	Size	Voltage	Watts	Pack	List	
203007	441003-1	B-6	12	12W	2	\$3.88	
203001	1053-1	G-3.5	14.4	1.7 W	2	\$3.51	
104805	441057-1	G-4.5	12	3.36 W	2	\$3.48	
203006	356	G-3.5	28	4.76 W	1	\$1.60	
203027	757	T-3.25	24	2 W	1	\$1.60	
203022	521816	T-3.25	12	4.3 W	2	\$3.72	
203023	1822	T-3.25	32	3.6 W	1	\$1.60	
203024	1828	T-3.25	32	1.88 W	1	\$1.60	
203025	1829	T-3.25	24	2 W	1	\$1.60	
203026	441895-1	G-4.5	12	3.78 W	2	\$3.51	
104806	441067-1	G-6	13.5	8 W	2	\$3.48	
203010	1073	S-8	12	23 W	1	\$2.00	
203014	441141-1	S-8	12	18.4 W	2	\$3.84	
203041	1385	R-12	28	20 W	1	\$9.80	
130009	15T7DC	T-7	130	15 W	1	\$3.80	



Miniature Bayonet Base. 20,000 average life hours for bulb.

Order No	Mfg No	Voltage	Amp Rating	List
104803	B2A	105-125	1/25	\$2.00



Wedge Base Bulbs

Mfg No 441194-1

441906-1

Order No


233722

130047

- ;	1.	75	Wedge
-----	----	----	-------

T-5 Wedge

Size	Voltage	Watts	Pack	List
T-1.75 Wedge	12	5	2	\$3.51




Double Contact	Bayonet	Base	Bulb
----------------	---------	------	------

Order No	Mfg No	Size	Voltage	Watts	Pack	List
203002	181061	G-6 DC	12	8 W	2	\$4.06
203003	441090-1	G-6 DC	12	7.5 W	2	\$3.75
203004	441094-1	S-8 DC	12	13.3 W	2	\$3.84
203017	304	G-6 DC	28	8.4 W	1	\$2.00
203021	306	S-8 DC	28	14.3 W	1	\$5.00
203008	441004-1	B-6 DC	12	12 W	2	\$3.84
203011	441076-1	S-8 DC	12	23 W	2	\$3.96
351338	521140	S-8 DC (Red)	12	18 W (Red)	2	\$5.22
203015	441142-1	S-8 DC	12	18 W	2	\$4.29
203018	521224	G-6 DC	32	5.1 W	2	\$9.03
104820	1226	G-8 DC	32	6.7 W	1	\$9.50
104821	1228	S-8 DC	32	15.3 W	1	\$6.50
351367	529300	T-8 DC	12	30 W	1	\$24.06
351379	529301	T-8 DC	24	30 W	1	\$24.06
351386	529302	T-8 DC	32	30 W	1	\$24.06
351394	529303	T-8 DC	120	30 W	1	\$24.06
104810	308	S-8 DC	28	18 W	1	\$2.50
203009	441034-1	1034	12	23 W	2	\$4.08
203016	441157-1	1157	12	27	1	\$4.29

www.dshullco.com

954-463-4307 • D.S.











Xenon Bulbs (Single Ended)






Sea Dog LED Bulbs

Order No	Mfg No	Volts	Watts	A	В	Pack	List
244568	442944-1	12	.7	1-1/4"	7/8"	1	\$18.20
352064	442816-1	12	2.4	1-15/16"	1-15/16'	1	\$21.65



Sea Dog Halogen Bulbs with Reflector MR-16

Order No	Mfg No	Volts	Watts	Α	В	Pack	List
352123	441817-1	12	20	1.3/4"	2"	1	\$6.60
352145	441819-1	24	20	1-3/4"	2"	1	\$6.72
352075	441811-4	12	10	1-5/16"	1-5/16"	1	\$6.27



Used in place of Halogen bulbs. Advantages: burns 1/3 cooler, finger prints do not harm them and they last longer too. Sold individually.

Order No	Mfg No	Size	Voltage	Watts	Base	List
351655	BP1205X	T-3G-4BI-PIN	12	5	G4	\$6.75
351668	BP1210X	T-3G-4BI-PIN	12	10	G4	\$6.75
351682	BP2410X	T-3G-4BI-PIN	24	10	G4	\$6.75
351671	BP1220X	T-3G-4BI-PIN	12	20	G4	\$6.75
351695	BP2820X	T-3G-4BI-PIN	24	20	G4	\$8.45



Tungsten-Halogen Bulbs (Double ended)

Order No	Mfg No	Volts	Watts	Length	Diameter	List
140256	Q300T3CL	120	300	4.89"	0.36"	\$6.60
231122	Q500T3CL-120	120	500	4.69"	0.44"	\$4.99





LED Cluster Bulbs

Each LED draws only 10 mAmp per hour and has a life expectancy of up to 100,000 hours. These bulbs barely get warm, making them very safe to use. Bases are corrosion resistant nickel-plated brass. These lamps will fit many fixtures on your boat, car or RV.

Order No	Mfg No	Base	No. LEDs	Voltage	List
352064	442816-1	Bi-Pin (G-4)	16	12	\$21.65

Navigation Light Bulbs

Mini Light Bulb

Order No

150514

Bulbs are Double Contact Bayonet Base

Candelabra screw base. Dimensions: 19 mm x 48 mm.

Volts

24

Watts

6

Base

S6

Length

1.88"

Mfg No

6S6-24V

Order No	Mfg No	Volts	Watts	List
351505	529341	24	25	\$22.93



Diameter

0.75"

List

\$3.96

Double Contact Index Bulbs

Order No	Mfg No	Volts	Watts	Length	Diameter	Pack	List
203016	44157-1	12	27	2"	1"	2	\$4.29
203009	441034-1	12	27	2"	1"	2	\$4.08





ledium Screw B	edium Screw Base Light Bulbs								
Order No	Mfg No	Voltage	Watts	Pack	List				
351204	531015	12	15	2	\$10.62				
351217	531025	12	25	2	\$10.62				
351222	531050	12	50	2	\$10.62				
351230	531075	12	75	2	\$14.28				
351248	532025	24	25	2	\$10.38				
351291	533025	32	25	2	\$10.38				
351302	533050	32	50	2	\$10.38				
351314	533075	32	75	2	\$12.09				
277556	120V75WRS*	120	75	1	\$4.10				

Tungsten-Halogen Bulbs (Single Ended)

Order No	Mfg No	Size	Volts	Watts	Base	Pack	List
203136	BPQ10T3	T-3G-4BI- PIN	12	10	G4	1	\$7.15
203135	529338	T-3G-4BI- PIN	24	10	G4	1	\$7.15
203121	BPQ20T3	T-3G-4BI- PIN	12	20	G4	1	\$6.52
203140	529368	T-3G-4BI- PIN	24	20	G4	1	\$10.40

]:

List

\$5.00

\$6.50

\$12.99

List

\$23.00

Gompany Ing. • www.dshullco.com

MISCELLANEOUS LIGHTS

Fluorescent Tubes Order No

203131

203132

203144

LIGHT BULBS





Hella Navigation Lamp Bulb Series

Hella Marine long-life bulbs are an exclusive development from Hella, with the objective of significantly reducing failure frequency compared to earlier marine bulb designs.

Order No	Mfg No	Voltage	Watts	List
231126	003488121	12	10	\$15.56
231127	003488301	12	25	\$17.78
231128	003488311	24	25	\$17.78



Voltage

12.8

Mfg No

4406

1

Mfg No

F8T5CW

F15T8CW

F13T5/CW



Watts

35

Candle

Power

600

Length

12"

18"

21"

U-Shaped



Base

Screw

Terminal

Pack

1







Aqua Signal Navigation Light Bulbs

90496-7 90200-7

Order No.	Mfg. No.	Watts	List
393404	90496-7	12V 5W Incandescent (2/Pack)	\$13.95
730167	90200-7	12 V 10 W Festoon Bulb (2/Pack)	\$14.95

Double Ended Bulbs

Order No

203100

Maximum overall length: 1-47/64" Bulb diameter: 25/64"

Order No	Mfg No	Voltage	Amp Rating	List
104822	211-2	12.8	.97	\$3.36

Perko Festoon Bulbs 2 per pack.



Order No	Mfg No	Volts	Watts	Length	Diameter	List
340339	0072DP1CLR	24	10	1-1/8"	3/8"	\$20.38
340346	0072DP8CLR	24	8	1-1/8"	3/8"	\$24.65
702258	0071DP0CLR	12	10	1-1/8"	3/8"	\$11.55
740000	0070DP0CLR	12	10	1-11/16"	3/8"	\$13.83
341323	1044DP099A	12	3	1-1/8"	1/4"	\$16.83
701426	0070DP1CLR	12	15	1-1/8"	3/8"	\$14.60
340603	0067DP2CLR	24	18	1-11/16"	9/16"	\$17.95
703532	0070DP2CLR	32	12	1-5/8"	3/8"	\$15.68



Festoon Bulbs

Order No	Mfg No	Volts	Watts	Length	Diameter	Pack	List
203031	S6413	12	5	1.61"		1	\$3.75
233723	441070-1	12	10	1-13/16"	7/16"	2	\$3.87
351483	S6429	24	10	1.22"		1	\$5.00
233724	441071-1	12	10	1-3/16"	7/16"	2	\$3.99
244378	442232-1	12	.24	1-1/4"	3/8"	1	\$6.96
244382	442236-1	12	.24	1-1/2	3/8"	1	\$6.96
244385	442237-1	12	25	1-1/2"	3/8"	1	\$9.27
244390	442244-1	12	.4	1-3/4"	3/8"	1	\$9.27
244393	442245-1	12	.4	1-3/4"	3/8"	1	\$11.16
244502	442431-1	12	.4	1-1/4"	3/8"	1	\$17.00
244513	442436-1	12	.6	1-1/2"	3/8"	1	\$21.50
244524	442439-1	12	.7	1-9/16"	3/8"	1	\$22.00
244535	442444-1	12	1	1-3/4"	3/8"	1	\$35.00







Single Contact Bayonet Base Bulbs

omgic oomaci	Dayonet Dasc Daib	3	1-0	0		
Order No	Mfg No	Size	Voltage	Watts	Pack	List
340516	0374001CLR	T-8	12	30 W	1	\$56.68
3/0523	037/002CLD	ТΩ	2/	30 W	- 1	\$60.20





338-1




Parka Wadna Rasa Rulhs

CIRO Wedge Dase Dailos											
Order No	Mfg No	Size	Voltage	Watts	Pack	List					
340552	0338DP2CLR	338 DP2	12	9	2	\$10.15					
150128	0338DP1CLR	338 DP1	12	5	2	\$9.60					


LED LIGHT BULBS

100- www.dshullco.com

SEMDOG'LINE









Sea Dog LED Festoon Bulb

Nickel plated brass.

Order No.	Mfg. No.	Watts	LEDs	А	В	List
244378	442232-1	.24w	4	1-1/4"	3/8"	\$6.96
244382	442236-1	.24w	4	1-1/2"	3/8"	\$6.96
244385	442237-1	.24w	6	1-1/2"	3/8"	\$9.27
244390	442244-1	.40w	6	1-3/4"	3/8"	\$9.27
244393	442245-1	.40w	8	1-3/4"	3/8"	\$11.16

Sea Dog All Around LED Festoon Bulb

Nickel plated brass.

Order No.	Mfg. No.	A	В	MA	Volts	Watts	LED	List
244502	442431-1	1-1/4"	3/8"	30	12 V	.4 W	4	\$17.00
244513	442436-1	1-1/2"	3/8"	55	12 V	.6 W	8	\$21.50
244524	442439-1	1-9/16"	3/8"	60	12 V	.7 W	8	\$22.00
244535	442444-1	1-3/4"	3/8"	80	12 V	1 W	12	\$35.00















6 LED Dia: .98"

Lumiron LED Light Bulbs

- High-grade circular module designed to produce outstanding dimmable lighting solutions that are easy to install in new or retrofit in existing fixtures.
- Very little power usage.
- Life time of about 50,000 hours of use.


Light Colors: Cool White • Neutral White • Warm White • Blue
Connection types: • SP1- G4 - Side Pin • BP2 - G4 - Back Pin • CBL1 - Cables from the back • CBL2 - Cables from the side

395000	DND 450 0D4				
	RND450-SP1	6	12	Cool White	\$17.65
395009	RND450-BP2	6	12	Cool White	\$17.65
395034	RND452-SP1	6	12	Warm White	\$17.65
395045	RND452-BP2	6	12	Warm White	\$17.65
395056	RND470-SP1	6	24	Cool White	\$17.65
395067	RND470-BP2	6	24	Cool White	\$17.65
395091	RND472-SP1	6	24	Warm White	\$17.65
395103	RND472-BP2	6	24	Warm White	\$17.65
395410	RND501-SP1	12	12	Cool White	\$19.91
395421	RND501-BP2	12	12	Cool White	\$19.91
395454	RND503-SP1	12	12	Warm White	\$19.91
395476	RND521-SP1	12	24	Cool White	\$19.91
395518	RND523-SP1	12	24	Warm White	\$19.91
395529	RND523-BP2	12	24	Warm White	\$19.91
122348	RND495-SP1	6	12-36	Blue	\$25.58
122350	RND556-SP1	12	12-36	Blue	\$26.58

SCANDVIK LED LIGHT BULBS













41040P -41041P





41050P-41051P 41052P-41053P

















41086P 41087P

Scandvik LED Light Bulbs

G-4 Bulbs have 25 mm connection wires (approx. 1") except for those noted with * to allow easier connections on various style lights.

Order No	Mfg No	LEDs	Volts	Amps @12VDC	Connection	Light Color	Watts/Replaces	Lumens	Dimensions	List
287073	41008P	16	10-30	0.42	Bi-Pin (MR16)	Warm White	5 Watts	290*	2" Dia. 2-1/2" Long	\$21.50
288359	41009P	16	10-30	0.42	Bi-Pin (MR16)	Cool White	5 Watts	320	2" Dia. 2-1/2" Long	\$15.50
287090	41000P	9	10-30	0.12	Back-Pin (G-4)	Warm White	1.5 Watts	120	7/8" Diameter	\$14.00
287107	41001P	9	10-30	0.12	Back-Pin (G-4)	Cool White	1.5 Watts	130	7/8" Diameter	\$12.15
287124	41010P	12	10-30	0.17	Back-Pin (G-4)	Warm White	2 Watts	170	1-3/16" Diameter	\$16.00
287141	41011P	12	10-30	0.17	Back-Pin (G-4)	Cool White	2 Watts	190	1-3/16" Diameter	\$16.00
287158	41020P	9	10-30	0.12	Side-Pin (G-4)	Warm White	1.5 Watts	120	7/8" Diameter	\$14.00
287175	41021P	9	10-30	0.12	Side-Pin (G-4)	Cool white	1.5 Watts	130	7/8" Diameter	\$12.15
287192	41022P	6	10-30	0.12	Side-Pin (G-4)	Blue	1.5 Watts	120	7/8" Diameter	\$14.00
287209	41023P	6	10-30	0.12	Side-Pin (G-4)	Red	1.5 Watts	120	7/8" Diameter	\$14.00
287226	41030P	12	10-30	0.17	Side-Pin (G-4)	Warm White	2.0 /10W Halogen	170	1-13/16" Diameter	\$16.00
287243	41031P	12	10-30	0.17	Side-Pin (G-4)	Cool White	2.0/10W Halogen	190	1-13/16" Diameter	\$16.00
287260	41032P	10	10-30	0.17	Side-Pin (G-4)	Blue	2.0/10W Halogen		1-13/16" Diameter	\$16.00
287276	41033P	10	10-30	0.17	Side-Pin (G-4)	Red	2.0/10W Halogen		1-13/16" Diameter	\$16.00
287293	41040P	21	10-30	0.24	Side-Pin (G-4)	Warm White	3.0/20W Halogen	270	1-3/8" Diameter	\$17.50
287310	41041P	21	10-30	0.24	Side-Pin (G-4)	Cool White	3.0/20W Halogen	310	1-3/8" Diameter	\$17.50
287329	41050P	3	10-30	0.15	Side-Pin (G-4)*	Warm White/Blue	2.0/10W Halogen	150	1-3/4" Diameter	\$25.00
287346	41051P	3	10-30	0.15	Side-Pin (G-4)*	Warm White/Red	2.0/10W Halogen	150	1-3/4" Diameter	\$25.00
287363	41052P	3	10-30	0.15	Side-Pin (G-4)	Cool White/Blue	2.0/10W Halogen	180	1-3/4" Diameter	\$25.00
287380	41053P	3	10-30	0.15	Side-Pin (G-4)*	Cool White/Red	2.0/10W Halogen	180	1-3/4" Diameter	\$25.00
287397	41070P	18	10-30	0.21	Bi-Pin (G-4) Compact Tower	Warm White	2.5/20W Halogen	220*	7/8"Dia. x 1-1/4" H x 2-1/8" Overall H	\$20.00
287465	41071P	18	10-30	0.21	Bi-Pin (G-4) Compact Tower	Cool White	2.5/20W Halogen	260*	7/8"Dia. x 1-1/4" H x 2-1/8" Overall H	\$20.00
287482	41072P	COB LED	10-28	0.12	Bi-Pin (G-4) Halogen Lookalike	Warm White	1.5/20W Halogen	290	7/8" Dia. x 3/8" H (body above pins)	\$16.50
287499	41075P	5	12	0.07	Mini-Bayonet SC	Warm White	0.85 (Replace 53 or 57)	75	1" Overall Height x 7/16" Dia. x 1/2"	\$15.50
287516	41080P	18	10-30	0.36	Bayonet Parallel Pins BA15D	Warm White	4.32 (Replace 1142 or 1176)	216	2-1/8" Overall Height 7/8" Dia. 1-3/8"	\$20.00
287533	41081P	18	10-30	0.36	Bayonet Parallel Pins BA15D	Cool White	4.32 (Replace 1142 or 1176	270	2-1/8" Overall Height 7/8" Dia. 1-3/8"	\$20.00
287550	41082P	18	10-30	0.36	Bayonet Offset Pins BAY15D	Warm White	4.32 (Replace 1157)	216	2-1/8" Overall Height 7/8" Dia. 1-3/8"	\$20.00
287567	41083P	18	10-30	0.36	Bayonet Offset Pins BAY15D	Cool White	4.32 (Replace 1157)	270	2-1/8" Overall Height 7/8" Dia. 1-3/8"	\$20.00
287584	41084P	18	10-30	0.21	Compact Bayonet Parallel Pins BAY15S	Warm White	2.5 (Replace 1141 or 1156)	220	2-1/8" Overall Height 7/8" Dia. 1-3/8"	\$20.00
287618	41085P	18	10-30	0.21	Bayonet Parallel Pins BA15S	Cool White	2.5 (Replace 1141 or 1156)	260	2-1/8" Overall Height 7/8" Dia. 1-3/8" H	\$20.00
287635	41086P	4	10-30	0.06	Compact Bayonet Parallel Pins BAY15D	Warm White	0.7 (Replace 68 or 90)	55	1-3/8" Overall Height 1" Dia. 5/8" H	\$14.50

SCANDVIK LED LIGHT BULBS











41092P



41095P



41097P









41112P 41113P

954-463-4307 • D.S. Hull Gompany Ing. • www.dshullco.com

41086P 41087P

41088P 41089P



41090P

41090P

41100P *41101P* 41035P

CANDVIR

41102P 41103P 41104P 41105P

41036P

41106P

41107P



41120P 41121P 41122P

Scandvik LED Light Rulhs (Continued)

candvik LE	D Light Bu	lbs (Cor	ntinued)			CANDVIN	4	1036P	41037P	411221
Order No	Mfg No	LEDs	Volts	Amps @12VDC	Connection	Light Color	Watts/Replaces	Lumens	Dimensions	List
287652	41087P	4	10-30	0.06	Bayonet Parallel Pins BAY15d	Cool White	0.7 (Replace 68 or 90)	65	1-3/8" Overall Height 1" Dia. 5/8" H	\$14.50
287669	41088P	4	10-30	0.06	Bayonet Offset Pins BAY15d	Warm White	0.7	55	1-3/8" Overall Height 1" Dia. 5/8" H	\$14.50
287686	41089P	6	10-30	0.06	Bayonet Offset Pins BAY15d	Cool White	0.7	65	1-3/8" Overall Height 1" Dia. 5/8" H	\$14.50
287703	41090P	8	12/24	0.16	Bayonet Parallel Pins BAY15d	Warm White	1.90 (Replace 68 or 90)	100	1-3/8" Overall Height 5/8" Dia. 5/8" H	\$14.00
287720	41092P		12/24	0.21	Parallel Pins Wedge Base	Warm White	2.5 (Replace 906, 912, 921)	220	2" Overall Height 7/8" Dia. 1-3/8" H	\$20.00
287754	41095P		12	0.07	T10 Wedge Base	Warm White	0.85 (Replace 168, 194, 906)	75	1-1/8" Overall Height 7/16" Dia.	\$11.00
287771	41097P	1	12/24	0.125	T10Wedge Base	Warm White	1.5 (Replace 168, 194, 906)	90	1-1/8" Overall Height 1/2" Dia.	\$20.00
288361	41035P	8	12	0.1	30mm Festoon	Warm White	5 W Halogen	115	30mm L	\$13.00
287788	41100P	4	10-30	0.08	31mm Festoon	Warm White	0.96 (Replace 71, 78202)	48	5/8" Overall Width 1/2" L Body	\$10.00
287805	41101P	4	10-30	0.96	31mm Festoon	Cool White	0.96 (Replace 71, 78202)	60	5/8" Overall Width 1/2" L Body	\$10.00
287822	41102P	6	10-30	0.12	37mm Festoon	Warm White	1.44	72	5/8" W x 7/8" L Body	\$12.00
287839	41103P	6	10-30	0.12	37mm Festoon	Cool White	1.44	90	5/8" W x 7/8" L Body	\$12.0
287856	41104P	6	10-30	0.12	42mm Festoon	Warm White	1.44	72	5/8" W x 1" L Body	\$12.0
287873	41105P	6	10-30	0.12	42mm Festoon	Cool White	1.44	90	5/8" W x 1" L Body	\$12.0
287890	41106P	9	10-30	0.18	42mm Festoon	Warm White	2.16 (Replace 211-2, 212-2, 561, 562, 70-0)	108	1" W x 1" L Body	\$14.50
287924	41107	9	10-30	0.18	42mm Festoon	Cool White	2.16 (Replace 211-2, 21`2-2, 561, 562, 70-0	135	1" W x 1" L Body	\$14.50
287929	41110P	30	10-30	0.30	42mm Festoon Use for Red or Green Nav. Light	Warm White	3.60	150	7/8" W x 1" L Body	\$20.00
287934	41111P	30	10-30	0.30	42mm Festoon Use for Clear Lens Nav. Light	Cool White	3.60	210	7/8" W x 1" L Body	\$20.00
287939	41112P	30	10-30	0.30	42mm Festoon Use with Red or Green Nav. Light	Warm White	3.60	150	7/8" W x 1" L Body	\$20.00
287944	41113P	30	10-30	0.30	42mm Festoon Use for Clear Lens Nav. Light	Cool White	3.60	210	7/8" W x 1" L Body	\$20.00
288372	41036P	11	12	0.25	E27 Screw Base	Warm white	A15 Bulb	270	1-7/8" W x 3" H	\$13.50
288383	41037P	18	12	5.5	E27 Screw Base	Warm white	A19 Bulb	450	2-1/4" W x 4" H	\$18.00
287949	41120P				Bayonet BA15d to G-4	Adapter			Swivels up to 120°	\$5.00
287954	41121P				Bayonet BA15s to G4	Adapter			Swivels up to 120°	\$5.00
287959	41122P				Med. Screw Base E27 to G4	Adapter				\$7.00

Important Notice: Navigation lights are tested and approved as a fixture with the original equipment source (bulb) already installed. The operator of vessel assumes all liability when using this product as a replacement for the original approved light source. The use of this LED light source in individual navigation fixtures has not been evaluated for compliance to USCG, COLREG, or any other navigational lighting standards or regulations.