

Beckson Pry-Out Deck Plates

Extra heavy-duty O-ring to assure a watertight fit. Nonskid surfaces on lid. Pry-out plates are to be installed in areas where internal pressure (oil-canning) is not present. For inspection of compartments, clean out or access. Also great for access to the backs of accessories.

6" Diameter

Like Us On **f**

| Order No | Mf | g No | lo Color Ty | | Туре | | List |
|----------------|------------|-------|-------------|----------------|------------------------|--|---------|
| 271014 | DP6 | 61-W | White | | Smooth Center | | \$25.50 |
| 271015 | DP6 | 65-W | White | | Diamond Pattern Center | | \$25.50 |
| 271016 | DP6 | 63-W | White | | Nonskid Center | | \$25.50 |
| 3" Diameter | | | | | | | |
| Order No | Mfg N | 0 | Color | Туре | | | List |
| 271017 | DP83- | W | White | Nonskid Center | | | \$39.95 |
| O-Ring Gaskets | s for Beck | son D | eck Plates | | | | |
| Order N | lo | | Mfg No | | Diameter | | List |
| 27102 | 2 | | D6P-G | | 6" | | \$4.85 |
| 27102 | 3 | | D8P-G | | 8" | | \$5.35 |


Beckson

Beckson Twist-Out Deck Plate with Overlapping Cover

Conceals fasteners for a clean modern look on any bulkhead. Selfcentering, and quickly locks in place with a 1/8 twist. Separate sealing areas designed to chase water away from plate opening. Assures a watertight closure. Bayonet threads are non-jamming, self-cleaning.

| Order No | Mfg No | Diameter | Color | List |
|----------|--------|----------|-------|---------|
| 271175 | DP50-W | 5" | White | \$19.05 |





who

馬

TH Marine Sure-Seal Oval Deck Plates

- Watertight lid overlaps frame. Total UV and chemical stability.
- •
- Positive "O" ring seal. No visible mounting fasteners. •

| Order No | Mfg No | Туре | Size | Lid | List | | |
|----------|----------------|---------|---------------------|------------------|---------|--|--|
| 303145 | DPOVAL-6D-2-DP | Pry-Out | 13-1/8" x 6-4/8" | White Texture | \$71.48 | | |
| | | | | | | | |

TH Marine Low Profile Twist-Out Deck Plates

- Quick twist out lid allows fast access.
- Smooth low-profile lid overlaps frame. Hidden fasteners provide smooth look.
- O-ring for watertightness.

| Order No | Mfg No | Size | Color | List |
|----------|------------|------|-------|---------|
| 307574 | DPSLP4S-2 | 4" | White | \$18.30 |
| 307585 | DPSLP-5S-2 | 5" | White | \$20.40 |

Beckson



Beckson Screw-Out Deck Plates

Hardware

Designed to provide access without the use of tools. Features single start, non-jamming (no cross-thread), extra strong, self-cleaning buttress thread. Self-aligning center and gasket to assure a waterftight seal. Backup sealing wall leaves the plate waterproof even if the gasket is removed. The clear center plate permits observation of controls or gauges and visual inspection without removing the plate. 4" Diameter


| + Diameter | | | | | | | | |
|----------------|------|---------------|-----|-------|--------------|----------------|---------|---------|
| Order No | Mf | j No | C | olor | | Туре | | List |
| 271006 | DP4 | 10-B | В | lack | | Smooth Cente | r | \$17.20 |
| 271007 | DP4 | 0-W | W | Vhite | | Smooth Center | | \$17.20 |
| 271008 | DP40 |)-W-C | W | Vhite | | Clear Center | | \$21.60 |
| 6" Diameter | | | | | | | | |
| Order No | Ν | /lfg No | | Co | lor | Туре | | List |
| 271009 | D | P60-B | Т | Bla | ack | Smooth Cer | nter | \$24.25 |
| 271010 | D | P60-W W | | W | hite | Smooth Center | | \$24.25 |
| 271012 | D | P62-W | | White | | Nonskid Center | | \$24.25 |
| 271011 | DF | P60-W-C White | | hite | Clear Center | | \$29.10 | |
| 8" Diameter | | | | | | | | |
| Order No | ľ | /lfg No | | Co | olor | Туре | | List |
| 271148 | D | P80-W | | W | hite | Smooth Cer | nter | \$37.25 |
| 271157 | C | P80-B | | BI | ack | Smooth Cer | nter | \$37.25 |
| 271166 | DF | 280-W-C W | | W | hite | Clear Cent | er | \$42.10 |
| Deck Plate Gas | kets | | | | | | | |
| Order | No | Mfg | No | | [| Diameter | | List |
| 2710 | 20 | D4S | G-G | | | 4" | | \$2.85 |
| 2710 | 21 | D6S | S-G | | 6" | | \$3.55 | |



TH Marine Sure-Seal Deck Plates

- Watertight lid overlaps frame ٠
- Total UV and chemical stability
- Positive "O" Ring seal. No visible mounting fasteners.
- Lids available with textured finish.

| Order No | Mfg No | Туре | Size | Lid | List |
|----------|------------|---------------|------|----------------|---------|
| 289501 | DPS-4-1-DP | Screw Out | 4" | Black Textured | \$11.75 |
| 289504 | DPS-4-2-DP | Screw Out | 4" | White Textured | \$11.75 |
| 289508 | DPS-6-1-DP | Screw Out | 6" | Black Textured | \$16.68 |
| 289511 | DPS-6-2-DP | Screw Out | 6" | White Textured | \$16.68 |
| 289513 | DPP-8-1-DP | Pry-Out Style | 8" | Black Textured | \$23.63 |
| 289607 | DPP-8-2-DP | Pry-Out Style | 8" | White Textured | \$23.63 |



Hardware **DECK PLATES & HATCHES**





TH Marine Screw Down Deck Plates

TH Marine Designer Series Access Hatches Cam style locks hold lid securely.

Stainless steel hinges allow full 180° opening. Structurally engineered "Walk On" lids.

Mfg No

HDS-0714-2-DP

HDS-1115-2-DP

HDS-1119-2-DP

HDS-1317-2-DP

HDS-1324-2-DP

HDS-1330-2-DP

Mfg No

HDSS-1317-2-REM

HDSS-1324-2-REM

Six sizes for all uses - vertical or horizontal

Positive lid seal for watertight fit. Hidden fasteners in frame

•

•

Order No

303202

303213

303224

303235

303246

303257

Order No

303528

303539

These screw down deck plates are an inexpensive alternative to screw out or pop out plates where quick access is not necessary. These plates are molded of super tough poly to be extra strong. They have an attractive matte finish and mount easily with countersunk screws.

| Order No | Mfg No | Color | Outside Diameter | Screw Holes | List |
|----------|------------|-------|------------------|----------------|---------|
| 289575 | SDP-1FW-DP | White | 5-5/8" | 6 | \$8.05 |
| 289568 | SDP-1-DP | Black | 5-5/8" | 6 | \$8.05 |
| 303282 | SDP-2FW-DP | White | 8" | 6 | \$15.99 |
| 303293 | SDP-3WF-DP | White | 10" | 6 | \$20.49 |

Color

White

White

White

White

White

White

Color

White

White





Removable Lid

List

\$79.10

\$95.48

\$109.18

\$117.33

\$131.00

\$161.10

List

\$147.98

\$166.73

Size

7" x 14"

11" x 15"

11" x 19"

13" x 17"

13" x 24"

13" x 30"

Size

13" X 17"

13" X 24"





TH Marine Sure-Seal Access Hatches

- Easy access to horizontal or vertical storage. ٠
- Watertight lid overlaps frame.

Dual seals - lid and frame. • •

- No visible fasteners. • Corrosion free integrated hinge.
- 180° do

| Order No | Mfg No | Color | Dimensions | List |
|----------|---------------|-------|------------|----------|
| 289521 | HAT-1115-1-DP | Black | 11" x 15" | \$98.30 |
| 289522 | HAT-1115-2-DP | White | 11" x 15" | \$98.30 |
| 303119 | HAT-1317-2-DP | White | 13" x 17" | \$127.60 |
| 289525 | HAT-1324-2-DP | White | 13" x 24" | \$152.88 |
| 303122 | HAT-1330-2-DP | White | 13" x 30" | \$208.48 |





Screw-In Center

Press-In Center

Locking

Bomar Deck Plates High impact polycarbonate UV stabilized deck plates. Acetone proof. Non-skid locking center. "O" ring seal.

| Order No | Mfg No | Features | Dimensions | Color | List |
|----------|--------|--------------------|--|--------------|---------|
| 105293 | 800 | Screw-In Center | 3-7/8" I.D., 5-1/2" O.D., Cut out 4-1/4" | Off White | \$19.00 |
| 105294 | 824 | Screw-In Center | 5-3/4" I.D., 8-1/16" O.D., Cut out 6-3/8" | Off White | \$21.00 |
| 105295 | 831 | Press-In Center | 7-5/8" I.D., 915/16" O.D., Cut out 8-3/8" | Off White | \$25.00 |
| 101034 | 844 | Locking | 10" I.D., 11-1/4" O.D., Cut out 10-3/8" | White | \$58.00 |



Removable Hatch Lid Type Hatches



TH Marine Cam Lock Deck Plate

- Cam hatch holds secure.
- Hidden fasteners in ring. • Gripper in lid prevents rotation.
- Easy to open and close.
- Textured finish.

| Order No | Mfg No | Color | Size | List |
|----------|--------------|-------|------|---------|
| 303268 | DPCAM-6-2-DP | White | 6" | \$33.27 |
| 303279 | DPCAM-8-2-DP | White | 8" | \$54.09 |



Scandvik ABS Utility Box Built in hinge. Good hide away location for sensitive items.

Material: Acrylic capped ABS Dimensions Overall: 10-7/8" W x 5- 7/8" H, requires 4" depth. Dimensions Inside: 8-1/4" W x 5-7/8" H x 4" D **Order No** Mfg No Color

140482 10495 List

\$147.00

White

Hardware AMERITOOL GAS CHARGED HATCH SUPPORTS





Ameritool Stainless Steel Gas Spring End 10mm End Mounts Sold individually.

| Order No | Mfg No | Overall Lgth. | Thread | List |
|----------|--------|------------------|-------------|---------|
| 282910 | A3 | 1.65" | 5/16-18 | \$14.85 |
| 282921 | A4 | 1.20" | 5/16-18 | \$3.63 |
| 282932 | D2 | 1.25" | M6 x 100 | \$5.46 |
| 282943 | A5 | 1.75" | | \$1.80 |
| 282954 | A1 | | | \$1.20 |

10mm Locking Clip for D2

| Order No | Mfg No | List |
|----------|--------|--------|
| 282937 | 10LCS | \$2.79 |



BSSS-10E1 BSSS-10E BSSS10M Ameritool Stainless Steel Ball Stud Mounts Sold individually. Ball size: 10mm.

| Order No | Mfg No | Overall Length | Thread | List |
|-------------|-----------|-------------------|----------|--------|
| 282701 | BSSS-10E1 | 1.65" | 5/16-18 | \$2.70 |
| 282712 | BSSS-10E | 1.20" | 5/16-18 | \$2.70 |
| 282723 | BSSS10M | 1.25" | M6 x 100 | \$3.09 |
| | | | | |



BR-204



BR-210R



BR-215



BR-220



BR-236

Ameritool Stainless 10mm Steel Brackets Sold individually.

| Order No | Mfg No | Description | List |
|----------|---------|----------------------|---------|
| 282767 | BR-202 | Flat | \$3.09 |
| 282778 | BR-204 | Angle | \$3.06 |
| 282789 | BR-204R | Reverse Angle | \$3.09 |
| 282791 | BR-208 | Angle | \$4.68 |
| 282802 | BR209R | Angle | \$4.14 |
| 282813 | BR-210R | Angle | \$11.28 |
| 282824 | BR-215 | Electro Polished S/S | \$3.90 |
| 282835 | BR-220 | 4 Hole Flat | \$17.88 |
| 282846 | BR-236 | Bracket | \$4.05 |

Ameritool Fixed Force Gas Filled Hatch Supports

High quality American made 316 stainless steel fixed force gas filled hatch supports are self-contained pneumatic devices capable of producing very large forces. Each gas spring is pressurized with nitrogen gas and contains a small amount of lubricating oil with the cylinder. They offer superior visual appearance and quality. Used in opening or closing hatches, doors, safety lids, etc. End Mount Thread: M6 MS 1

316 Stainless Steel

| Order No | Mfg No | Rod Diameter | Body Diameter | Stroke | Compressed Length | Extended Length | Force | List |
|-------------|------------------|-----------------|------------------|--------|----------------------|--------------------|-------|----------|
| 282102 | 625-2-10-A1A1-P | 0.25" | 0.625" | 2.25" | 5.25" | 7.5" | 10 | \$44.00 |
| 282113 | 625-2-20-A1A1-P | 0.25" | 0.625" | 2.25" | 5.25" | 7.5" | 20 | \$44.00 |
| 282124 | 625-2-35-A1A1-P | 0.25" | 0.625" | 2.25" | 5.25" | 7.5" | 35 | \$46.08 |
| 282135 | 625-2-50-D2D2 | 0.25" | 0.625" | 2.25" | 5.25" | 7.5" | 50 | \$46.08 |
| 282137 | 625-2-60-D2D2 | 0.25" | 0.625" | 2.25" | 5.25" | 7.5" | 60 | \$48.43 |
| 282146 | 625-3-10A1A1-P | 0.25 | 0.625" | 3" | 7" | 10" | 10 | \$48.43 |
| 282157 | 625-3-20-A1A1-P | 0.25" | 0.625" | 3" | 7" | 10" | 20 | \$48.43 |
| 282168 | 625-3-30-A1A1-P | 0.25' | 0.625" | 3" | 7" | 10" | 30 | \$50.78 |
| 282179 | 625-3-40-A1A1-P | 0.25" | 0.625" | 3" | 7" | 10" | 40 | \$50.78 |
| 282181 | 625-3-50-D2D2 | 0.25" | 0.625" | 3" | 7" | 10" | 50 | \$50.78 |
| 282192 | 625-3-60-D2D2 | 0.25" | 0.625" | 4" | 8" | 12" | 60 | \$56.95 |
| 282203 | 625-4-10-A1A1-P | 0.25" | 0.625" | 4" | 8" | 12" | 10 | \$56.95 |
| 282214 | 625-4-15-A1A1-P | 0.25" | 0.625" | 4" | 8" | 12" | 15 | \$68.95 |
| 282225 | 625-4-20-A1A1-P | 0.25" | 0.625" | 4" | 8" | 12" | 20 | \$68.95 |
| 282236 | 625-4-30-A1A1-P | 0.25" | 0.625" | 4" | 8" | 12" | 30 | \$68.95 |
| 282247 | 625-4-40-A1A1-P | 0.25" | 0.625" | 4" | 8" | 12" | 40 | \$68.95 |
| 282258 | 625-6-20-A1A1-P | 0.25" | 0.625" | 6" | 9" | 15" | 20 | \$71.03 |
| 282269 | 625-6-30-A1A1-P | 0.25" | 0.625" | 6" | 9" | 15" | 30 | \$71.03 |
| 282271 | 625-6-45-A1A1-P | .025" | 0.625" | 6" | 9" | 15" | 45 | \$71.03 |
| 282282 | 625-6-60-D2D2 | 0.25" | 0.625" | 6" | 9" | 15" | 60 | \$80.63 |
| 282293 | 625-6L-40-A1A1P | 0.312" | 0.75" | 7" | 10" | 17" | 40 | \$73.08 |
| 282304 | 625-6L-50-A1A1P | 0.312" | 0.75" | 7" | 10" | 17" | 50 | \$73.08 |
| 282315 | 625-7-40-A1A1-P | 0.25" | 0.625" | 7.5" | 11.25" | 18.5" | 40 | \$75.15 |
| 282326 | 625-8-40-D2D2-P | 0.25" | 0.625" | 8" | 12" | 20" | 40 | \$86.33 |
| 282337 | 625-8-50-D2D2-P | 0.25" | 0.625" | 8" | 12" | 20" | 50 | \$86.33 |
| 282348 | 750-6-100-D2D2-P | 0.312" | 0.75" | 6" | 9" | 15" | 100 | \$105.95 |
| 282359 | 750-6-120-D2D2P | 0.312" | 0.75" | 6" | 9" | 15" | 120 | \$105.95 |
| 282361 | 750-6-140-D2D2P | 0.312" | 0.75" | 6" | 9" | 15" | 140 | \$105.95 |
| 282372 | 750-6-160-D2D2 | 0.312" | 0.75" | 6" | 9" | 15" | 150 | \$105.95 |
| 282383 | 750-8-40-A1A1-P | 0.312" | 0.75" | 8" | 12" | 20" | 40 | \$105.95 |
| 282394 | 750-8-60-D2D2-P | 0.312" | 0.75" | 8" | 12" | 20" | 60 | \$114.23 |
| 282405 | 750-8-80-D2D2 | 0.312" | 0.75" | 8" | 12" | 20" | 50 | \$114.23 |
| 282416 | 750-10-40-D2D2P | 0.312" | 0.75" | 11" | 15" | 26" | 40 | \$123.00 |
| 282427 | 750-10-60-D2D2P | 0.312" | 0.75" | 11" | 15" | 26" | 60 | \$123.00 |
| 282438 | 750-10-80-D2D2P | 0.312" | 0.75" | 11" | 15" | 26" | 80 | \$123.00 |
| 282449 | 750-10-100-D2D2 | 0.312" | 0.75" | 11" | 15" | 26" | 100 | \$123.00 |
| 282451 | 750-10-120-D2D2 | 0.312" | 0.75" | 11" | 15" | 26" | 120 | \$123.00 |
| 282462 | 750-10-140-D2D2 | 0.312" | 0.75" | 11" | 15" | 26" | 140 | \$123.00 |

Like Us On **facebook**

Hardware WHITECAP GAS CHARGED HATCH SUPPORTS

Whitecap Gas Charged Hatch Supports

Self-contained, nitrogen-driven. Patented, multilobe seal, which combined with corrosion resis-tant chromium shaft offers superior service life and performance. 2-year warranty.

Heavy gauge steel body with heat-cured paint or 316 stainless steel.
O-ring insures proper sealing to force oil towards the orifice piston.

- Hydraulic fluid specially formulated to provide end of travel damping.
- Piston assembly provides precise control during the extension stroke.
 Do-it-yourself replacement

Installs in minutes
No special tools needed.
See previous page for mounting hardware.

316 Stainless Steel



| STU Stallless Steel | | | | | | | | |
|---------------------|------------|-----------------|-------------------|--------------|---------------|-------|---------|--|
| Order No | Mfg No | Extended Length | Compressed Length | Rod Diameter | Tube Diameter | Force | List | |
| 335270 | G-3120SSC | 7-1/2" | 5-1/2" | 6 mm | 15 mm | 20 | \$44.00 | |
| 335282 | G-3140SSC | 7-1/2" | 5-1/2" | 6 mm | 15 mm | 40 | \$44.00 | |
| 335293 | G-3020SSC | 10" | 7" | 6 mm | 15 mm | 20 | \$46.08 | |
| 335305 | G-3040SSC | 10" | 7" | 6 mm | 15 mm | 40 | \$46.08 | |
| 335316 | G-3320SSC | 15" | 9-1/2" | 6 mm | 15 mm | 20 | \$48.43 | |
| 335327 | G-3340SSC | 15" | 9-1/2" | 6 mm | 15 mm | 40 | \$48.43 | |
| 335339 | G-3360SSC | 15" | 9-1/2" | 6 mm | 15 mm | 60 | \$48.43 | |
| 335340 | G-3420SSC | 20" | 12" | 6 mm | 15 mm | 20 | \$50.78 | |
| 335351 | G-3440SSC | 20" | 12" | 6 mm | 15 mm | 40 | \$50.78 | |
| 335362 | G-3460SSC | 20" | 12" | 6 mm | 15 mm | 60 | \$50.78 | |
| 335373 | G-3490SSC | 20" | 12" | 6 mm | 15 mm | 90 | \$56.95 | |
| 335384 | G-34120SSC | 20" | 12" | 8 mm | 18 mm | 120 | \$56.95 | |

Black Nitrate Body

| SIACK NITRATE BODY | Mán Na | Futended Length | Communicated Longith | Ded Diamater | Tube Diameter | Farrag | Link |
|--------------------|----------|-----------------|----------------------|--------------|---------------|--------|---------|
| Order No | Mfg No | Extended Length | Compressed Length | Rod Diameter | Tube Diameter | Force | List |
| 268076 | G-3120C | 7.5" | 5-1/2" | 6 mm | 15 mm | 20 | \$19.43 |
| 268141 | G-3140C | 7.5" | 5-1/2" | 6 mm | 15 mm | 40 | \$19.43 |
| 268154 | G-3020C | 10" | 7" | 6 mm | 15 mm | 20 | \$19.43 |
| 268026 | G-3040C | 10" | 7" | 6 mm | 15 mm | 40 | \$19.43 |
| 268239 | G-3520C | 12" | 8-1/2" | 6 mm | 15 mm | 20 | \$19.43 |
| 268194 | G-3530C | 12" | 8-1/2" | 6 mm | 15 mm | 30 | \$19.43 |
| 268034 | G-3590C | 12" | 8-1/2" | 6 mm | 15 mm | 90 | \$19.43 |
| 268027 | G-3320C | 15" | 9-1/2" | 6 mm | 15 mm | 20 | \$19.43 |
| 335162 | G-3330C | 15" | 9-1/2" | 6 mm | 15 mm | 30 | \$19.43 |
| 335174 | G-3340C | 15" | 9-1/2" | 6 mm | 15 mm | 40 | \$19.43 |
| 268028 | G-3360C | 15" | 9-1/2" | 6 mm | 15 mm | 60 | \$19.43 |
| 335186 | G-3620C | 17" | 10-1/4" | 6 mm | 15 mm | 20 | \$19.43 |
| 268029 | G-3630C | 17" | 10-1/4" | 6 mm | 15 mm | 30 | \$19.43 |
| 268162 | G-3640C | 17" | 10-1/4" | 6 mm | 15 mm | 40 | \$19.43 |
| 335198 | G-3660C | 17" | 10-1/4" | 6 mm | 15 mm | 60 | \$19.43 |
| 335201 | G-3690C | 17" | 11" | 6 mm | 15 mm | 90 | \$19.43 |
| 335213 | G-3440C | 20" | 12" | 6 mm | 15 mm | 40 | \$19.43 |
| 268177 | G-3420C | 20" | 24" | 6 mm | 15 mm | 20 | \$19.43 |
| 268185 | G-3430C | 20" | 12" | 6 mm | 15 mm | 30 | \$19.43 |
| 268025 | G-3460C | 20" | 12" | 6 mm | 15 mm | 60 | \$19.43 |
| 268035 | G-3490C | 20" | 12" | 6 mm | 18 mm | 90 | \$19.43 |
| 335224 | G-34120C | 20" | 12" | 6 mm | 18 mm | 120 | \$19.43 |
| 268042 | G-34420C | 28" | 16-1/2" | 10 mm | 22 mm | 120 | \$59.88 |

WHITECAP



Ball Studs For Gas Charged Hatch Supports

| Order No | Mfg No | Length | Ball Size | Thread | List |
|----------|-----------|--------|-----------|-----------|---------|
| 268030 | G-1005SSC | 1" | 10mm | 5/16"-18 | \$9.48 |
| 268063 | G-1155 | 3/4" | 13mm | W/Bracket | \$18.98 |

Prices and specifications subject to change without notice.

Like Us On facebook

Hardware BOMAR HATCH REPLACEMENT PARTS • N.A. TAYLOR HATCH REPLACEMENT PARTS

List

\$15.75

\$15.75

List

\$23.10

\$12.48

\$116.83

\$34.03

\$21.93

\$88.00

\$114.13

\$116.08

\$27.38

\$26.73

\$29.38

\$40.75

\$40.75

\$28.93

\$38.83



Hardware DOUBLE LIP TRIM • WEATHERSEAL • HATCH GASKET • WEATHERSTRIP ADHESIVE

1.000

1+ .875

Clean Seal EPDM D Gasket

Ethylene-Propylene-Diene-Monomer is well known for its excellent ozone, weathering, and aging resistance. It also has excellent water and steam resistance, maintains its flexibility at low temperatures, features excellent resistance to alkalis, acids, and oxygenated solvents, and is very color stable. It is not recommended for resistance

to oil, gasoline, and hydrocarbon solvents. EPDM is found in a wide range of applications and is excellent for use outdoors.

EPDM's service temperature ranges from -20°F to 300°F.

.875" wide x 1" high. Self-adhesive for easy installation on most smooth surfaces. Sold by the foot

| Order No | Mfg No | Color | Dimensions | List/Ft. | | |
|----------|--------------|-------|------------------------|----------|--|--|
| 130144 | 2828W-ST-250 | White | .875" wide x 1" high. | \$3.75 | | |
| 130147 | 2486ST | White | .75" Wide x .562: High | \$3.75 | | |



MDR Weatherseal Tape

Non-moisture absorbing PVC foam tape seals out moisture and weather. 1/8" thick tape is ideal for cushioning windows and doors. Absorbs shock and eliminates vibration. Prevents metal to metal contact. 3/8" x 10' roll.

| Order No | Mfg No | List |
|----------|---------|---------|
| 202905 | MDR-370 | \$12.15 |

Frost King Vinyl Foam Weatherstrip

A versatile self-stick tape with medium compression. Vinyl Foam Weather-seal is waterproof and weather resistant, suitable for indoor and outdoor use.

| Order No | Mfg No | Color | Size | List |
|----------|--------|-------|----------------------|--------|
| 220039 | 02238 | Gray | 1/4"W x 1/8" T x 17' | \$2.50 |
| 220040 | V443 | Gray | 3/8"W x 3/16"T x 17' | \$2.73 |
| 298701 | R538H | Black | 3/8"W x 5/16"T x 10' | \$3.24 |
| 298730 | R538WH | White | 3/8"W x 5/16"T x 10' | \$3.84 |
| 298715 | R738H | Black | 3/8"W x 7/16"T x 10' | \$4.08 |
| 220042 | V445H | Gray | 1/2" W x 3/8"T x 10" | \$3.51 |
| 220341 | V449H | Gray | 3/4"W x 3/16"T x 17' | \$4.53 |
| 298708 | R534H | Black | 3/4"W x 5/16"T x 10' | \$4.86 |
| 298737 | R534WH | White | 3/4"W x 5/16"T x 10' | \$5.00 |
| 298722 | R734H | Black | 3/4"W x 7/16"T x 10' | \$6.12 |
| 298763 | B734WH | White | 3/4"W x 7/16"T x 10' | \$6.60 |





Frost King EPDM Rubber Weatherseal

Fills wide gaps. Premium rubber will not harden, crack or freeze. Retains shape in sub-zero temperatures. Self-stick tape. o v 5/16" thick v 10' long White 0/10"

| Order No | Mfg No | List | | | | |
|----------|--------|---------|--|--|--|--|
| 298774 | V27WA | \$16.20 | | | | |

| 31 | V |
|------------------|---|
| per Weatherstrip | A |

3M Super Weatherstrip Adhesive ٠

For adhering all types of weatherstrip to doors. Fast drying, strong, flexible, rubbery adhesive.

Withstands vibration & extreme temperature variation.

Good oil and water resistance. 5 oz. tube.

| Order No | Mfg No | Color | List |
|----------|--------|--------|---------|
| 201834 | 08001 | Yellow | \$11.99 |
| 379748 | 08011 | Black | \$16.65 |



Perko Portlight Weatherstripping Open cell foam rubber supplied in 10 ft. lenths. Height: 3/8". Min. width inches: 1/4". Max. width inches: 7/16".

| Order No | Mfg No | List |
|----------|--------|---------|
| 130070 | 0461 | \$23.90 |

ITW DEVCON 82110 Wrapit Self-Fusing Silicone Tape

Flexible. Repairs and seals hoses and cables, appliance cords, leaking pipes, repair broken branches and stake plants. Uv resistant. Prevents corrosion. Withstands fuel, salt water and acids. -65 degrees fahrenheit to 500 degrees fahrenheit.

Features. Use to seal, insulate and stop vibration.. Meets mil spec aa59163 and ul510 specifications.. 700 psi tensile strength.. 10,000 dielectric rating.. Chemical resistant.. Dimensions: 1" x 10'

| Order No | Mfg No | Color | List |
|----------|--------|-------|---------|
| 322501 | 82110 | Black | \$10.50 |





WrapIt Repair E TA

Creates a tight, rattle free seal with adhesive backing for convenient installation. Made of durable and flexible rubber compound.

Medium density closed cell foam.

• Self-adhesive for convenient installation. Provides anti-rattle seal

Taco Hatch Tape

| Order No | Mfg No | Length | Height | Width | List/Ft. |
|----------|--------------|--------|--------|-------|----------|
| 369527 | V30-0744B8-2 | 8' | 1/8" | 3/4" | \$13.53 |
| 369538 | V30-0748B8-2 | 8' | 1/4" | 3/4" | \$17.15 |



Taco Self-adhesive Weather Seal Tape

Synthetic rubber - black. ٠

• Absorbs shock and reduces vibration.

- . Durable EDPM synthetic rubber compound offers superior resistance to water absorption, sunlight damage and extreme temperatures.
- With adhesive backing, it's ideal for livewells, exterior doors, instrument covers and electronic boxes

| Order No | Mfg No | Length | Height | Width | List |
|----------|---------------|--------|--------|-------|---------|
| 369549 | V30-1333B10-1 | 10' | 1/4" | 3/8" | \$30.10 |
| 369551 | V30-010910-1 | 10' | 3/8" | 5/8" | \$24.93 |
| 369562 | V30-0113B10-1 | 10' | 3/16" | 3/8" | \$25.68 |
| 369573 | V30-0202B10-1 | 10' | 1/2" | 1/2" | \$31.28 |

Hardware WEATHER SEAL • WINDSHIELD SUPPORT BAR • HATCH HOLDERS • WINDSHIELD ADJUSTERS • HATCH HOLDERS





with hatches, as well as bait tanks, battery boxes, electric consoles, etc. Easy to install.

Moonlight Marine Spring Type Hatch Holder

Mfg No

0340-1

0045-2

0045

0314

Order No

730184

710365

730179

710350

710349



Diameter

7/16"

7/16"

7/16"

9/16"

7/8"

Length

6-1/4"

8-1/2'

8-1/2'

10"

11-3/4"

000

List

\$165.98

PERKO Perko Telescoping Windshield Adjuster Replacement Knob List Order No Mfg No 740010 1117DP0BLK \$10.48 PERKO

List

\$15.24

\$10.95

\$13.14

\$19.68

\$71.61



Perko Sliding Window Stop

Chrome plated zinc. Plastic cover on stopping plate. Mounting plate dimensions: 1-7/8" x 3/4".

Stopping plate length: 1-1/2".

| | Screw size: #8. | | |
|---|-----------------|------------|---------|
| | Order No | Mfg No | List |
| 1 | 703118 | 0935DPOCHR | \$20.10 |

0115-1 Bracket w/Plate & CableSupports approx. 100 lb. PERKO



Chrome plated brass. 2 per pack.





Order No

703012

300 Series stainless steel and black anodized aluminum. Patented design. Prevents over-opening. Will not stretch or break. For use

Туре

Bracket w/Support Supports approx. 10 lb.

Bracket w/Support Supports approx. 10 lb.

Bracket w/L-shaped Support supports approx 10 lb.

Bracket w/Support Supports approx. 45 lb.



Chrome plated zinc. Black plastic knob. 12" long overall with 9-1/2" length adjustment. Sold in pairs. Perko Hatch Support Braces

| Order No | Mfg No | List |
|----------|------------|----------|
| 703374 | 1290DP0CHR | \$101.43 |



Mfg No

0762DP1CHR

Perko Hatch Fastener or Windshield Keeper

Chrome plated brass and zinc. Black plastic handle. Base dimen-

sions: 1-1/2" x 5/8". Screw size: #8.

| Order No | Mfg No | List |
|----------|------------|---------|
| 703015 | 0769DPOCHR | \$68.93 |

| 703015 | 0769DPOCHR | \$68.93 |
|--------|------------|---------|
| | | |



Over 350 brand name maufacturers

Enormous, 50,000 sq. ft. warehouse located next to Ft. Lauderdale International Airport to support all of our customers. Special orders are no problem.

Selection is second to none.

120 years combined marine experience within our sales team - we can find what you need! Exclusive Wesmar distributor.

Our knowledgeable & friendly staff is ready to help you. Call Debbie Senti at 954-463-4307 ext. 313 Call Jim Haun at 954-463-4307 ext. 304

Call John Carracino 954-732-9570 (Cell)

Call Pamela Hutchisson at 954-463-4307 ext. 322

Call Bob Leatherman at 954-463-4307 ext. 305 (Wesmar)

Prices and specifications subject to change without notice.



Perko Hatch Fastener

Chrome plated bronze. Black plastic knob. Overall dimensions: 3-3/4" x 1-5/8".

| Order No | Mfg No | List |
|----------|------------|---------|
| 703017 | 0770DP0CHR | \$86.10 |



Perko Lockable Hold Down Clamp

Chrome plated bronze. 2-3/4" x 1-3/4" base dimensions.

| Order No | Mfg No | List |
|----------|------------|----------|
| 703234 | 1108DPOCHR | \$102.93 |

WHITECAP



Whitecap Window Anti-Rattler

Chrome-plated cast brass with rubber stop. Base is 1" W x 1-1/4" L. Screw take-up is 7/8".

| | | - |
|----------|--------|--------|
| Order No | Mfg No | List |
| 240160 | S-550C | \$7.48 |



N.A. Taylor Windshield Support Bars

Used as original equipment on many walk-thru windshields. Made OF anodized aluminum tubing with nylon fittings. Fittings allow for pivot in almost every direction for easy installation.

| | | | * |
|----------|--------|--------|---------|
| Order No | Mfg No | Length | List |
| 336227 | 1632 | 11" | \$24.65 |
| 336238 | 1634 | 12" | \$24.65 |
| 336249 | 1636 | 13" | \$24.65 |
| 336251 | 1638 | 14" | \$24.65 |


ERKO 0000 0 100

Perko Windshield Adjuster

Chrome plated brass and zinc. Black plastic knob. Rod O.D. is 3/8".

| Order No | Mfg No | Length | List | |
|------------------|------------|--------|---------|--|
| 730176 | 1116DP1CHR | 8" | \$90.35 | |
| Banlassmant Krah | | | | |

| neplacement knob | | |
|------------------|------------|---------|
| Order No | Mfg No | List |
| 740010 | 1117DP0BLK | \$10.48 |
| | | |





Hours: 7:30 a.m. - 4:30 p.m. - Monday - Friday.

Call Lou Moran at 954-463-4307 ext. 314

Email: johnc@dshullco.com

Hardware WINDSHIELD KEEPER • WINDOW STOP • HATCH FASTENER • WINDSHIELD WIPER MOTORS & ARMS

| SEPPO | | | | Comproversy | | | 1 |
|-----------------------------------|--|------------------|---------------------|----------------|-------|------|---------|
| Sea Dog Slidin Investment cast | g Door Stop : 316 stainless steel. | Use #8 fasteners | for installation (r | not included). | 6 | | |
| Order No | Mfg No | A | В | C | D | E | List |
| 244579 | 221700-1 | 2-7/8" | 1-1/4" | 1/4" | 9/16" | 7/8" | \$22.50 |



| Stainless steel with rubber squeegee. | | | | |
|---------------------------------------|-------------|--------|---------|--|
| Order No | Mfg No | Length | List | |
| 101827 | BD721011-16 | 16" | \$15.00 | |
| 101828 | BD721011-18 | 18" | \$20.00 | |



N. A. Taylor Adjustable Side Vent Handles

7/8" diameter; 7/16" height. 4 per pack.

PERKO

Made in the USA

Sliding Door Stop

Order No

222138

White rubber.

Designed to replace most original handles on side vent windows. Easy installation. Designed to fit side windows having exactly 1/4" mounting hole. Sold in pairs; left and right.

| Order No | Mfg No | List | | |
|----------|--------|---------|--|--|
| 232761 | 11616 | \$27.38 | | |
| | | | | |

Mfg No

161899

List

\$3.49



Schmitt & Ongaro Standard Windshield Wiper Kit Black powder coated aluminum cover 304 SS mounting plate, shaft & mounting hardware 90 or 110° adjustable sweep Will Power up to a 14" arm & blade Guaranteed 3 Years Includes: 10.5"-14" arm & 11" blade Order No Mfg No Volts List 277870 31011 12 VDC \$127.65

MARINCO



Flat Screen Windshield Wiper Blades

Marinco (AFI) Straight Wiper Blades Black glass polymer impregnated construction. Marine grade rubber squeeqee.

Stainless steel: Long-lasting silicone squeegee.

| Order No | Mfg No | Length | List |
|----------|--------|--------|---------|
| 279117 | 31018B | 18" | \$16.93 |
| 279124 | 31020B | 20" | \$19.80 |
| 279133 | 31022B | 22" | \$21.23 |
| 279148 | 31024B | 24" | \$22.23 |



Schmitt & Ongaro Deluxe Adjustable Wiper Arms

Adjustable J-Hook & Adjustable Tip

- · Black powder coated 304 stainless steel.
- · HD stainless steel spring.
- Will replace all competitive arms on HD motors.
 5/8" Shaft.

| - 5/0 Shart. | | | | | |
|--------------|--------|---------------|---------|--|--|
| Order No | Mfg No | Adjusts | List | | |
| 332050 | 33660 | 13.5" - 18.5" | \$46.25 | | |
| 332061 | 33661 | 19" - 24" | \$48.55 | | |



Schmitt & Ongaro Deluxe Adjustable Wiper Arms J-Hook Type

· Black powder coated 304 stainless steel.

- HD stainless steel spring.Will replace all competitive arms on HD motors. • 5/8" shaft.

| Order No | Mfg No | Adjusts | List |
|----------|--------|-----------|---------|
| 332038 | 33650 | 12" - 17" | \$37.70 |
| 332049 | 33651 | 19" - 24" | \$40.00 |



Schmitt & Ongaro Deluxe Pantographic Arms

- · Black powder coated 304 stainless steel.
- HD stainless steel spring.
- · Will replace all competitive arms on HD motors.
- 5/8" shaft

| Order No | Mfg No | Adjusts | List |
|----------|--------|-----------|---------|
| 332072 | 33670 | 12" - 18" | \$96.60 |
| 332083 | 33671 | 19" - 24" | \$98.65 |

Perko Sliding Window Handle Stainless Steel Width overall: 3-7/16" Width inside: 2-15/16". Screw size: #6 **Order No** Mfg No List 0954DPOSTS 730174 \$12.20 Schmitt & Ongaro Heavy Duty 2 Speed Wiper Motor Black powder coated housing.



Beckson Stainless Steel Tie Down

SUGATSUNE

Non-handed.

Order No

249393

Sugatsune Lid Stay with Lock

Only one stay per lid required.

Mechanically locks lid when fully opened.

Mfg No

LSP-270B

Length

10-5/8

List

\$36.05

Ideal for vibration or shock application.

Pull the locking knob to release lock.

Twist Knob pivots to adjust and fold back 90° for flush fit. Length in closed position is 2" (5.1 cm).

| Order No | Mfg No | List | |
|----------|--------|---------|--|
| 271056 | TDS-1 | \$28.65 | |



Over 350 brand name maufacturers

Enormous, 50,000 sq. ft. warehouse located next to Ft. Lauderdale International Airport to support all of our

304 SS mounting hardware, 316 SS shaft, chrome plated

Volts

12 VDC

24VDC

List

\$165.15

\$167.90

 Adjustable sweep 45, 60, 80 and 110 degree. Adjustable park position right or left. Will power up to a 24" arm and 22" blade.

Mfg No

32991

338925

customers. Special orders are no problem.

ongard

brass shaft housing.

Guaranteed 3 years

Order No

278962


278104

Selection second to none.

120 years combined marine experience within our sales team - we can find what you need!

Exclusive Wesmar distributor.

Hours: 7:30 a.m. - 4:30 p.m. - Monday - Friday. Our knowledgeable & friendly staff is ready to help you.



Hardware SAILBOAT RIGGING





Schmitt & Ongaro Deluxe Ultra Blades

- Powder coated
- · Natural rubber blade.
- · Replaceable blade inserts.
- · Packed w/3 adapters to fit above Ongaro arms and most competitive arms.

| Order No | Mfg No | Length | List |
|----------|--------|--------|---------|
| 332094 | 33011 | 11" | \$17.50 |
| 332105 | 33012 | 12" | \$17.50 |
| 332116 | 33014 | 14" | \$19.55 |
| 332127 | 33016 | 16" | \$20.25 |
| 332139 | 33018 | 18" | \$20.70 |
| 332140 | 33020 | 20" | \$21.40 |
| 332151 | 33022 | 22" | \$22.45 |
| 332162 | 33024 | 24" | \$23.45 |



Over 350 brand name maufacturers

Enormous, 50,000 sq. ft. warehouse located next to Ft. Lauderdale International Airport to support all of our customers.

Special orders are no problem.

Selection is second to none.

120 years combined marine experience within our sales team - we can find what you need!

Exclusive Wesmar distributor.

Hours: 7:30 a.m. - 4:30 p.m. - Monday - Friday. Our knowledgeable & friendly staff is ready to help you. Call Debbie Senti at 954-463-4307 ext. 313

Call Jim Haun at 954-463-4307 ext. 304

Call Lou Moran at 954-463-4307 ext. 314

Call John Carracino 954-732-9570 (Cell)

Email: johnc@dshullco.com

Call Pamela Hutchisson at 954-463-4307 ext. 322 Call Bob Leatherman at 954-463-4307 ext. 305 (Wesmar)



Ronstan Cam Cleats

Designed for easy cleating and releasing of control lines in every application and load condition. Through the use of advanced composites, these cleats achieve superior performance while overcoming the limitations of metal alloys. Ronstan cam cleats are strong, lightweight and corrosion free. Small cam cleats hold rope up to 5/16". Medium cam cleats hold 1/8" to 1/2" diameter. "T" Cleats


Lightweight hi-tech composite cams are corrosion free and long wearing.

| Order No | Mfg No | Size | List |
|----------|--------|--------|---------|
| 109639 | RF5001 | Small | \$27.00 |
| 109638 | RF5011 | Medium | \$30.53 |

Ronstan Toggle Pins Grade 316 stainless steel.







| Order No | Mfg No | A | В | C | D | E | List |
|----------|-------------|------|------|----|--------|-------|---------|
| 293134 | RF115X1-1/4 | 1/4" | 3/4" | 2" | 1-3/4" | 5/16" | \$22.29 |



Ronstan "Fast Track" Fairleads

A separate, one-piece accessory that is easily fitted to the cam cleat. Offering fast, precise cleating and release from any lead angle and lower entry efforts for off-center cleating, "Fast Track" fairlead is made from tough, abrasion resistant composite material. The compact, low profile design will not catch lines or clothing. Gray color.

| Order No | Mfg No | Size | List | |
|----------|-----------|--------|---------|--|
| 293189 | RF5404 | Small | \$9.35 | |
| 293209 | RF5015GRY | Medium | \$11.71 | |



Ronstan Rope Guides

A load side mounted fairlead that ensures correct alignment of control lines into the cleat. The stainless steel loop is held firmly between the cleat base and the gasket pad to protect the deck.


| 1 | Order No Mfg No | | Size | List | |
|---|-----------------|--------|--------|---------|--|
| 1 | 293186 | RF5404 | Small | \$9.35 | |
| | 293206 | RF5414 | Medium | \$10.53 | |



Ronstan Eye Straps

| Stainless steel. | J | | | | | |
|------------------|--------|--------|-------|---------|-------|---------|
| Order No | Mfg No | A | В | C | D | List |
| 293151 | RF498 | 3/8" | 1/8" | 1-1/8" | 5/32" | \$3.47 |
| 109632 | RF528 | 9/16" | 3/16" | 1-7/16" | 3/16" | \$9.35 |
| 293163 | RF1055 | 5/8" | 1/4" | 1-3/4" | 1/4" | \$4.75 |
| 109633 | RF1054 | 11/16" | 3/16" | 2-3/8" | 5/16" | \$10.53 |





Ronstan Flared Eve Strans

| nulisiali Fialeu Eye Silaps | | | | | | | |
|-----------------------------|--------|------|------|---------|-------|--------|--|
| Order No | Mfg No | A | В | C | D | List | |
| 109630 | RF94 | 1/4" | 3/8" | 1-1/16" | 3/16" | \$4.65 | |
| 109631 | RF291 | 1/2" | 3/8" | 1-1/4" | 3/16" | \$7.00 | |



Mfg No

RF5000

RF5400B

RF5010

RF5410B

Ronstan "C" Cleats

abrasive

Order No

293172

293174

293191

293194



Color

Gray

Blue

Gray

Blue

List

\$28.18

\$28.

\$30.5

\$30.5



Ronstan Swivel Base Deadeye and Cam Cleat

| Permits easy cleating and releasing from any angle. Deadeye |
|---|
| has stainless steel liner. Cleat plate is thick gauge aluminum. |
| Medium "T" Cleat and fairlead suitable for 1/8" to 1/2" line. |
| |

| 10 | Order No | Mfa No | List |
|----|----------|--------|---------|
| 53 | Uruer NU | Mfg No | LISI |
| 33 | 109620 | RF58 | \$78.76 |
| 52 | 109020 | hFJO | φ/0./0 |

Lightweight, ultra rigid carbon fiber composite cams are cor-

rosion free, suffer virtually no tooth wear, and are non-rope

Size

Small

Small

Medium

Medium

132



Hardware SAILBOAT RIGGING

suitable for direct splicing to rope or use with shackles.

Ronstan Utility Blocks

RONSTAI

USA

Order No

109604

293142

1-1/8" Sheave Diameter - 1/4" Line

Mfg No

RF81

RF185



There are many uses for these simple, economical and reliable blocks. They are often used for light duty purchase systems such

as dinghy boom vangs, cunninghams, leech line tackles, bunk adjusters, etc. Stainless steel cheeks and Acetal sheaves ensure a

long service life with virtually no maintenance. Blocks with hollow rivets accept the RF 807 shackle becket. Loop top blocks are

RF185

List

\$29.35

\$18.76

_ike

954-463-4307 • Ph



3/4" Sheave Diameter - 3/16" Line

RF661

| Order No | Mfg No | Туре | List |
|----------|--------|------------|---------|
| 293154 | RF661 | Sgl. Block | \$12.95 |
| 293157 | RF666 | Sgl. Block | \$12.88 |



RF81

Туре

Dbl. Block Loop top


Sgl. Block Tube Rivet

Ronstan Series 20 Ball Bearing Blocks

Perfect choice for all types of dinghy control line applications. Excellent for use in powerful, efficient purchase systems for boom vangs, outhauls, cunningams and traveller controls. Acetal sheaves run on stainless steel ball bearings. Max. working load: 550 lbs.

3/4" Sheave diameter - 1/4" Line (max.) Swivel Shackle Head

| Order No | Mfg No | Mfg No Type | |
|----------|---------|--------------|---------|
| 293218 | RF20100 | Single Block | \$22.45 |
| 293221 | RF20202 | Double Block | \$32.88 |
| 232232 | RF20302 | Triple Block | \$44.65 |



ONSTA USA

and spinnaker sheets on boats up to 8 meters (26 ft.) as well as general service applications on larger boats. UV stabilized Acetal sheaves provide bearing performance on a polished stainless steel race. Maximum working load: 880 lbs. Series 40

1-9/16" Sheave diameter - 7/16" line (max)

| Order No | Mfg No | Туре | List |
|----------|---------|----------------------------------|---------|
| 109605 | RF41100 | Sgl. Block - Univer- sal Head | \$29.95 |



Purpose Blocks - Single, Universal Head

Typically used on boats up to 10 meters (33 ft.) for main and spinnaker sheets, halyards and other primary applications. Load ratings 1650 lbs. UVstabilized Acetal sheaves provide bearing performance on a polished stainless steel race that performs equaly well with dynamic and static loads.

| 2" | Sheave | diameter | - 1/2" | line | (max.) | |
|----|--------|----------|--------|------|--------|--|
| | | | | 1 | | |

| Order No | Mfg No | Туре | List |
|----------|---------|------------------------|---------|
| 109704 | RF51100 | Sgl. Universal Head | \$36.95 |

RØNSTAN USA

Ronstan "Fast Track" Fairleads

A separate, one-piece accessory that is easily fitted to the cam cleat. Offering fast, precise cleating and release from any lead angle and lower entry efforts for off-center cleating, "Fast Track" fairlead is made from tough, abrasion resistant composite material. The compact, low profile design will not catch lines or clothing. Grav color.

| Order No | Mfg No | Size | List |
|----------|-----------|--------|---------|
| 293189 | RF5005GRY | Small | \$9.35 |
| 293209 | RF5015GRY | Medium | \$11.71 |





Ronstan Lightweight Blocks

| Order No | Mfg No | Туре | List |
|----------|--------|----------------------------------|---------|
| 109600 | RF571 | Sgl. Block Loop Top | \$12.88 |
| 109601 | RF573 | Sgl. Block Swivel Shackle Top | \$19.94 |



Over 350 brand name maufacturers

Enormous, 50,000 sq. ft. warehouse located next to Ft. Lauderdale International Airport to support all of our customers.

Special orders are no problem.

Selection is second to none.

120 years combined marine experience within our sales Ronstan Series 30 - 30mm Ball Bearing Blocks with Single, team - we can find what you need!

Exclusive Wesmar distributor.

Hours: 7:30 a.m. - 4:30 p.m. - Monday - Friday. Our knowledgeable & friendly staff is ready to help you. Call Debbie Senti at 954-463-4307 ext. 313 Call Jim Haun at 954-463-4307 ext. 304 Call Lou Moran at 954-463-4307 ext. 314 Call John Carracino 954-732-9570 (Cell)

Email: johnc@dshullco.com Call Pamela Hutchisson at 954-463-4307 ext. 322 Call Bob Leatherman at 954-463-4307 ext. 305 (Wesmar) RANSTAR USA

Swivel Shackle Head

Typically used as primary lead blocks on dinghies and catamarans. Also for some control applications on larger boats. Twostage ball bearing system. Block cheeks are molded in fiber reinforced Zytel. Acetal ball bearings and sheaves. Stainless steel load straps and head fittings.

| 1-1/8" Sheave diameter – 5/16" Line (max.) | | | | | |
|--|---------|-----------------------------------|---------|--|--|
| Order No | Mfg No | Туре | List | | |
| 109603 | RF30100 | Sgl. Block Swivel Shackle Head | \$23.45 | | |

Prices and specifications subject to change without notice.



IG- • www.dshullco.com

Hardware SAILBOAT RIGGING







Whitecap Stainless Steel Round Rings

| · | - | | |
|----------|--------|---------------|---------|
| Order No | Mfg No | Size | List |
| 334622 | S-261C | 3/16" x 1" | \$8.45 |
| 334641 | S-262C | 1/4" x 1" | \$13.80 |
| 334660 | S-263C | 1/4" x 1-1/2" | \$22.53 |
| 334708 | S-264C | 5/16" x 2" | \$26.10 |

Ronstan Pad Eyes

| Order No | Mfg No | A | В | C | D | E | List |
|----------|--------|--------|-------|--------|--------|-------|---------|
| 109636 | RF415 | 13/16" | 5/16" | 3" | 2" | 3/16" | \$33.95 |
| 293145 | RF661 | 1" | 1/4" | 3-1/4" | 1-3/8" | 3/16" | \$32.95 |




Ronstan Deadeves

Provide a simple, low cost means of containing, re-directing, or correcting the direction of lines. Nylon construction with stainless steel liner.

| Order No | Mfg No | Size | List |
|----------|--------|-------|---------|
| 109621 | RF59 | 9/16" | \$8.18 |
| 109622 | RF2358 | 5/8" | \$16.41 |






Ronstan Stainless Steel Snap Shackles

Stainless steel. Heavy-duty plunger pin and precision components.


| Order No | Mfg No | A | В | C | List |
|----------|--------|------|------|--------|---------|
| 109657 | RF6120 | 5/8" | 1/2" | 2-7/8" | \$67.00 |
| 109658 | RF6210 | 5/8" | 5/8" | 3-5/8" | \$84.65 |



ONSTA USA

| 10mm (3/8") internal clearanc | e. 5mm (3/16") dia. loop. | |
|-------------------------------|---------------------------|---------|
| Order No | Mfg No | List |
| 109637 | RF87 | \$15.24 |





Ronstan Stainless Steel Fixed Eye Snap Shackle

| Order No | Mfg No | A | В | C | List |
|----------|--------|---------|------|----------|----------|
| 109659 | RF6300 | 1-1/32" | 3/4" | 3-15/16" | \$155.24 |



Sea Dog "It Floats" Floating Winch Handle

Patented design is made by way of air assist injection molding instead of foam filled method, thus preventing any potential leakage of foam from within the handle. Both sizes feature ball bearings in the handle to ensure smoother action under load. Also available is the dip molded PVC winch handle holder, Sea-Dog part number 724200.

| Order No | Mfg No | A | List |
|----------|--------|-----|---------|
| 352586 | 604100 | 10" | \$36.00 |

COMPANY

Over 350 brand name maufacturers

Enormous, 50,000 sq. ft. warehouse located next to Ft. Lauderdale International Airport to support all of our customers.

Special orders are no problem.

Selection is second to none.

120 years combined marine experience within our sales team - we can find what vou need!

Exclusive Wesmar distributor.

Hours: 7:30 a.m. - 4:30 p.m. - Monday - Friday.

Our knowledgeable & friendly staff is ready to help you. Call Debbie Senti at 954-463-4307 ext. 313

Call Jim Haun at 954-463-4307 ext. 304

Call Lou Moran at 954-463-4307 ext. 314

Call John Carracino 954-732-9570 (Cell)

Email: johnc@dshullco.com

Call Pamela Hutchisson at 954-463-4307 ext. 322 Call Bob Leatherman at 954-463-4307 ext. 305 (Wesmar)

Hardware





Black nylon cleat with integral fairlead to guide the rope into the teeth to give a quick lock that is easy to release. Made from UV resistant plastic, making it cost effective and ideal for holding rope in an outdoor environment. It simple design has led to it being fitted on boats to farm equipment. For rope sizes: $1/4^n - 1/2^n$

| i ui iupe sizes. | 1/4 - 1/2 . | |
|------------------|----------------------|-----------|
| Dimensions: A: | 3-3/4": B: 2-13/16": | C: 1-1/8" |

| Order No | Mfg No | List |
|----------|----------|---------|
| 354034 | 002010-1 | \$11.25 |




Sea Dog Camcleat® Vertical with Integral Fairlead

Black nylon cleat with integral fairlead to guide the rope into the teeth. Same hole centers as CL201 & CL219. For rope sizes: 1/4" - 1/2".

Dimensions: A: 4-1/2"; B: 2-13/16"; C: 1-3/16"

| Order No Mfg No | | List | |
|-----------------|----------|--------|--|
| 25/056 | 002200 1 | ¢16.75 | |



Sea Dog Camcleat® Major

Rope drops down into the teeth to give a quick, positive lock that is easy to release. Manufactured from UV resistant plastic making it cost effective and ideal for holding rope in an outdoor environment. Its simple design has led to it being fitted on boats to farm equipment

For rope sizes: 3/8" - 5/8".

| Dimensions: A: 4-13/16"; B: 3-3/4"; C: 1-7/16" | | | | |
|--|----------|---------|--|--|
| Order No | List | | | |
| 354067 | 002050-1 | \$19.35 | | |

SEPPOG





| | Games to I | RA |
|--------|------------|----------|
| rizsta | Que Que | <u>u</u> |
| | - 8 | |

Sea Dog Camcleat Midi with Integral Fairlead Black nylon cleat with integral fairlead to guide the rope into the teeth. Same hole centers as CL309 & CL254

For rope sizes: 5/32" - 5/16".

| Dimensions: A: 3-7/16"; B: 2-1/8"; C: 7/8" | | | |
|--|----------|--------|--|
| Order No | Mfg No | List | |
| 354023 | 002310-1 | \$9.75 | |





Sea Dog Stainless Steel Release Pins

SEPPOG

Formed 304 Stainless Steel. Standard duty detent release pins are ideal for basic holding and removal applications that don't require a positive locking ball feature.

| Order No | Mfg No | A | В | C | D | E | List |
|----------|----------|------|--------|---------|----------|----|--------|
| 354326 | 193410-1 | 1/4" | 1" | 3/4" | 7/16" | 1" | \$7.00 |
| 354337 | 193415-1 | 1/4" | 1-1/2" | 1-1/4" | 7/8" | 1" | \$7.50 |
| 354348 | 193420-1 | 1/4" | 2-1/2" | 1-7/8" | 1-1/2" | 1" | \$7.50 |
| 354359 | 193425-1 | 1/4" | 1-1/2" | 2-3/16" | 1-15/16" | 1" | \$7.85 |



Sea Dog Stainless Steel Release Pins & Lanyards

Formed 304 Stainless Steel with detent ball. Available with straight or steped pin for use with Birnini top hardware. Attached lanyard reduces risk of loss. Stepped down version fits threaded hinge fittings.

| | | | 0 | 0 | | | |
|----------|----------|--------------|-----|----|--------|--------|--------|
| Order No | Mfg No | A | В | C | D | E | List |
| 354484 | 299980-1 | 1/4" - 3/16" | 10" | 6" | 1-3/8" | 3/16" | \$7.75 |
| 354495 | 299981-1 | 1/4" | 10" | 6" | 1-3/8" | 15/16" | \$7.75 |



Sea Dog Stainless Steel Toggle Pins & Lanyards

L-shaped toggle pin with a swivel flip lock. For use with Bimini top hardware. Attached lanyard reduces risk of loss. For added security the hinge prevents the pin from being withdrawn from the fitting until the locking device is in line with the pin. 1/4" pin.

| Order No | Mfg No | A | В | C | D | List |
|----------|----------|------|-----|----|--------|--------|
| 354506 | 299986-1 | 1/4" | 10" | 6" | 1-3/8" | \$9.00 |
| | | | n | 0 | | - |



Sea Dog Camcleat® Midi

Order No

354001

Rope drops down into the teeth to give a quick and positive lock that is easy to release. Manufactured from UV resistant plastic, making it cost effective and ideal for holding rope in an outdoor environment. Its simple design has lead to it being fitted on dinghies, kayaks to hold anchors and gym equipment. Black plastic.

Mfg No

002090-1

For rope sizes: 5/32" - 5/16". Dimensions: A: 2-7/8"; B: 2-1/8"; C: 3/4'



List

\$6.45





Sea Dog Camcleat® Midi

Rope drops down into the teeth to give a quick and positive lock that is easy to release. Manufactured from UV resistant plastic, making it cost effective and ideal for holding rope in an outdoor environment. The side fixing gives a short length, ideal on a narrow surface. The cleat is used by some customers to hold anchor lines on small fishing rafts and ropes in window frames. For rope sizes: 5/32" - 5/16".

| Dimensions: A: 1-1/2"; B: 1-1/8"; C: 1-11/16" | | | | |
|---|----------|--------|--|--|
| Order No | Mfg No | List | | |
| 354012 | 002150-1 | \$6.75 | | |