## Trailer

BOAT COVERS • COVER SUPPORT BOWS • TRAILER TIE DOWN STRAPS • TRANSOM TIE DOW STRAPS • TARPS



#### Taylor Boat Guard Mooring and Storage Boat Covers

For the boater who does not trailer the boat with the cover and wants the traditional cotton duck fabric with Boat Guard ™. Features:

- 100% Cotton duck fabric treated for mildew resistance and water repellency.
- Four-ply folded seams and a double-folded hem.

Order No	Mfg No	Boat Size	Туре	List
232735	70205	17' to 19'	V-Hull Runabout, Bow Rider	\$197.43
232752	70206	19' to 21'	V-Hull Runabout, Bow Rider	\$216.93
232803	70207	21' to 23'	Cuddy Cabin	\$259.65
232941	70211	17' to 19'	Center Console	\$246.15
336353	70191	19' to 21'	Center Console	\$267.70



936

Boat Cover Rail Bow Sockets • Accepts any bow.

No mounting holes to drill.

Includes hardware for fastening bow to socket. 2 PACK.

	-		
Order No	Mfg No	Material	List
232746	935	C/P Die Cast Zinc	\$8.75





935

## Taylor Boat Cover Support Bows

Wooden bows are strong, relilient and sap free. Fiberglass bows are super strong and flexible. Will not take a "set." Cut to desired length.

Order No	Mfg No	Туре	List
232747	928	96" Wood	\$21.45
232748	926	96" Fiberglass	\$34.50



#### Storage Cover/Tarp

Known for strength and long life. 3 mil thick cover laminate. 8 x 10 weave. 1000 denier strands. UV absorbers to resist weathering. Maximum overlap for strong seams. Rip-stop/tearproof. Material is lightweight, waterproof, mildewproof, rot proof and sunlight resistant. Aluminum grommets. Support rope in hem. All hems heat-sealed.

Order No	Mfg No	Size	List
239742	T0810BB70	8' x 10'	\$8.50
239747	T1012BB70	10' x 12'	\$12.60
239760	T1620BB70	16' x 20'	\$31.14

#### Starbrite Trailer Tie Down Straps

2" Gunwale Tie Down with "J" Hook Ends & 2 Protective Pads

2" polyester webbing with 2 single "J" hooks, roller adjuster buckle and 2 protective pads to prevent slipping.

Order No	Mfg No	Length	List
232632	60015	10'	\$22.78
232633	60198	13'	\$22.50





#### 2" Gunwale Tie Down with "J" Hooks

2" heavy duty polyester webbing, roller adjuster buckles and heavy gauge sinlge "J" hook ends.

nour, auf polyociel nobellig, ronor adjactor zaolado ana nour, gaugo onngo o noon onaci				
Order No	Mfg No	Length	List	
232640	60019	12'	\$21.28	
232642	60025	16'	\$22.28	



#### 1" Tie Down with Ratchet

1" nylon webbing with ratchet and two heavy gauge double "J" hook ends.

		-	
Order No	Mfg No	Length	List
233282	60051	12'	\$23.30
233290	60052	18'	\$25.80

# Star brite'.

#### Heavy-duty Transom Tie Downs

These transom tie downs feature a protective pad to help prevent scrapes and nicks. Features strong 2" webbing strap with zinc plated locking clamp hardware with coated attaching transom hook. Velcro closure secures handle from coming open and holds excess webbing too. Sold in pairs.

Order No	Mfg No	Length	List
232644	60065	4'	\$35.45
232645	60068	5'	\$37.48



#### Sta-Put Multi-Purpose Tie Down with Stainless Steel Ratchet

1" polypropylene webbing with all stainless steel ratchet. Thread tag end into ratchet and take in slack to secure any load.

Order No	Mfg No	Length	Width	List
232647	60168	16'	1"	\$37.95
233304	60214	27'	2"	\$88.10



## TRAILER

WINCH CABLES • WINCH STRAPS • TRAILER WINCHES • TRAILER JACKS • FORGED LATCH HOOK

# a attwood



Tail End Type

#### Attwood Winch Cable

Galvanized 7 x 9 aircraft cable fitted with 4-1/2" long extra heavy duty marine snap hook. Added thimble prevents abrasion at the hook loop. Cable keeper included to secure cable to winch drum. Maximum safe load rating is 2,600 lbs.

Order No	Mfg No	List
118605	11003-5	\$27.78

#### Star brite 2" Winch Straps

I • www.dshullco.com

954-463-4307 • 🕑 🖸 📙

2" polyester webbing, Forged steel hook end and a 4,000 lb. breaking strength.

Order No	Mfg No	Length	End Type	List
118576	60189	15'	Tail End	\$16.38
118582	60099	20'	Tail End	\$18.23
118597	60190	25'	Tail End	\$20.75
289966	60096	20'	Loop End	\$17.63
289977	60285	25'	Loop End	\$19.25

Loop End Type



#### Tie Down Engineering Forged Latch Hook

Zinc plated. 12,000 lb. capacity.

Order No	Mfg No	List
289253	50641	\$13.26



Over 350 brand name maufacturers

Enormous, 50,000 sg. ft. warehouse located next to Ft. Lauderdale International Airport to support all of our customers.

Special orders are no problem.

Selection is second to none.

120 years combined marine experience within our sales team - we can find what you need!

Exclusive Wesmar distributor.

Hours: 7:30 a.m. - 4:30 p.m. - Monday - Friday.

Our knowledgeable & friendly staff is ready to help you.

Call Debbie Senti at 954-463-4307 ext. 313

Call Jim Haun at 954-463-4307 ext. 304

Call Lou Moran at 954-463-4307 ext. 314

Call John Carracino 954-732-9570 (Cell)

Email: johnc@dshullco.com Call Pamela Hutchisson at 954-463-4307 ext. 322 Call Bob Leatherman at 954-463-4307 ext. 305 (Wesmar)



**Fulton Single Speed Winches** Stylized, high strength, embossed frame with clear zinc plating for corrosion resistance. "Grabber" one-way ratchet that free wheels in off position. Comfort grip handle for ease of cranking. Ropes and straps sold separately. Mounting hardware not included (refer to owners manual for recommended hardware grade).



Order No	Mfg No	Capac- ity	Gear Ratio	Handle Size	Ratchet Pawl ositions	List
118590	T900-0101	900 lb.	3.1:1	7"	-	\$62.50
118593	T1100-0101	1100 lb.	4.1:1	7"	-	\$72.55
118595	T1300-0101	1300 lb.	4.1:1	8"	3	\$75.60
288304	T1801-0101	1800 lb.	5.1:1	10"	2	\$118.05

## FULTON

#### Fulton Two Speed Winches

Includes 20' strap with heavy-duty hook. Convenient shift lock design allows gear shifting without moving the handle from shaft to shaft. Lift the lock and slide shaft to change speed. Free-wheeling neutral allows line payout without a spinning handle for ease of operation. Zinc plating provides superior corrosion resistance. Comfort grip handle for easy cranking. Mounting hardware not included (refer to owners manual for recommended hardware grade). 10" comfort grip handle



Order No	Mfg No	Gear Ratio	Capacity	Strap Included	List
288306	T2605B0101	5.1:1 & 12.2:1	2600 lb.	No (rope or Strap)	\$207.45



#### **Pro Series Economy Trailer Jack**

 Swivel Mount 10" travel to 22.7" total extension

Fulton Bolt-Thru Swivel Mount Jack

XP15L-0101

· Zinc finish for dependable long life. Fits up to 3" x 5" tongue frames - includes all mounting hardware. · Rugged 6" poly wheel.

Heavy duty swivel retaining ring with multiple locking positions.

Spring-loaded locking pin for safe, secure operation.

Easy-service gear box.

Rolled acme threads of inner screw allow for smooth, powerful cranking. Grease fitting for easy lubrication

Order No	Mfg No	Capacity	Total Lift	Fits Tongue Sizes up to	List
322059	EJ10000101	1000 lb.	22.7"	3" x 5"	\$60.88

## 





List

\$107.50

\$163.43


lows for easy castering on all surfaces. Zinc plated for corrosion resistance. Provides 10" of screw travel and up to 25" of total lift. All mounting hardware included. Order No Mfg No Capacity Screw Total **Fits Tongue** Travel Lift Sizes up to 288308 XP10-0101 1000 lb. 10" 25" 3" x 5'

12"

27"

3" x 5"

1500 lb.





## Trailer POWER WINCH PARTS • TRAILER JACKS • TRAILER COUPLERS • HITCH BALL • BALL MOUNTS •

## **FULTON**<sup>®</sup>

#### Fulton F2 Twin Track Trailer Jack

Mfg No

1413020134

New generation of jack technology. Brings together advances in material technology. Every feature has been re-designed, resulting in 9 patent-pending innovations. Makes every other jack in its class obsolete.

Precision extruded aluminum alloy inner and outer tubes combined with twin alignment bushings ensure a precision fit. The anodized finish keep the tubes virtually corrosion free. Engineered to be the strongest swivel mechanism in the industry. it also has the first mounting system that can be adjusted to any desired height. An integrated pull pin with an ergonomic grip makes it easy to swivel into position. Twin track 7" diameter wheels are designed to roll independently and make changing direction smooth and effortless. A wider wheel base adds superior stability. It's easy to swivel into position for lifting or transport.

Capacity

1600 lb.



List

\$329.99

EU	LT	0	N	8



facebook

\_ike Us On

954-463-4307 • 💵



Features market proven, Fas-Lok™ latching mechanism with factory adjusted, field serviceable ball clamp. Heavy-duty safety latch prevents acidental uncoupling. Padlock hole provided for trailer security. Corrosion resistant zinc plated.

Order No	Mfg No	Tongue Class	For Ball Capacity	Channel Size	Ball Size	List
288301	22200-0201	II	3500 lb.	2"	2"	\$30.24
108128	22300-0301	Ш	3500 lb.	3"	2"	\$27.99
322037	34300-0301	Ш	5000 lb.	2"	2"	\$49.50



**Order No** 

322071

## Powerninen

Screw

Travel

10"

**Fits Tongue** 

Sizes up to

3" x 3" & 3" x 4"

Female Socket







30 Amp Breaker Winch Crank Handle Powerwinch Miscellan us Parts & Accessories

	lialieous Faits & Access	suiles	Caple
Order No	Mfg No	Item	List
231662	P7810300AJ	Female Socket	\$18.50
231663	P7810500AJ	Male Plug	\$19.25
231665	P7837200AJ	30 Amp Breaker	\$18.55
231704	P5594700AJ	Winch Crank Handle	\$23.85
231658	P7187200AJ	7/32" x 25' Winch Cable	\$64.00
231715	P7188800AJ	7/32" x 40' winch Cable	\$75.00



#### Safety Chains

Safety chains meet SAE standards for Class I or Class II towing applications. Pre-assembled chains save time and money.

Order No	Mfg No	Туре	List
118459	SC31648	Class I - 48"	\$9.36
118460	SC1640	Class II - 60"	\$15.33



Handi-Man Stainless Steel Hitch Pins



Order No	Mfg No	Size	Pack	List
257059	500011	3/16" x 19/32"	3	\$4.83
257060	500021	3/16" x 1"	3	\$4.83
257061	500031	1/4" x 1-3/16"	3	\$4.83
257062	500041	3/8" x 1-9/16"	2	\$4.83
257063	500051	1/4" x 1-5/8"	2	\$4.83
257064	500061	1/4" x 2-5/16"	2	\$4.83

**FULTON** 



Fulton Tra

118454

ch Ball	(Or			
Mfg No	Ball Size	Shank Diameter	Shank Length	
63884	1-7/8"	1"	2-1/8"	\$
63887	2"	3/4"	1-1/2"	\$
	<b>Mfg No</b> 63884	Mfg No         Ball Size           63884         1-7/8"	Mfg NoBall SizeShank Diameter638841-7/8"1"	Mfg NoBall SizeShank DiameterShank Length638841-7/8"1"2-1/8"

2-5/16"

Chrome p

Ord

ome plated.					
Order No	Mfg No	Ball Size	Shank Diameter	Shank Length	List
118447	63884	1-7/8"	1"	2-1/8"	\$18.03
118448	63887	2"	3/4"	1-1/2"	\$15.93
118450	63909	2"	1"	2-1/10"	\$18.81

\$24.96





2'

#### Ball Mounts

For 2" Receiver tubes, 1-1/4" solid shank steel,

63908

Order No	Mfg No	Class	Length	Drop	Rise	Hole	List
289100	DH26	5K CLS III	9-1/4"	2"	3/4"	1"	\$38.85
289112	DH46	5K CLS III	10-1/4"	4"	2-3/4"	1"	\$38.85



#### Convert-A-Ball

Allows easy change from 1-7/8" to 2" to 2-5/16" balls. No tools required. Offers ability to tow various trailers without any lengthy adjustments to tow vehicle.

Order No	Mfg No	Туре	List
289073	944-900	1" standard shank with 1-7/8", 2" & 2-5/16" balls.	\$119.99

## Trailer COUPLER LOCKS • OUTBOARD MOTOR LOCKS • RECEIVER LOCKS • PADLOCKS





## **Fulton Universal Coupler Lock**

Optic coupler lock.

Universal trailer coupler lock, durable cast body, will fit most 1-7/8", 2", and 2-5/16" couplers. Yellow body increases visibility. US Patent 6,722,686

Order No	Mfg No	List	
322060	72783	\$29.63	



#### Master Locks Barbell Lock

Stainless steel Barbell lock fits 5/8" receiver openings. Push to Lock locking mechanism - push lock body onto pin firmly and remove key.

10,000 lb. load rating.

Weather Tough seal and water tight cap protects lock from moisture and dirt.

#### 4-pin tumbler mechanism resists picking.

Order No	Mfg No	List
201041	1480DAT	\$32.85






Master Locks Receiver Lock Fits both 1/2" & 5/8" Receivers Push to Lock™ locking mechanism- push lock body onto pin firmly and remove key

1/2" Pin is Rated for Class I/II and 5/8" Pin is Rated for Class III/IV

Weather Tough® seal and water tight cap protects lock from moisture and dirt.

4-pin tumbler mechanism resists picking.

K1 Key Blank





# **Master**

Master Lock Coupler Lock

I-7/8", 2" and most i	8", 2" and most 2-5/16" universal.	
Order No	Mfg No	List
200965	379DAT	\$37.33



# Master Lock Combination Coupler Lock, Barbell Receiver

Lock and Coupler Latch Lock Same key fits all three locks. Two sizes of Receiver Locks: 5/8" and

nu 1/2 . Coupler laten lock for 7/8 width.		
Mfg No	List	
3794DAT	\$78.33	
	Mfg No	



Over 350 brand name maufacturers Enormous, 50,000 sq. ft. warehouse located next to Ft. Lauderdale International Airport to support all of our customers.

Special orders are no problem.

Selection is second to none.

120 years combined marine experience within our sales team - we can find what you need!

Exclusive Wesmar distributor. Hours: 7:30 a.m. - 4:30 p.m. - Monday - Friday.

Our knowledgeable & friendly staff is ready to help you.



Master Locks Stainless Steel Adjustable Coupler Latch Lock

Six locking postions from 9/16" to 2-3/4". Water tight cap protects lock from moisture and dirt. Rekeyable cylinder for keyed alike convenience.

Order No	Mfg No	List
201056	2847DAT	\$13.75



#### Master Locks Stainless Steel Hitch Pin Lock Stainless Steel for corrosion resistance.

Class III/IV rating. Tapered Ends for Easy Insertion.

Order No	Mfg No	List
201067	1465DAT	\$14.88



## Master


#### Master Locks Medium Security Brass Padlocks

Corrosion-resistant solid brass case. Brass 5 pin tumbler locking mechanism. Rugged locking lever. Special limited-use keyway design for added security.

Case-hardened steel shackle, diamter 9/32".

Clearances: vertical 1", horizontal 1". Two nickel-plated brass keys

Order No	Mfg No	Size	List
201007	120D	3/4" wide	\$4.58
201018	120Q	3/4" wide 4/pack (keyed alike)	\$13.68
200906	130D	1-3/16" wide	\$6.78
200905	140D	1-9/16" wide	\$8.83
201030	140Q	1-9/16" wide - 4 pack - keyed alike	\$26.55
200904	150D	2" wide	\$14.35



Master Locks

Set-Your-Own Changeable Combination Padlock

4 digit dialing. Brass.

A: 5/16'

B: 1" C: 1"

Nidth:	2"
wiun.	~

Order No	Mfg No	List
200907	175D	\$28.80





#### Master Lock Diskus Padlock

Fully shrouded design minimizes shackle exposure and protects against bolt cutter attacks.

2-3/4" (70mm) wide stainless steel lock body resists corrosion.

Hardened steel shackle for extra cut resistance.

Double deadbolt locking for superior pry resistance.

4-pin cylinder helps prevent picking. Key retaining feature ensures nadlock is not left unlocked

1	tey retaining reature enource pauloek is not fort anioeked.		
	Order No	Mfg No	List
	231966	40DPF	\$20.63



#### Master Master Locks Armor Lock

Massively armored against bolt cutters and saws. Recommended for trailer hitches, bicycles and security hasps. 3/4" armored shackle guard blocks bolt cutters from shackle. Revolving case-hardened steel shackle sleeve is highly resistant to cutting and sawing. Precision pin tumbler mechanism and exclusive rustproofing

oxoldolive rustprooling.		
Order No	Mfg No	List
200909	37D	\$20.95

## Trailer

## OUTBBOARD MOTOR LOCKS • PROPELLER LOCKS • STERN DRIVE LOCKS • HUB KITS • BEARING KITS • BEARING PROTECTER

# McGard

McGard Outboard Motor Locks Designed to lock the outboard onto the transom of the boat. Simply replace one of the mounting nuts with a McGard locking nut. A free-spinning collar turns if attacked by gripping tools, protecting you against costly outboard motor theft and the resulting inconvenience.

For engines 40 HP and larger. 1/2" x 13 threads. Single lock

Size

1/2-13

M12 x

1.25

For Johnson/Evinrude Outboards

Mfa No

74038

74037

McGard

Mfa

No

74039

Size

16

M18

x 1.5

thread

**McGard Propeller Locks** 

Order

No

277104

277135

Order

No

277106

277107

Application

Johnson/

Evinrude 40 HP

and larger (2

stroke)

Yamaha 40 HP

and larger (2

stroke)

Yamaha 30 HP

and larger (4

stroke)

Honda 40 HP and larger



List

\$41.30

\$41.30



4 Stud Hub Kit (1250#) - 1" inner &

outer bearings - Lug Nuts - Painted

Parts Included

(2)

(1)

(4)

(4)

(1)Dust Cap

(1) Grease Seal

(2) Bearing Cup

Cast Hub

Screw-in Studs 13/16" Wheel Nuts

1" Bearing

Tie Down Engineering Replacement Hub Assemblies Replacement wheel hub kit. All kits include: bearings, seals, dust cap, cotter key, and lug nuts or bolts. Bearings and hub cavity

100% pregreased. Grease seal and bearings are preassembled.



**Bearing Kits** 

**Order No** 

108133

108509

108134

ter pin.

& cups, grease seals, cap and cot-

Mfg No

81111

81116

81141

#### Tie Down Engineering Wheel and Axle Parts

The parts Onlyed below are made to meet design standards set by the Department of Transportation and the Tire and Rim Manufacturers Association. These parts will interchange with nearly all units of a given size.



# 954-463-4307 • 🗗 Www.dshullco.com

#### Suzuki 25 - 140 HP (2005 and newer) 5 Stud Hub Kit (1250#) - 1" Inner & KE) Outer bearings - Lug Nuts - Painted Grease Seal Protect yourself against expen-1" Rearing (2)sive propeller theft, A free-spin-(2) Bearing Cup ning collar will turn if attacked (1) Cast Hub by gripping tools without loos-(5) Screw-in Studs ening the lock. Constructed 13/16" Wheel Nuts (5)of naval brass and hardened λ Dust Cap stainless steel, once installed our propeller lock offers maximum Order No Mfg No security for 24 hour protection. Fits modesl 2012 and older. 108514 81080 Application List Sterndrives: MerCruiser Alpha 1, Bravo 1, TRS OMC Cobra and 3/4"-5 Stud UHI Hub Kit (1750#) King Cobra \$81.40 1-3/8" inner & 1-1/16" Outer Outboards: thread Mercury/Mariner Bearings for Tapered Spindles 70 HP & larger Lug Nuts - Painted Johnson/Evinrude (1) Grease Seal

140 HP and larger (2) 1-3/8" Bearing (2) Bearing Cup Sterndrives: All (1)Cast Hub Yamaha stern Press-in Studs (5)drives 13/16" Wheel Nuts \$81.40 (5)Outboards: All Ya-1-1/16" Bearing (1)maha outboards (1) Dust Cap 115 HP and larger **Order No** 

## McGard

74040

**McGard Stern Drive Locks** Theft protection for MerCruiser, Cobra, and Yamaha Stern Drives. Fully machined from high quality stainless steel and through hardened. Freespinning collar that will turn if attacked

by gripping tools without loosening the lock. To install, simply replace one of the nuts holding the stern drive with a McGard lock. Then tighten the lock with the special key tool provided in each set 7/16" Threads

For MerCruiser Alpha & Bravo and all OMC Cobra and King Cobra Stern Drives, Volvo SX and DP-S, Yamaha, Mercruiser III SSM, IV SSM, V SSM, VI SSM, NXT.

Twin engine model includes (2) locks and (1) key. Applications for 2012 and olde

Order No	Mfg No	Туре	List
277100	74018	Single	\$32.95
277101	74019	Twin	\$51.34





List

\$81.15

List

\$100.92

List

\$119.91

List

Wheel Bolts Used on drilled and tapped hubs. Five bolts per package. 1/2" diameter: 20° pitch. .88" length. 13/16" head.

Order No	Mfg No	List
108504	81170	\$9.87

Lug Nuts	
Five per package. 1/2" diameter, 20° pito 13/16" 60° cone.	sh.
Order No	Mfa No

Order No	Mfg No	List
108505	81172	\$7.32

<b>Dust Caps</b> fits 1.98" hub. Packed 2 per packag	е.	
Order No	Mfg No	List
118473	81167	\$5.61



Order No	Mfg No	Size	List
709263	81157	1.980	\$6.51
322659	81158	2.328	\$7.11



81155 **Tie Down Engineering Bearing Protectors** Size: 1 98" 2 per pack

Order No	Mfg No	Features	List
322615	81159	Clear Plastic	\$29.04
322648	81155	Stainless Steel Bearing Protectors W/ Plastic Covers	\$50.85
709259	81153	Bearing Protectors W/ Plastic Covers	\$31.35

Prices and specifications subject to change without notice.

(1750#) - 1-3/8" inner & 1-1/16" outer bearings for

Replacement wheel hub kit. All kits include: bearings, seals, dust

cap, cotter key, and lug nuts or bolts. Bearings and hub cavity 100% pregreased. Grease seal and bearings are preassembled

Mfg No

81049

Mfg No

81090

108515

TIL

Order No

108526

Super Lube 5 Stud UHI Hub Kit

tapered spindles - Lug Nuts- Galvanized



List

\$24.18

\$24.18

\$26.61




## Trailer

TRAILER FENDERS • TIRES • WHEELS • U-BOLT PLATES • SPRING BUSHINGS • SPARE TIRE CARRIERS





## **Dexstar Styled Tire & Wheel Assembly**



**Order No** 

244053

244054



Capacity

1065 lb

1760 lb.

List

\$139.99

\$149.99

#### **Tie Down Engineering Metal Fenders**

Heavy duty stamped fenders made from 16 ga. galvanized steel. May be drilled to fit a variety of mounting options. Mounting brackets not included.

Order No	Mfg No	Fits	Dimensions	List
289172	86265	12" Wheel	7" W x 23.5" L x 6.5" H	\$23.25
289183	86266	13" Wheel	8" W x 27-1/2" L x 11" H	\$32.28
289194	86267	14-15" Wheel	14-15" 9" W x	



Mfg No





#### **Tire and Painted Rim Assemblies**

Painted steel rim in either a four or five hole pattern mounted with a fully pneumatic tire. White rim only. 4 Hole Pattern

Tire

Size

B78 x 13ST

ST205 x 75D14

Order No	Mfg No	Tire Size	Wheel Size	Bolt Pattern	Load Range	List
108448	48012B440SW	4.80 x 12	12"	4 on 4	В	\$90.15
5 Holo Dattorn	•					

Wheel

Size

13

14"

Bolt

Pattern

5 on 4-1/2

5 on 4-1/2

Load

Range

R

С

#### 5 Hole Pattern

Order No	Mfg No	Tire Size	Wheel Size	Bolt Pattern	Load Range	List
108484	4808B545PW	4.80 x 8	8"	5 on 4-1/2	В	\$70.95
108486	48012BB545SW-LS	4.80 x 12	12"	5 on 4-1/2	В	\$90.15



## U-Bolt Plates

Order No	Mfg No	List
118681	86250	9.81



Galvanized steel

Gaivanizou	31001.			
Order No	Mfg No	Size	Туре	List
244062	12-01119-0	1-1/2" X 5"	Light Duty	\$3.87
244065	12-01205-4	3" X 3-1/2"	Medium Duty	\$11.70





#### **Tie Down Engineering Spring Shackle Links**

Steel shackle links are used to mount double eye springs. Suitable for medium duty axles, 1,000- 3,500 lb capacity. Pre-drilled

for 9/16" bolt. 1 per pack.			
Order No	Mfg No	List	
118694	86276	\$5.52	



Nylon.



#### Tie Down Engineering Universal Tie Plate

Fits 1.90", 2" and 2-3/8" axle/U-bolt patterns. One part # covers most applications. 2 per package.

Order No	Mfg No	List
289126	81186	\$13.53



Length: 3/4" Used in applications where 2" wide spring hangers are used to accommodate 1-3/4" wide springs. Sold individually.

Order No	Mfg No	List
289037	4372	\$1.99

COMPENSION IN WWW.dshullco.com 954-463-4307 • 💽 🖧 📊

Spare Tire Carriers

**Order No** 

279399

279408

279413

DÔŴŇ **Spring Hangers** 

A: 1-7/8" B: 1-5/8"

C: 1-3/4" D: 9/16'

E: 1/4"

**Order No** 

118676

DOW

stock. One per pack Order No

118680

Tie Down Engineering Rear Spring Hanger

individually with all hardware.

Mfg No

86092

86091

86098

Used on both slipper springs and double eye springs. Application: 1000-3500 lb. axles.

Mfg No

86274

Solid steel hangers can be used on rear slipper springs 1-3/4" to

2" wide. 5,200- 8,000 lb. capacity for medium duty axles. 1/4"

Mfg No

86275

Like Us On facebook



Mount spare tire anywhere. Fits 4 or 5 lug patterns from 8" to 15" wheels. U-bolt style packed in clamshell, side mount boxed

Item

With Brackets

With Lug Nuts

Side Mount

0



List

\$15.03

\$41.13

List

\$5.97

List

\$5.79



Tie Down Engineering Fluted Bolts for Trailer Springs \$19.05

For use with spring hanger brackets. Fluting prevents the bolt from turning, which can wear hanger brackets. Grade 5 steel. 9/16" x 3" bolts w/ nuts. Pack of two.

Order No	Mfg No	List
118681	86250	9.81

Prices and specifications subject to change without notice.

# TRAILER SPRINGS • U-BOLTS • PYRAMID WASHERS





Order No	Thread	Thread Length	Length	Width	Pack	List
118622	3/8" - 16	1-3/4"	2-1/8"	1-9/16"	1	\$2.64
118627	3/8" - 16	1-3/4"	3-15/16"	1-7/8"	1	\$4.24
289274	3/8" - 16	1-3/4"	4"	2-1/8"	2	\$12.15
289286	3/8" - 16	1-3/4"	3"	3-1/8"	2	\$10.89
289297	3/8" - 16	1-3/4"	4"	3-1/8"	2	\$11.22
289308	3/8" - 16	1-3/4"	3"	4-1/8"	2	\$11.43
118631	3/8" - 16	1-3/4"	3-3/8"	2-1/16"	1	\$4.80
118632	3/8" - 16	1-3/4"	3-7/8"	2-1/16"	1	\$4.80
118633	3/8" - 16	1-3/4"	4-3/8"	2-1/16"	1	\$4.80
118634	3/8" - 16	1-3/4"	5-3/8"	2-1/16"	1	\$9.44
118635	3/8" - 16	1-3/4"	3-7/8"	3-1/16"	1	\$3.36
118636	3/8" - 16	1-3/4"	4-7/8"	3-1/16"	1	\$8.32
118647	1/2" - 13	2"	3-13/16"	2-1/16"	1	\$4.56
118648	1/2" - 13	2"	4-5/16"	2-1/16"	1	\$5.72
118649	1/2" - 13	2"	4-13/16"	2-1/16"	1	\$5.92
118650	1/2" - 13	2"	5-5/16"	2-1/16"	1	\$9.51
118651	1/2" - 13	2"	6-516"	2-1/16"	1	\$9.51
118653	1/2" - 13	2"	2-5/16"	3-1/16"	1	\$5.80
118654	1/2" - 13	2"	3-5/16"	3-1/16"	1	\$6.08
118655	1/2" - 13	2"	3-13/16"	3-1/16"	1	\$6.76
118656	1/2" - 13	2"	4-5/16"	3-1/16"	1	\$6.76
118657	1/2" - 13	2"	5-5/16"	3-1/16"	1	\$6.76
118658	1/2" - 13	2"	6-5/16"	3-1/16"	1	\$6.76

Zinc Plated Steel Square Bend U-Bolts 2-Packs with Nuts & Washers						
Order No	Size	Thread Lengtrh	Width	Overall Length	Pack	List
289274	3/8"-16	1-3/4"	2-1/8"	4"	2	\$12.15
289286	3/8"-16	1-3/4"	3-1/8"	3"	2	\$10.89
289297	3/8"-16	1-3/4"	3-1/8"	4"	2	\$11.22
289308	3/8"-16	1-3/4"	4-1/8"	3"	2	\$11.43
289319	1/2"-13	2-1/8"	4"	4"	2	\$10.98
289320	1/2"-13	1-1/2"	3"	3-1/8"	2	\$11.22
289331	1/2"-13	2"	4"	3-1/8"	2	\$11.67
289320	1/2" - 13	1-1/2"	3-1/8"	3"	2	\$11.22
289342	1/2" - 13	2"	4-1/8"	3"	2	\$11.88
289319	1/2" - 13	2"	2-1/8"	4"	2	\$10.98
289331	1/2" - 13	2"	3-1/8"	4"	2	\$11.67
289342	1/2"-13	2"	4-1/8"	3"	2	\$11.88



Order No	Size	Pack	List
289015	3/8-16	1	\$.99
289021	7/16"-14	1	\$.99
289030	1/2"-13	1	\$.99





**Slipper Springs** 

Select slipper type suspension by spring width and capacity.

Order No	Mfg No	Width	Leaves	Length	Height	Capacity	List
289048	81187	1-3/4"	2	24"	4-7/8"	500 lbs.	\$42.57
118492	81188	1-3/4"	4	24-1/2"	4"	1000 Lbs	\$55.38
118497	81191	1-3/4"	4	29"	4-1/2'	1750 lbs.	\$96.48



Double Eye Springs

Select double eye type suspension by spring width and capacity.

Order No	Mfg No	Width	Leaves	Length	Height	Capacity	List
289042	4342-17	1-3/4"	4	25-1/4"	3-1/8"	1750 lbs.	\$49.99
118500	81192	1-3/4"	4	25-1/4"	3"	2400 lbs.	\$78.45



Over 350 brand name maufacturers

**Galvanized Steel Hex Nuts** 

Enormous, 50,000 sq. ft. warehouse located next to Ft. Lauderdale International

Airport to support all of our customers.

Special orders are no problem.

Selection second to none.

120 years combined marine experience within our sales team - we can find what you need!

Exclusive Wesmar distributor.

Hours: 7:30 a.m. - 4:30 p.m. - Monday - Friday.

Our knowledgeable & friendly staff is ready to help you.

Call Debbie Senti at 954-463-4307 ext. 313

Call Jim Haun at 954-463-4307 ext. 304

Call Lou Moran at 954-463-4307 ext. 314

Call John Carracino 954-732-9570 (Cell)

Email: johnc@dshullco.com

Call Pamela Hutchisson at 954-463-4307 ext. 322

Call Bob Leatherman at 954-463-4307 ext. 305 (Wesmar)

## **Trailer** BOAT GUIDE POLES • ROLLER END CAPS • BRACKETS







#### Boat Guide-On Poles

Centers the boat on the trailer, reducing loading to an easy, oneman operation. Installs in seconds and is easy to adjust. Also aids in backing and placement of trailer. Keeps tail lights out of the water. Guide arms are made of electrostatically coated high gloss steel tubing, covered with non-marring PVC tubing to protect the boat. Complete with electrical wires, electrical connectors, mounting brackets and adjustable hardware, fitting tube or channel trailers up to 5" deep and 2" wide. Uses existing trailer lights. Maximum width adjustment is 36" overall, 18" each side of the trailer. 36" high. Sold in pairs.


oulu ili pallo.		
Order No	Mfg No	List
108574	86103	\$110.31
(k)		



#### Tie Down Engineering Boat Guides

Adapts to all tube and channel trailer frames. Hot dip galvanized for lasting protection. All hardware included. Heavy duty steel component parts. Heavy duty 4' x 2-3/8" PVC guide tubes. 16" of adjustment. Attractively packaged in a full color display box. Sold in pairs.

Order No	Mfg No	List
289055	86105	\$109.20





#### Split Keel Roller Brackets

Split roller brackets can be used with any width roller. They feature a 6" slot for vertical adjustment, mount with  $\frac{1}{2}$ " bolt, utilize a 5/8" roller shaft and are made of 9 gauge galvanized steel.

Order No	Mfg No	List
118682	86122	\$15.84





#### Galvanized Swivel Bunk or Bolster Bracket

Use with adjustable bolster brackets for proper angle of bunk or bolster boards.

Mfg No

86160

Packed in pairs with 1/2" x 1" bolts and 1/2" nyloc nuts.





#### Split Panel Brackets

Sold in pairs (right and left) to accommodate any size roller length. Slot allows vertical adjustment for stabilizing boat on trailer. Slots accept 7/16" or 1/2" bolts. Use 1/2" or 5/8" roller shaft.

#### Galvanized steel.

Order No	Mfg No	List
118673	81235	\$18.87



List

\$7.29

Roller Shafts

**Order No** 

118683

Zinc plated cut to accept pal nuts. Package includes one shaft and two pal nuts.

Order No	Mfg No	Shaft Diameter	Roller Size	Length	List
109035	86025	1/2"	4"	5-3/8"	\$7.26
109036	86026	1/2"	5"	6-1/4"	\$6.78
109038	86027	5/8"	4"	5-1/4"	\$7.77
109039	86028	5/8"	5"	6-1/4"	\$8.25
109040	86029	5/8"	8"	9-1/4"	\$9.27
109041	86030	5/8"	10"	11-1/4"	\$10.08
109042	86031	5/8"	12"	13-3/8"	\$11.19
109043	86033	5/8"	18"	19-3/8"	\$11.91

#### Pal Nuts (4 per pack)

Order No	Mfg No	Size	List
109044	86305	1/2"	\$4.68
109045	86310	5/8"	\$6.09





Bolster brackets are designed to support bolster or bunk boards. Slotted for vertical adjustment and feature non-slip dimples to avoid movement and increase load capacity.

Galvanized steel.					
Order No	Mfg No	Length	Slot	List	
118424	86130	8"	1-1/16"	\$6.18	
118425	86131	10"	1-1/16"	\$7.47	
118426	86132	12"	1-1/16"	\$8.34	



#### Panel Brackets

Vertical Bunk Brackets

**Order No** 

289264

118430

118431

Long single slot allows maximum vertical adjustment. Brackets

Size

8"

9-1/2'

12"

are made of 11 gauge steel and mount with 1/2" U-bolts.

Mfg No

86149

86125

86126

One piece keel roller brackets feature 5" slot for vertical adjustment. Mount with 1/2" bolt, use a 5/8" roller shaft. Made of 9 gauge galvanized steel. One per pack.

List

\$6.09

\$8.49

\$11.16

	Order No	Mfg No	Roller Size	Width Between Slots	"X" Width	List
-	118417	86150	4"	2"	4-3/8"	\$12.09
9	118418	86151	5"	3"	5-3/8"	\$12.75
1	118419	86152	8"	6"	8-3/8"	\$17.97
	118420	86155	10"	8"	10-3/8"	\$19.26
	118421	86153	12"	10"	12-3/8"	\$22.02

Prices and specifications subject to change without notice.

# TRAILER ROLLERS • BOW STOPS • KEEL PADS

Trailer Rollers Grooved Wobble Rollers

Package of four

Amber colored, grooved nylon rocker roller.

**Order No** 

108537





#### Tie Down Engineering Polyvinyl Rollers Polyvinyl Keel Rollers

All rollers in this group are designed for 5/8" diameter shaft.

Order No	Mfg No	Length	I.D.	List
106498	86283	5"	5/8"	\$12.75
106500	86159	8"	5/8"	\$35.01
106505	86169	10"	5/8"	\$40.29
106501	86199	12"	5/8"	\$44.67





Polyvinyl Center Guided Keel Roller

Order No	Mfg No	Length	I.D.	List
106550	86158	5"	5/8"	\$16.65



**Polyvinyl Bow Stops** 

3" "V" bow stop or 3" bow stop roller. Both have 1/2" tube I.D.

Order No	Mfg No	Туре	List
106496	86285	3" Bow Stop "V"	\$13.92
106502	86289	3" x 1/2" Bow Stop	\$7.29
106507	86143	3" x 1/2" Bow Roller	\$21.06


# a attwood



#### Attwood Bow Stops

Constructed of non-marring prime rubber compound. Economically priced. Original equipment replacement for most trailers.

Order No	Mfg No	Size	Shaft Size	List
108146	11200-1	2-1/8" x 2-1/8"	3/8"	\$5.30
108147	11202-1	4" x 4"	1/2"	\$13.93



#### Tie Down Engineering Keel Pads

New poly vinyl pads are long lasting, will absorb shock, are cut resistant and will not mark or mar your boat. Tie Down's enhanced formula for PVC far outperforms traditional polyurethane products. Dimensions: 15" x 3.5".

Order No	Mfg No	Color	List
118705	86291	Amber	\$11.31
118716	86418	Black	\$9.48



Mfg No

86144



List

\$76.77



**Bow Roller** Normally used on the trailer winch stand, this roller acts as a bow stop for the boat. Black rubber construction.  $3" \log x 3"$  diameter. For 1/2" diameter shafts.

Order No	Mfg No	Size	List
118403	86402	3" long x 3" diameter	\$6.21





Trailer Rollers Rollers are made of solid, high grade black and gray rubber to handle the added weight and impact of heavier boats. Rollers are furnished with friction reducing bushings for easier launching and on-center loading.

Spool Type Keel Rollers

Deep "V" Keel Rollers

Black rubber construction. Roller O.D. is 3".

Order No	Mfg No	Material	Length	I.D.	List
108150	86479	Rubber	4"	1/2"	\$9.12
118405	86481	Rubber	5"	1/2"	\$11.85
108148	86406	Polyvinyl	4"	5/8"	\$8.49
108149	86408	Polyvinyl	5"	5/8"	\$9.75



For use with 5/8" shafts. Roller O.D. is 3-1/2" at outside end.

Order No	Mfg No	Length	List
108289	86409	8"	\$26.34
108151	86410	10"	\$30.93
108152	86411	12"	\$32.40



Side Guide Rollers

Order No	Mfg No	Length	Shaft Diameter	List	
118406	86475	2" x 9"	1/2"	\$14.19	
118408	86477	2-1/2" x 12"	5/8"	\$26.01	

# a attwood

#### Attwood Bunk Padding

12'-long roll of durable, weather-resistant polypropylene marine carpet material. Easy to cut and custom fit. Protects hull; eases loading and launching. Charcoal color; acrylic backing grips surface of trailer bunk boards or cradle. No excessive fuzz, static-free. Made for minimal water retention.

 Order No
 Mfg No
 Size
 Shaft Diameter
 List

 118400
 11246-1
 8" x 12'
 1/2"
 \$23.43

 118401
 11247-1
 12" x 12'
 5/8'
 \$35.30

## INNOVATIVE LIGHTING inc.

#### Innovative Lighting Over 80" Trailer Lighting Kit

- · Fits Over 80" Application
- Operates 9-16 Volt DC Systems
- Rated @ 100,000 Hours of Service Life
- · Sealed Polycarbonate Lens and Housing
- Shock and Vibration Proof
- No Corrosion
- Submersible Tail Lights
- 9 LED Configuration

**Order No** 

342369

ing aluminum trailers.

**Order No** 

342358

single unit.

**Order No** 

252001

complete installation.

Operates on 9-16 volt DC systems

Peterson Oval Stop, Turn, & Tail Light

Shock proof and vibration proof

Left Hand Light has LED License Plate Illumination

Mfg No

287-4482-7

INNOVATIVE LIGHTING inc.

Innovative Lighting Under 80" L.E.D. Trailer Lighting Kit

Mfg No

283-4482-7

PETERSON

· Sealed, oval stop, turn, and tail light may be used on

Requires mounting grommet and 3-wire plug to

Kits include light, grommet, and right-angle plug.

Mfg No

E421R

both curbside and roadside of vehicle or trailer. · Polycarbonate lens is welded to housing to form

Bolt pattern "B" fits all EZ Loader trailers under 80" wide includ-

List

\$106.73

List

\$106.73

List

\$10.38

- · Energy Draw 350 Milliamps
- Size 283 (Each): 7.75" L x 3.75" W x 2.75" D Size 4482: 13.56" L x 1.63" W x .75" D

# TRAILER TRAILER LIGHTS

Front side marker lights and side reflectors are necessary to

Mfg No

V941

Designed with a clean look that complements any trailer. Two extra plug-in connections provide for convenient hook up of other lights. Tough molded housing and phosphor bronze elec-

trical contacts are featured. Lights exceed DOT requirements for

stop, tail, turn signal, rear and side reflector, side marker light

License Plate Light

No

Yes

Color



## Peterson V941 LED

Rear Trailer Light Kit Submersible LED rear lighting kit for trailers under 80" wide. Includes 840/840L LED tail lights plus license bracket, mounting hardware and installation instructions.

Attractive, secure visual pack.

Replacement harness available separately

meet DOT requirements.

Order No

252149

PETERSON Peterson 7 Function Trailer Lights

and license illuminator (optional)

Order No

252004

252005

Spare Lens

Order No

252045

Mfg No

F440

E440L

Mfg No

440-15



List

\$93.00

List

\$10.38

\$10.65

List





#### Peterson Submersible Trailer Light Kit

This kit provides all legal lighting and reflective equipment for any trailer less than 80" wide. Includes two 7 function stop and tail lights, two amber side marker lights, 20' wire harness, 48" trunk connector, license bracket, frame mounting clips, and complete mounting instructions

1	Order No	Mfg No	List
	252010	V540	\$45.30



#### Peterson Series 546 Submersible Trailer Light Kit - Under 80" Wide

Includes two 7 function "Belljar" stop and tail lights, two amber side marker lights, 20' wiring harness kit, license bracket and all mounting hardware and installation instructions

חוסטווטוק חמוסשמוס מוזמ וווסגמומנוטוז וווסג מסמטווס.				
Order No	Mfg No	List		
252060	E546	\$49.20		
		600		

- Innovative Lighting Slimline Stop, Tail, Turn Signal Light
- Operates 9-16 Volt DC Systems
- 11 LED Configuration
- 100,000 Hours of Service Life
- · Sealed Polycarbonate Lens Dimensions: 15.50" x 1.60" x .80"

Order No	Mfg No	Color	List
342347	250-4400-7	Red	\$35.96



#### Peterson Low Profile Trailer Light Kit

For trailers over 80" wide. Includes two 8 function "Belljar" lights. Lights exceed DOT requirements for stop, turn, side marker and tail lights, rear, side and clearance reflectors and license illuminator.

Kit also includes 20' four wire split type harness, 48" trunk connector, flexible plastic license bracket and all mounting hardware. Front side marker lights and reflectors are needed to meet DOT trailer lighting requirements.

Order No	Mfg No	List
252116	V547	\$74.40
Individual Lights		

Order No	Mfg No	Туре	List
252094	E456	Curb Side	\$21.60
252105	E456L	Driver Side	\$21.60



## PETERSON

Peterson Submersible Trailer Light Kit For trailers over 80" wide. Includes two 8 function "Belljar

lights. Lights exceed DOT requirements for stop, turn, side marker and tail lights, rear, side and clearance reflectors and license illuminator. Kit also includes 20' four wire split type harness, 48" trunk

connector, flexible plastic license bracket and all mounting hardware

Order No	Mfg No	List
252011	V544	\$50.40



socket design, phosphor bronze contacts and "push-in" wire connections, all positioned high in the air pocket to provide maximum corrosion resistance. Clearance and side marker light hulh fe provided

Order No	Mfg No	License Plate Light	List
252008	E452	No	\$14.10
252009	E452L	Yes	\$14.40



- · Rated at 100,000 Hours
- · Shock and Vibration Proof
- No Corrosion
- Width





#### Peterson Stop, Turn & Tail Trailer Lights

Easy to use solid frame makes bulb changing simple. Open

u by a separate build for extra safety.					
er No	Mfg No	License Plate Light	List		
2008	E452	No	\$14.10		
2009	E452L	Yes	\$14.40		

#### Innovative Lighting Slimline Identification Bar

- Operates 9-16 Volt DC Systems
- 3 LED Configuration

- Required for Trailers, Campers and Trucks Over 80" Overall

Order No	Mfg No	Color	List
342336	251-4400-7	Red	\$30.75





#### Innovative Lighting Oval LED 2.5" Side Marker / Clearance Light

- · Operates 9-16 Volt DC Systems
- 2 LED Configuration
- 100,000 Hours of Service Life
- Sonically Sealed Polycarbonate Lens and Housing
- Shock and Vibration Proof
- P2 P3 Rated
- · Impact Resistant
- Energy Draw 50 Milliamps
- · Mounted Horizontally Only

#### Dimensions: 2.60" x 1.90" x .66"

Order No	Mfg No	Color	List
342246	200-1100-7	Amber	\$15.58
342257	200-4400-7	Red	\$15.58
342268	200-1500-7	Clear	\$15.58

# INNOVATIVE LIGHTING inc.

#### Innovative Lighting 1-LED Rectangular Sidemarker/Clearance Light

- Sidemarker/Clearance
- Operates 9-16 Volt DC Systems
- Single LED Configuration
- 100,000 Hours of Service Life
- Snap-On/Off Polycarbonate Lens
- Reflective Lens
- · Shock and Vibration Proof
- P2 P3 Rated · 6 " Wire Leads
- Energy Draw 50 Milliamps
- Dimensions: 2.00" x 2.63" x .75"

Order No	Mfg No	Color	List
342314	202-1100-7	Amber	\$16.36
342325	202-4400-7	Red	\$16.36



## INNOVATIVE LIGHTING inc.

Innovative Lighting LED Mini-Marker / Clearance Light

- Operates 9-16 Volt DC Systems
  Single LED Configuration
- 100,000 Hours of Service Life
- · Comes with Grommet and Chrome Ring
- Sealed Polycarbonate Lens and Housing
- · Shock and Vibration Proof
- P2 P3 Rated
- Standard Industry Connector
- Energy Draw 50 Milliamps Dimensions: 2.50" x 1.375" x .875"

Order No	Mfg No	Color	List
342279	204-1182-7	Amber	\$19.01
342281	204-4482-7	Red	\$19.01
342292	204-1582-7	Clear	\$19.01

2-Pin Male Plug Connector				
Order No	Mfg No	List		
342303	203-9902-1	\$2.38		

## ണ്ട **TRAILER LIGHTS & WIRING** PETERSON

#### Peterson Series 150 Clearance & Side Marker Light

## Functions as side marker or clearance light and may

- be used as a combination clearance and side marker
- when properly mounted. Lens is welded to housing to form a single unit.
- Features 15,000-hour long life bulb and female termi-
- nals.
- Mounting bracket and electrical connector required to complete installation.

#### Available in amber or red.

erly mounted.

Order No	Mfg No	Color	List
252018	E150A	Amber	\$5.25
252019	E150R	Red	\$5.25

PETERSON

Peterson Series 114 Clearance/Side Marker Light

optics: eliminates need for separate reflector.

Side marker or clearance light with built-in reflective

May be used as a combination side marker and

clearance light for over 80" applications when prop-

Single wire for electrical connection; additional wire

port available for separate ground wire mount on



#### Peterson 25' Split Wiring Harness

- Split or "wishbone" type four conductor harness designed to split at trailer tongue and run down each side of the trailer. Provides for easier installation on side marker lights as well as eliminating the need for crossover wire at rear lights.
- 48" trunk connector included.
- · Polarized flat plugs with BIA standard color-coded wires meeting SAE J558a and NMMA specifications.

Order No	Mfg No	List
252048	V5425Y	\$29.64





E5400B

- **Peterson Trailer Wire Connectors**
- Flat four-way trailer connector. Color coded wire meets SAE J1128 specifications.
- Plug meets SAE J1239 specifications.
- Trailer connector (E5400A): 12" Lead wires.
- Trunk connector (E5400B): Three 48" lead wires and 12" ground wire.

Order No	Mfg No	Туре	List
252049	E5400A	Trailer	\$6.75
252050	E5400B	Trunk	\$9.60



#### Peterson Submersible Identification Light Bar

- Submersible identification bar light for over 80" applications.
- Black polycarbonate bar is corrosion-proof with three 150 sealed lights attached.
- Mounts on 16" centers.

252027

**Order No** 

252030

252031

- Includes three-plug harness with two lead wires.
- 6" ground wire w/ ring terminal and 50" hot wire.

E150-3

List

\$15.30

List

\$3.93

\$3.93



PETERSON

Peterson Series 483 Rectangular Quick-Mount Reflector

for quick and permanent mounting.

Mfg No

E483A

E483R

Available in amber or red.

3 1/8" x 1 3/8" stick-on reflector with adhesive back

Color

Amber

Red

V483 series contains two reflectors per Viz Pack.

M115-BP	Č#	
Cole Hersee Trailer Cor	nectors	11134-BP

M115-BP: 4-Pole polarized, in line mated connector with brass screws. Machined brass contacts. With protective rubber cap. 11134-BP: Bullet type terminal and receptacle.

Order No	Mfg No	Туре	List
103510	M115-BP	4 Pin round	\$26.78
108674	11134-BP	4 Pin Flat	\$8.68

# a) attwood



#### Attwood Trailer Wiring Adapters

Connects trailer wiring harness 4-way or 5-way to a vehicle through the connection of a trailer adapter. Connects auxiliary, tail lights and ground left right and stop.

Order No	Mfg No	Description	List
245168	14134-7	7 to 5 Way	\$14.25
245179	14135-7	7 to 4 Way	\$11.55