

## ENGINE & CONTROLS

### FUEL TANKS • GAS CANS • SIPHON PUMP



#### Moeller Portable Fuel Tanks

Manufactured from a sturdy, high-density polyethylene with UV inhibitors. Manufactured with advanced techniques to provide the highest quality available. All meet U.S. Coast Guard, ISO 13591 and ABYC requirements.

Order No	Mfg No	Size	Dimensions	List
279691	620003LP	3 Gal.	18.13" L x 8.87" W x 9.87" H	\$85.13
279702	620049LP	6.5 Gal.	21-1/2" L x 13-3/4" W x 10" H	\$91.73
279792	630009LP	9 Gal.	22-1/2" L x 14" W x 12" H	\$142.45
279735	630013LP	12 Gal.	24" L x 18" W x 11-1/2" H	\$156.15

#### Replacement Parts

Order No	Mfg No	Description	List
279803	621001-10	Fuel Gauge	\$17.94
279814	621002-10	Withdrawal Assembly	\$11.07
279825	305994-10	Tank Fuel Cap	\$29.99



#### Plastic Gas Cans

- Made from tough, high density polyethylene.
- Easy-on, easy-off with vent
- Back and top handles make pouring easier.
- Perfect for lawn/garden work.
- Rust proof/dent proof.
- U.L. Classified.

Order No	Mfg No	Size	List
376274	FR1G01	1 Gallon	\$22.00
376280	FR1G201	2 Gallon	\$25.65
376291	FR1G501	5 Gallon	\$28.90
376248	376224	6 Gallon	\$27.55



#### Moeller DuraMax Flo n' Go 14 Gallon Wheeled Fuel Transport

Composed of a durable, high-density polyethylene in vibrant red for use with gasoline, diesel, or kerosene fuels.

Comes complete with a patented Flo n' Go hand pump & pump holder handle.

14 gal / 53L volume capacity and a 10' long fuel hose.

Includes a bolt on hanger for convenient hose storage.

Quickly refuels, using a UL approved, mechanically vented fill cap.

Fluid transfer on level surfaces with minimal priming.

Sturdy, 6 inch wheels, makes maneuverability a breeze over rough terrains.

Ergonomically designed, heavy-duty top handle with extra deep base unit

Recessed grooves provide nuisance free strapping locations for safer transport.

Dual mechanical shut-off valves, at both tank and hose, for spill-proof Flo n' Go disconnection.

Flow rate of 2 GPM when in siphon mode.

Meets D.O.T. & UN transportation Requirements.

Order No	Mfg No	List
279423	06792	\$199.99



#### Moeller 15 Gallon Topside Fuel Tank

- Provides positive seal with Moeller-exclusive injection molded 2-1/4" fill neck.
- Mechanically vented fuel cap ensures easy gripping with exclusive ribbed design that floats
- Features 90 degree, 1/4" NPT fuel withdrawal elbow that rotates 360 degrees eliminating a kinked fuel line hose.
- Includes mechanical direct-sight gauge with easy-to-read indicator
- Tested to industry standards.
- Specifically designed for use in Boston Whalers, Carolina Skiff and Key West bench style, center console, pontoon, deck and jon boat designs.

Dimensions: 42.50" L x 14.75" W x 9.97" H.

Order No	Mfg No	List
279338	031818	\$366.35



#### Midwest Can Company Quick Flow Spout

Replacement Quick-Flow Spout Kit for use with all Midwest Can fuel containers. 11" x 4.75" x 1.75".

Order No	Mfg No	List
376259	05459	\$9.99



#### Scepter 5 Gallon Diesel Can

5 Gal / 18.8 L Diesel Container

Dimensions (L x W x H): 11.5" x 9.9" x 17"

Weight (lbs/kg): 2.4 / 1.1

Material type: High-Density Polyethylene

Order No	Mfg No	List
376236	FR1D501	\$31.90



#### Starbrite Gas Tank Tie Down Strap

1" x 6' polypropylene webbing with positive lock/quick release buckle; mounting hardware included. Sewn and assembled in the USA, using the best components available. They feature heavy-duty webbing, extremely durable hooks and high efficiency buckles and ratchets.

Order No	Mfg No	List
150782	60005	\$17.23



#### Custom Accessories Hand Siphon Pump

Multi-use: for car, boat or home. Simple squeeze action. Safely pumps most liquids without wetting hands. 72" hose length. Double-action check valve.

Order No	Mfg No	List
234504	22-5-00782-8	\$3.19



#### Beckson Siphon-Mate Transfer Pump

A combination displacement lift pump and siphon pump with valves suitable for transferring fuel. Pump to start flow. Fully extending the handle will allow siphoning provided that the source is higher in elevation than the receptacle. Use for diesel, oil or water. Supplied with clear tubing to allow versatile application. Cut tubing for desired intake and discharge hose. Length: 11-1/2"; Diameter: 1-1/4".

Order No	Mfg No	List
271038	109PC	\$52.30




#### Attwood Filter Funnel

Fine mesh screen filters out most foreign matter. Non-splashing, lightweight floating polyethylene plastic. Long flexible tube with handle.

Order No	Mfg No	List
108278	14580-1	\$15.88

# ENGINE & CONTROLS

TANK TIE DOWN STRAPS • FUNNELS • FUEL VALVES • FUEL LINES • PRIMER BULBS



## Attwood Fuel Tank Strap Set

1" wide. White nylon web strap with zinc-plated carbon steel snap and quick-release buckle. Includes metal foot-man securing loops and screws.

- For 3 or 6 gallon tanks.
- Stainless steel quick release buckle, 2 footman clamps and screws.

Order No	Mfg No	List
118178	11526-3	\$13.78



## Groco Bronze 4-Way, 2 Tank Selector Valve

For fuel or water.  
Four positions: Tank-1, Tank-2, Tanks 1 & 2, Off.  
Full 1/2" Flow.  
Audible "click" at each handle position.  
For thru panel mounting.  
C83600 bronze construction.

Order No	Mfg No	Size	List
732408	FV-450-X	1/2"	\$118.00



## Groco FV Series 6 Port Bronze Fuel Valves

Six port fuel valves are used where 2 tanks supply a single engine and a return to each supply tank is required.  
ABYC H33.9.2 states that fuel system valves must have an independent means of support, so in-line valves are not suitable for fuel system applications.  
"L" shaped flow pattern and 180 degree handle swing.  
Mount feet included.  
C84400 bronze construction.  
1/2" NPT primary and 3/8" NPT return ports.

Order No	Mfg No	Main NPT	Return NPT	List
732419	FV-65038	1/2"	3/8"	\$202.00



## Groco FV Series Bronze Fuel Shut-Off Valve

ABYC H33.9.2 states that fuel system valves must have an independent means of support. That's why regular in-line valves are not appropriate for fuel systems applications.

- Patent-pending handle allows you to select direction of handle rotation.
- Full flow.
- Mount foot included.
- Stainless steel stem, handle and hardware.
- 400 WOG.
- PTFE seats and seals.

Order No	Mfg No	NPT Size	List
231726	FV-250	1/4"	\$21.00
231727	FV-375	3/8"	\$21.00
231728	FV-500	1/2"	\$32.00
231729	FV-750	3/4"	\$39.00

## Groco FV Series 90° Fuel Shut-Off Valve

Order No	Mfg No	NPT Size	List
381223	FV-590-S	1/2"	\$37.00



## Moeller Multi-Port Fuel Valve

Constructed of brass. All provide anti-siphon protection.  
3 & 4-way valves provide for withdrawal from one tank at a time only.

Order No	Mfg No	Ports	List
705899	33300-10	2-Way Male x Female 1/4"	\$51.72
118371	33302-10	3-Way 1/4"	\$39.33
750010	33312-10	3-Way 3/8"	\$44.08



## Groco 5-Port Fuel Selector Valve

- For fuel or water.
- Bottom port is common. Select between four outlets.
- Full 1/2" flow.
- Audible "click" at each handle position.
- For thru panel mounting
- C83600 bronze construction.

Order No	Mfg No	NPT Size	List
231734	FV-550-L	1/2" x 5	\$142.00



## American Handihose Wonder Pump Siphon

American Specialty Wonder Pump Patented self-priming pump with an endless Only of uses. Just shake pump to start liquid flowing. Works with almost all liquids, including water, gasoline, diesel fuel, kerosene, fertilizer, insecticides, thinners, paints, solvents and lubricants to the thickness of 20 grade oil. Can be used to quickly empty or fill fish ponds, aquariums, water beds, fountains, bird baths and above-ground pools. Safely transfer gasoline. Note: not for use in all gasoline tanks.

Order No	Mfg No	List
109317	HA10X3010	\$16.50



## Sierra Silverado 4000 Universal Fuel Line

Order No	Mfg No	Size	List
234000	18-8013EP-12	5/16" x 8'	\$54.25
234361	18-8032EP-12	5/16" x 12'	\$69.56



## Mercury Marine Primer Bulb Assembly

Made of materials which are resistant to the chemistry of today's fuels this bulb is designed to remain pliable longer. Two hose clamps are included.  
Fits 5/16" and 3/8" I.D. hose.

Order No	Mfg No	List
246490	8M0061875	\$33.00



## Whitecap Universal Fuel Line Assembly - F-5822

Low Permeation Universal Fuel Line Assembly  
Hose Length: 7 foot Hose ID: 3/8"

Order No	Mfg No	Size	List
377404	F-5822	3/8"	\$49.08



## Whitecap Low Permeation Fuel Primer Bulbs

Grey rubber primer bulb.  
Hose size: 3/8"  
Meets EPA and USCG Standards for low permeation alcohol and gas resistant. Includes SS hose clamps.

Order No	Mfg No	Size	List
377393	F-5752-C	3/8"	\$27.88



## Whitecap Fuel Line Assembly for Yamaha - F-5902

Low Permeation Fuel Line Assembly for Yamaha  
Hose Length: 7 foot  
Hose Connector: F-7095  
Tank Connector: F-7060  
Hose I.D.: 3/8"

Order No	Mfg No	Size	List
377415	F-5902	3/8"	\$56.05



## Whitecap Fuel Line Assembly for OMC, Johnson & Evinrude - F-5842

Low Permeation Fuel Line Assembly for OMC, Johnson, and Evinrude  
Hose Length: 7 foot Hose Connector: F-7099  
Tank Connector: F-7062  
Hose ID: 3/8"

Order No	Mfg No	Size	List
377426	F-5842	3/8"	\$56.05



## Moeller Low Permeation Fuel Primer Bulb

New EPA regulations limit the amount of permeation the fuel primer bulb can emit per day to 15 grams per square meter.  
Moeller's Low Permeation Fuel Primer Bulb meets these new standards.

Primer bulbs feature gasoline and solvent resistant construction, stainless steel clamps and dual internal check valves to ensure a more rapid prime while preventing fuel flow back.

Order No	Mfg No	Size	List
279781	034790-10LP	1/4"	\$31.63
279779	034690-10LP	5/16"	\$32.53
279768	034590-10LP	3/8"	\$32.53



954-463-4307 • D.S. Hull Company Inc. • www.dshullco.com

## ENGINE & CONTROLS

### OUTBOARD FUEL FITTINGS • FUEL TANK VENTS

WHITECAP



**Whitecap Fuel Line Assembly for Mercury/Mariner - F-5942**  
Low Permeation Fuel Line Assembly for Mercury/Mariner  
Hose Length: 7 foot  
Hose Connector: F-7095, F-7082  
Tank Connector: F-7080  
Hose I.D.: 3/8"

Order No	Mfg No	Size	List
377437	F-5942	3/8"	\$56.05

WHITECAP



**Whitecap Fuel Line Bulkhead Fitting**  
Straight 3/8" to 3/8" Brass

Order No	Mfg No	Size	List
234327	F-7140C	3/8"	\$9.55

MOELLER  
marine products



**Moeller Fuel Line Bulkhead Fitting**  
Straight 3/8" brass bulkhead fitting.

Order No	Mfg No	List
279589	033210-10	\$19.98

MOELLER  
marine products



**Moeller 24" Fuel Pick-Up tube**  
90°, 1/4 NPT aluminum fuel withdrawal elbow.  
Polyethylene tube.

Order No	Mfg No	List
279578	033500-24	\$31.11

MOELLER  
marine products



**Moeller Aluminum Anti-siphon Valves**  
Delivers Coast Guard/industry standard anti-siphon protection on all gasoline-powered boats.  
Combines anti-siphon protection with a convenient hose barb design.  
Made of tough, corrosion-resistant aluminum.

Order No	Mfg No	Size	List
700083	33801-10	1/4" NPT x 3/8" Barb	\$19.59
700084	33802-10	3/8" NPT x 3/8" Barb	\$21.39

PERKO  
Made in the USA



**Perko Fuel Tank Vent with Swivel Elbow**  
Chrome plated zinc alloy cap with zinc alloy elbow.  
Removable 30 mesh stainless steel wire screen flame arrestor (for use with gasoline applications)  
Design allows elbow to be rotated to any position.  
Hose size: 5/8"  
Max. hull thickness: 1"

Order No	Mfg No	Color	List
750197	0561DP4CHR	Black Splash Guard	\$20.73

WHITECAP



**Whitecap Flush Fuel Vent**

316 stainless steel round head straight flush fuel vent w/shield  
hose size: 5/8" Hole size: 1-9/16"

Order No	Mfg No	List
377336	6005	\$30.38

WHITECAP



**Whitecap Stainless Steel Gas Vents**

Order No	Mfg No	Type	List
240095	6023C	90°	\$29.78
240094	6004C	Straight	\$22.18

FORESPAR  
MARINE PRODUCTS THAT PERFORM



**Forespar Marelone Fuel Tank Vent**

For hulls with solid cores only. Unit press-fits into 3/4" hole without the need of a nut. Stainless steel screen will not corrode and has no plating to chip. For 5/8" hose.

Order No	Mfg No	List
334196	907029	\$10.45

PERKO  
Made in the USA




**Perko Gas Tank Vents**

Chrome plated zinc with black plastic splash guard and removable 30 mesh, stainless steel wire screen flame arrestor.  
Hose size: 5/8".  
Max. hull thickness: 3/4".

Order No	Mfg No	List
702829	0506DP4CHR	\$19.73

attwood



**Attwood 90° P-Trap Fuel Tank Vent**

These vents help prevent water from entering the fuel tank, yet allow air to vent freely, during normal sea conditions and wash-downs. This eliminates the need for an anti-siphon loop in the vent hose. For 5/8" I.D. hose. Meets ABYC Standard.

Order No	Mfg No	Color	List
245078	1671-1	White Face	\$14.55

**Replacement Covers**

Order No	Mfg No	Color	List
245089	9115261	Black	\$7.13
245093	9115271	White	\$7.13

WHITECAP



**Hose Barbs for Fuel Lines**  
Brass.

Order No	Mfg No	Size	List
234005	F-7130C	1/8" MPT X 5/16" Hose	\$4.98
234006	F-7182C	1/4" MPT x 5/16" Hose	\$4.50

sierra  
MARINE EQUIPMENT & SUPPLY



**Universal Fuel Tank Elbow**  
Brass.

Order No	Mfg No	Size	List
234010	18-8067	1/4" MPT x 3/8" Hose	\$9.21
234015	18-8072	3/8" MPT x 3/8" Hose	\$10.52

WHITECAP



**Fuel Tank Fittings**

Order No	Mfg No	Size	List
234017	F-7126C	Straight - 1/4" NPT Male x 3/8" Hose Barb	\$4.98


WHITECAP



**Johnson/Evinrude Fuel Connector**  
OMC Female 5/16" Hose (Johnson/Evinrude) Mating Part F-7062 Brass 1/4" NPT Male (Johnson/Evinrude)

Order No	Mfg No	List
234007	F-7064C	\$5.80

WHITECAP



**Johnson/Evinrude Fuel Connector**  
Brass 1/4" NPT Male (Johnson/Evinrude) Mating Part F-7064 - OMC Female 5/16" F-7099 - 3/8" Barb Acetal Female (Johnson/Evinrude)

Order No	Mfg No	List
234009	F-7062C	\$11.33

WHITECAP



**Johnson/Evinrude Fuel connector**  
3/8" Barb; Acetal female (Johnson/Evinrude) Mating Part F-7062 Brass 1/4" NPT Male (Johnson/Evinrude).

Order No	Mfg No	List
234095	F-7099C	\$5.80



**Johnson/Evinrude Hose Connector Tank End**  
Male fitting for external fuel tanks with standard 1/4" female fuel withdrawal. For fuel containers with vertical tank withdrawal and limited horizontal space to make hose connection.

Order No	Mfg No	List
234106	L-7410-SS-SP	\$14.05



# ENGINE & CONTROLS

## OUTBOARD FUEL FITTINGS

WHITECAP®




### Mercury/Mariner Connector

Female 1/4" NPT with 90° Elbow, Die Cast Aluminum (Mercury) Mating Part F-7110 Male 3/8" Barb, Die Cast Aluminum (Mercury).

Order No	Mfg No	List
234011	F-7108C	\$16.90

WHITECAP®



### Mercury/Mariner/Yamaha Connector

Order No	Mfg No	List
234019	F-7116C	\$6.25

WHITECAP®




### Mercury/Mariner Connector

Female 3/8" Acetal (Mercury) Mating Part - F-7060C (Male 1/4", Brass-Mercury).

Order No	Mfg No	Fits	List
234153	F-7095C	Female 3/8" Acetal (Mercury)	\$8.68

WHITECAP®



### Mercury/Mariner Connector

Female 3/8" Acetal (Mercury) Mating Part - F-7114C (Male 1/4", Brass-Mercury).

Order No	Mfg No	Fits	List
234117	F-7112C	Female 3/8" Acetal (Mercury)	\$8.10

WHITECAP®



### Mercury/Mariner Connector

Acetal 5/16" Barb Male (Mercury) Mating Parts:  
F-7078(5/16" Barb Acetal Female-Mercury)  
F-7079(Acetal 3/8" Barb Female-Mercury)  
F-7080(Acetal 1/4" NPT-Threaded Female-Mercury)

Order No	Mfg No	Replaces	List
234013	F-7083C	31085A3	\$8.43

WHITECAP®



### Mercury/Mariner Connector

Acetal 3/8" barb female-Mercury/Mariner engine connection.

Order No	Mfg No	Fits	Replaces	List
234012	F-7079C	5/16" hose	22831A3	\$8.40

WHITECAP®



### Mercury/Mariner/ Yamaha Connector

Female 5/16" Hose (Yamaha) Mating Part F-7060 (1/4" NPT Brass Male (Yamaha)).

Order No	Mfg No	Fits	List
234018	F-7065C	1/4" hose size	\$5.80

WHITECAP®



### Mercury/Mariner/Yamaha Connector

Male 1/4" Brass (Mercury) Mating Part - F-7112 Female 3/8" Acetal (Mercury)

Order No	Mfg No	Fits	List
234020	F-7114C	F-7114C	\$11.60

WHITECAP®



### Chrysler Male Fitting Adapter

Fuel Fitting 1/4" Male (Force) Mating Parts F-7051 5/16" Barb C.P. Brass Female (Force) or F-7052 C.P. Brass 3/8" Barb Female-(Force).

Order No	Mfg No	List
234014	F-7050C	\$6.68

WHITECAP®



### Chrysler/Force Connector

5/16" Barb C.P. Brass Female (Force) Mating Part F-7050 (Fuel Fitting 1/4" Male (Force)).

Order No	Mfg No	Replaces	List
234008	F-7051C	#197787-3	\$11.60

WHITECAP®



### Honda Connector

Female 3/8" Acetal (Honda) Mating Part: F-7120 Male 1/4" brass (Honda).

Order No	Mfg No	List
234073	F-7118C	\$5.80

WHITECAP®



### Honda/Suzuki Fuel Connector

3/8" Barb C.P. Brass (Large) (Suzuki & Honda) Mating Part F-7068(1/4" C.P. Brass Male (Large-Suzuki)).

Order No	Mfg No	List
234062	F-7066C	\$12.68

WHITECAP®



### Honda/Suzuki Fuel Connector

1/4" C.P. Brass Male (Large) (Suzuki) Mating Part F-7066(3/8" Barb C.P. Brass-Large-Suzuki).

Order No	Mfg No	List
234084	F-7068C	\$6.98

WHITECAP®



### Nissan/Tohatsu Fuel Hose Connector

3/8" Barb C.P. Brass (2.5 to 90H.P) (Nissan/Tohatsu) Mating Part - F-7077(1/4" NPT C.P. Brass-Nissan/Tohatsu)

Order No	Mfg No	List
234294	F-7085C	\$10.98

WHITECAP®



### Nissan/Tohatsu Fuel Hose Connector

C.P. Brass 1/4" NPT (Nissan/Tohatsu) Mating Part - F-7076(C.P. Brass 3/8" NPT-Nissan/Tohatsu)

Order No	Mfg No	List
234283	F-7075C	\$6.50

WHITECAP®




### Nissan/Tohatsu Fuel Tank Outlet

1/4" NPT C.P. Brass (Nissan/Tohatsu) Mating Part - F-7085(3/8" Barb C.P. Brass 2.5 to 90H.P.-Nissan/Tohatsu)

Order No	Mfg No	List
234316	F-7077C	\$5.75

WHITECAP®



### Yamaha Fuel Tank Outlet

1/4" NPT Brass Male (Yamaha) Mating Parts F-7065(Female 5/16" Hose-Yamaha F-7095C (3/8" Barb Acetal Female 115 H.P.+ Yamaha)

Order No	Mfg No	List
234175	F-7060C	\$11.33

LARAND MARINE PRODUCTS




### Yamaha Fuel Connector

Female connector for use on both ends of fuel lines to connect to engine and tank fitting. Available for fuel lines with 3/8", 5/16" or 1/4" I.D. Connects to Larand or similar fittings. Quick-connector, clip-on. 5/16" hose barb.

Order No	Mfg No	List
234164	L-1285-5-SP	\$6.50

LARAND MARINE PRODUCTS



### Yamaha Tank Outlet

Male fitting for external fuel tanks with standard 1/4" female fuel withdrawal.

Two prong quick-connector with 1/4" NPT thread.

Order No	Mfg No	List
234186	L-1281-SS-SP	\$14.90

WHITECAP®



### Suzuki Fuel Tank Outlet

Small Male 1/4" NPT, C.P. Brass (Suzuki) Mating Part - F-7102(Small Female 5/16" Barb, C.P. Brass-Suzuki)

Order No	Mfg No	List
234251	F-7100C	\$6.50

WHITECAP®



### Suzuki Fuel Line Fitting

Small female 5/16" barb, C/P brass (Suzuki) Mating part F0-7100 small male 1/4" NPT, C/P brass (Suzuki).

Order No	Mfg No	List
234228	F7102C	\$13.38

# ENGINE & CONTROLS

LIQUID LEVEL GAUGES • SENDING UNITS • MOTOR CADDY • MOTOR FLUSHER

## Rochester Liquid Level Gauges

Like Us On  
facebook

R



**Junior**  
1-7/8" hole center mounting. For Rochester Magnetic Liquid Level Gauges #6741 with large ainico magnet. 240-30 ohm.

Order No	Mfg No	Type	List
105190	5635502541	Adjustable	\$81.63
105182	5712S02539P	Fractional	\$77.15

R



**Senior**  
2-5/16" hole center mounting. Fractional dial. 240-30 ohms.

Order No	Mfg No	List
102626	5640S02543P	\$110.10

R



### Direct Reading Dials

Hermetically sealed. Senior has 2-5/16" hole center mounting. Junior has 1-7/8" hole center mounting.

Order No	Mfg No	Size	List
105186	5323S01792	Junior	\$27.65
105180	5AWLS03239IP	Senior	\$48.70

TH  
MARINE



### TH Marine Prop Stop - Spare Prop Retainer

A simple and safe device for securing a spare propeller in any location. The base mounts to any flat surface and retains a stainless nut that the nylon bolt screws into. Holds any size propeller and its thrust washers. Super strong materials hold prop securely to prevent damage to boat.

Order No	Mfg No	List
302620	PRB-1-DP	\$28.75

DAVIS



### Davis Outboard Motor Caddy

Sized to be quickly attached to most outboards from 2-15 horsepower. This improved design features a longer strap to fit 4-stroke motors and an added security strap for today's streamlined engine cases. Made of UV resistant materials that will endure the marine environment for those who prefer a semi-permanent installation. Glass filled nylon buckles insure that Motor Caddy is easy to install and remove. Makes lifting and moving cumbersome motors safer and simpler. Patented.

Order No	Mfg No	List
258060	430	\$29.99

TH  
MARINE



### TH Marine Flex Sleeving

- Lightweight sleeving - protects wire, cables & hoses.
- Braided from high temperature yarns.
- Expands to four times its normal diameter.
- 100 ft. rolls, sold by the foot.

Order No	Mfg No	I.D.	List
302462	FLX-50-DP	1/2"	\$1.38
302473	FLX-75-DP	3/4"	\$1.86
302484	FLX-150-DP	1-1/2"	\$3.30

attwood



### Attwood Motor Flushers

Quickly flushes away salt, sand, silt and alkali to prevent clogging and corrosion. The flusher attaches easily to an ordinary garden hose. Self-adjusting clamping yoke fits most domestic or important I/O's and outboards. Molded cups deliver fresh water from a garden hose to flush the cooling system through side intakes on the lower unit.

Order No	Mfg No	Type	List
245157	16205-5	Metal Body	\$8.05
245025	9372-2	Plastic Body	\$9.53

MERCURY



### Mercury Marine Engine Flushing Kit

For fresh water flushing of 20 HP and up Mercury/Mariner engines.

Order No	Mfg No	List
246915	44357Q2	\$38.08

MOELLER  
marine products



### Moeller Marine Dual Water Feed Motor Flusher for Rectangular Water Inlet

Improved water flow with rectangular cups will virtually eliminate water leakage for higher-pressure flushing. For use on all lower units with side water inlets; includes Volvos.

Order No	Mfg No	List
244090	99082-00	\$32.93

MOELLER  
marine products



### Moeller Marine Motor Flusher for Rectangular Water Inlets (Yamaha/Volvo)

Ideal in low-pressure conditions prevalent around marinas. Improved water flow with rectangular cups will virtually eliminate water leakage for higher-pressure flushing. For use on all lower units with side water inlets; includes Volvo's SX.

Order No	Mfg No	List
750064	99077-00	\$10.20

MOELLER  
marine products



### Moeller Standard Motor Flusher for Lower Units with Side Water Inlets

Quick-flushing unit that slips over side water inlets on most outboards and inboard/outboards. Flushes contaminants from cooling systems and allows idling for engine adjustments. Installs in seconds using a garden hose. No tools required.

Order No	Mfg No	List
108286	99076-00	\$6.66

TH  
MARINE



### TH Marine Quick Flush

Quick and easy way to flush any outboard equipped with a flushing port. No more removing the plug and twisting hoses to flush. Replace the plug with the Quick Flush™ and snap the hose on and off. Normal operating water pressure keeps the valve sealed when using engine. Check out these features:  
Makes flushing salt or sand quick, easy and painless.  
Unique patented slide valve replaces flushing port plug.  
"O" Ring seal closes off port when operating engine.  
Quick connect on hose snaps onto valve for flushing.  
Takes the hassle out of boating.  
Fits all outboards equipped with a flushing port.  
Kit consists of patented slide valve, hose quick connector and washer.

Order No	Mfg No	Fits	List
303031	QF-1K-DP	Johnson/Evinrude	\$29.40
303042	QF-2K-DP	Mercury/Yamaha	\$29.40

954-463-4307 • D.S. Hull Company, Inc. • www.dshullco.com

## ENGINE & CONTROLS

### MOTOR FLUSHERS • BLOWERS • VENT HOSE

**PERKO®**  
Made in the USA



#### Perko Flush Pro Marine Engine Flushing & Winterizing Valve

- Flush your boat engine safely and easily.
- Transparent body allows for visual inspection of water flow.
- Durable check valve system activated by water pressure from a garden hose.
- Check valve automatically shuts off hull intake when water pressure is applied.
- Adapter supplied with FlusPro makes winterizing your boat easy.
- Can be used with generators.

Order No	Mfg No	Hose Size	List
341301	0456DP6	1"	\$139.30
341312	0456DP7	1-1/4"	\$139.30



#### Trident Polyduct Vent Hose

The most flexible, crush proof, and rugged blower duct hose for Heat, Ventilation, and Air Conditioning (HVAC). Heavy Duty polypropylene hose, reinforced with a flexible polypropylene rod helix. It has excellent flexibility & compressibility; and excellent resistance to crushing, flex fatigue, tearing, and moisture. Meets FMVSS 302 flame resistance, Temp. range: -40° F to 225° F (-40° C to 107° C).

3 YEAR WARRANTY

50 ft. per roll. Sold by the foot.

Order No	Mfg No	Size	List/Ft.
235219	481-3000	3"	\$7.28
235223	481-4000	4"	\$12.44



#### Trident Blower Vent Hose

PVC hose supported by helical wire. Resistant to ozone, sun-light, and weathering. Will not support a flame. Sold by the foot, in black or white.

50' per roll. Sold by the foot.

Order No	Mfg No	Size	Color	List/Ft.
115271	402-3006	3"	Black	\$1.18
115270	400-3006	3"	White	\$1.18
115272	400-4006	4"	White	\$1.30

**rule**  
a xylem brand



#### Jabsco In-Line Bilge Blower

Efficient high-volume air flow

Quiet operation

Low amp draw

Slip-on inlet and outlet ducting connections

Sealed motor shaft for moisture protection

Corrosion resistant nickel-plated motor housing

IMC1 (CE)

USCG 183.410 Compliant: Ignition protected

Order No	Mfg No	Size	Volts	List
351247	140	3"	12 VDC	\$51.78
351258	240	4"	12 VDC	\$56.65
351268	140-24V	3"	24 VDC	\$51.78
351272	240-24V	4"	24 VDC	\$61.53

**JABSCO**  
a xylem brand



34744-0000



35115-0020



34739-0010 & 34739-0020



35400-0000 & 35400-0010



35760-0092

#### Flangemount

Flangemount blowers are generally mounted with the discharge port fastened directly to a flat external surface to minimize required ducting. The inlet port can then be connected with duct hose to the area requiring ventilation.

**CAUTION:** Do not use the 110 VAC models to exhaust flammable vapors; they are not ignition protected. The 12 VDC and 24 VDC models are ignition protected.

Order No	Mfg No	Current	Ports	Flow Rate	Features	List
241183	34739-0010	12 VDC	3"	150 CFM	Low Current Draw	\$212.33
241246	34739-0020	24 VDC	3"	150 CFM	Low Current Draw	\$252.35
241236	34744-0000	115 VAC	3"	100 CFM	Low Current Draw	\$270.63
241182	35115-0020	12 VDC	3"	105 CFM	Low Current Draw	\$126.35
241185	35400-0000	12 VDC	4"	250 CFM	Low-Current Draw	\$259.98
241251	35400-0010	24 VDC	4"	250 CFM	Low-Current Draw	\$305.43
241361	35760-0092	12 VDC	4"	250 CFM	Extended Life 10,000 Hour Motor	\$378.10
182498	36760-0115	115VAC	4"	250 CFM	Extended Life 10,000 Hour Motor	\$508.50

**JABSCO**  
a xylem brand



35115-0010



36740



35770-0092 & 35770-0094



35440

#### Flexmount

Flexmount blowers have both inlets and outlet ports designed for slip-on flexible duct connections. They are ideal when an "in-line" installation of a blower is preferred. The blower may be rotated in the mounting bracket to permit installation with the discharge port in any direction.

**CAUTION:** Do not use the 110 VAC models to exhaust flammable vapors; they are not ignition protected. The 12 VDC and 24 VDC models are ignition protected.

Order No	Mfg No	Current	Ports	Flow Rate	List
241187	35515-0010	12 VDC	3"	105 CFM	\$146.90
182465	36740-0000	12 VDC	3"	150 CFM	\$229.30
182476	36740-0010	24 VDC	3"	150 CFM	\$269.68
182487	36740-0031	115 VAC	3"	140 CFM	\$413.50
241383	35770-0092	12 VDC	4"	250 CFM	\$380.83
241394	35770-0094	24 VDC	4"	250 CFM	\$385.83
182267	35440-0000	12 VDC	4"	250 CFM	\$266.30
182278	35440-0010	24 VDC	4"	250 CFM	\$324.68

**attwood®**

#### Attwood In-Line Bilge Blower

Provides ventilation for engine compartments, galleys, bilges, and heads.

Mounting feet allow vertical or horizontal installation. Includes 2 tie straps.

All are CE certified. Stiffening ribs to reduce housing distortion

Motor cap to seal wires and motor for water resistance

Five-blade fan maximize airflow and efficiency

Low amp draw motor for longer blower and battery life.

Order No	Mfg No	Size	Volts	List
244421	1733-4	3"	12 VDC	\$44.50
244422	1749-4	4"	12 VDC	\$49.20
120800	1751-1	4"	24 VDC	\$64.88



**PENTAIR**

**SHURFLO®**

#### Shurflo YellowTAIL™ Blowers

- 6 blade nylon fan
- Heavy duty fan housing
- Compact design
- Extended barbs for ease of installation
- Sealed motor & wires for corrosion resistance
- Sealed motor shaft for moisture protection & Long Life
- Slotted baseplate for easy mounting
- CE Onlyed
- 3 Year Warranty

12 VDC

Order No	Mfg No	Size	Flow Rate	List
328317	277-3110	3"	120 CFM	\$38.16
328329	277-4110	4"	220 CFM	\$40.35




Like Us On  
facebook

954-463-4307 • D.S. Hull Company Inc. • www.dshullco.com



# ENGINE & CONTROLS

## BLOWERS & VENTS, FANS, FAN CONTROL SYSTEMS • OUTBOARD MOTOR COVERS



### Delta T Systems 4" Lil' Champ Blower

- 350 CFM (free air)
- Ignition Protected and Continuous Duty Rated
- Enclosed Double Shielded Ball Bearing Motor
- Universal Mounting Bracket and Plastic Housing
- CE Marked and Conforms to SAE J1171, ISO 8846, SO 9097, EMC Directive 89/336/EEC, IP 68

Order No	Mfg No	Size	Volts	List
397794	500-304121P	4"	12 VDC	\$347.84
397811	500-3042421P	4"	24 VDC	\$347.84



### Delta T Systems 4" Blower Intake Adapter

Order No	Mfg No	List
397828	505-201251	\$32.69



### Delta T Systems Marine Axial Engine Room Fans

- Ignition Protected & Continuous Duty Rated
- Available in 12 and 24 VDC
- Enclosed Double Shielded Ball Bearing Motor
- Reversible Blade for Pusher or Puller Fan
- CE Marked and Conforms to SAE J1171, ISO 8846, ISO 9097

Order No	Mfg No	Volts	Dia.	CFM	List
397845	309121P	12	9"	737	\$217.42
397862	309241P	24	9"	737	\$217.42
397879	311122P	12	11"	1424	\$317.49
397896	500-311242P	24	11"	1424	\$317.49

500-311242P



### Delta T Systems

#### DCT2 Automatic/Manual D/C Fan Control System

Fan control system is designed to automatically control engine room ventilation in applications using Delta "T" Systems D/C fans, as well as provide a low and high-speed option for manual operation. In the Auto Mode, the unit senses engine room temperature and starts the fans at low speed as the space heats up. Running the fans at reduced speed lowers the noise levels generated and reduces the current draw to roughly 25%, easing the load on the electrical system. If the temperature in the space continues to rise, the system will automatically set the fans to full speed. As the space cools the fans switch back to reduced speed, and then turn off automatically. In the Manual Mode, the system allows the operator to set the fan speed to Low, High, or Off.

Advantages of the DCT2 Control System include:

\*(The 12 VDC version of the 600-DCT2 must run either 9" fans or 4" blowers only.)

Order No	Mfg No	Voltage	List
397930	600-DCT2-12	12	\$924.38
397913	600-DCT2-24	24	\$924.38

### Delta T Systems Fan Control System Mounting Kits

Order No	Mfg No	Mounting Kit	List
397947	610-201376	Surface Mount	\$129.13
397964	610-201377	Flush Mount	\$153.36




### Sea Dog Standard Louvered Vent

Dimensions:

A: 3-5/8"; B: 12-1/8"; C: 4-3/4"; D: 13-1/4"; E: 9-1/16"; F: 1-1/16"

Order No	Mfg No	Color	List
233095	337290	White	\$9.06
233096	337291	Black	\$9.06




### Sea Dog Louvered Ventilators

Injection molded ABS plastic.

Part numbers 337210 - 337211 can be used in conjunction with the Polypropylene Collector Box part number 331203. These vents are interchangeable with Attwood® vent part number 1494.

Dimensions: A: 1-7/8"; B: 15-1/2"; C: 2-5/8"; D: 17-1/2"

Order No	Mfg No	Color	Vent Area	List
233090	337210-1	White	18.56 in <sup>2</sup>	\$10.17
233089	337211-1	Black	18.56 in <sup>2</sup>	\$9.66



### Sea Dog Collector Box

Part numbers 331202-331204 will fit either the 331200, 331201 Stainless Louvered Ventilator or 337210, 337211 and 337212 Injection Molded ABS Louvered Ventilators. Interchangeable with Attwood® part number 1341 and number 1342.

Dimensions: A 15-1/2"; B 2"

Order No	Mfg No	Color	Hose Size	List
233100	331203	Black	2"-3"	\$7.32

### Whitecap Stainless Steel Louvered Ventilators

The sleek design of these stainless steel ventilators - project out only 7/8" - making them ideal for mounting in the hull.

Order No	Mfg No	Size	Cutout	List
240134	S-1392	8-1/4" L x 4-3/8" W	3-1/2" x 7-5/16"	\$25.30
240133	S-1391	12-13/16" L x 4-3/8" W	3-9/16" x 11-3/16"	\$30.45



### Whitecap Nylon Horizontal Louvered Vent

Made from durable black or white nylon. Will not rust, discolor or streak. Pre-drilled to accommodate screws. Comparable to Whitecap stainless steel parts. Dimensions: L: 17-1/4" W: 2-1/2"; Cut Out Size: 15-7/8" x 2"

Order No	Mfg No	Color	List
377358	3458WP	White	\$17.43



### Attwood Chrome Plated Plastic Louvered Vent

Corrosion resistant ABS plastic with no sharp edges. For 3" I.D. ventilation system with 1345 collector box.

Order No	Mfg No	List
245033	1495B5	\$54.60



### Attwood Outboard Motor Covers

- Ideal for boats that require separate outboard motor protection.
- Draw rope sewn into the hem for a tight fit.
- Road Ready™ cotton - water resistant, breathable fabric treated with a water repellent and UV/mildew shield
- Do not use cover while motor is running.

Order No	Mfg No	L	W	H	List
720678	10540 5 to 25 HP	21"	14"	16"	\$29.63
720679	10542 25-50 HP	23"	16"	17"	\$33.00
720680	10543 50-115 HP	24"	18"	23"	\$36.48
720681	10544 115-225 HP	28"	19"	27"	\$40.15
720682	10545 225-300 HP	31"	24"	28"	\$46.33

## ENGINE & CONTROLS VENTS

**PERKO®**  
Made in the USA



### Perko Cowl Ventilator

Chrome plated zinc with black plastic base. 3" duct threads into neck, hose clamps not required.

Mouth opening: 8 sq. in.


Length overall: 5-3/4"

Width overall: 4-3/8"

Height overall: 2-5/8"

Order No	Mfg No	List
703408	1312DPOCHR	\$38.13

**SEADOG LINE**




### Sea Dog Ventilation Hose Flange

Fits 3" diameter hose. Black.

Dimensions: A - 3-1/2"; B - 1", C - 2-9/16"; D - 3"

Order No	Mfg No	List
233099	337600-1	\$5.73

**SEADOG LINE**




### Sea Dog Thru Vent

Injection molded ABS plastic.

Dimensions: A - 2-13/16"; B - 5/8"; C - 3-11/16"

Order No	Mfg No	Color	Hose Size	List
233102	337320	Black	3"	\$3.00
233107	337310	White	3"	\$2.94

**SEADOG LINE**



### Sea Dog Hose Thru Vent

Injection molded ABS plastic.

Dimensions: A - 2-13/16"; B - 2-7/16"; C - 3-11/16"

Order No	Mfg No	Color	Hose Size	List
352294	337315	White	3"	\$5.85
352278	337325	Black	3"	\$5.37
233098	337410	White	4"	\$6.15
233097	337420	Black	4"	\$5.67
352305	337415	White	4"	\$6.72
352289	337425	Black	4"	\$6.48

**Beckson**



### Beckson Cowl Vents

Vacuum-formed white ABS air scoops with white Korad cap to prevent cracking or discoloring. Use with 3" hose adapter (not included).

Order No	Mfg No	Diameter	List
271043	C-4	5-1/2" W x 7" D x 1-1/2" H	\$27.70
271042	C-1	6-1/4" W x 7" D x 3" H	\$27.65

**Beckson**




### Beckson Vents with Hose Adapters

Overall size is 2 1/2" x 5 1/2" x 6". White ABS vent cap with hose adapter that mounts to the deck. Vent snaps into place on hose adapter (included).

Order No	Mfg No	Hose Size	List
271045	C-7	3"	\$50.05
271046	C-8	4"	\$50.05

**SSI**



### SSI Vent Covers

"Clamshell" vent covers give a new slant to an old favorite. Unique swept-back styling updates this necessary finishing touch for a sleek contemporary look. White UV-resistant ABS plastic. Durable and strong enough to stand on.

Order No	Mfg No	Fits	Dimensions	List
130606	28101000	1-1/4"	2-5/8" x 3"	\$26.94
130607	28102000	2"	4" x 4-1/2"	\$33.10
130608	28103000	3"	6" x 7"	\$36.24

**PERKO®**  
Made in the USA



### Perko Clam Shell Ventilator

Chrome plated brass.

Order No	Mfg No	Base	Height	List
340612	0315DP1CHR	1-5/8" x 1-1/2"	7/16"	\$8.33
340627	0315DP2CHR	2" x 2"	9/16"	\$11.78
702566	0339DPOCHR	4" x 3-3/4"	1-5/8"	\$47.48

**WHITECAP®**



### Whitecap Midget Ventilators

Stainless steel construction. Streamlined, with many uses.

Order No	Mfg No	Size	List
240129	S-1388C	1-1/2" x 1-3/4"	\$2.58
240130	S-1390	2-1/4" x 2-1/4"	\$3.88

**TH MARINE**



### TH Marine Clam Shell Vents

These super-strong molded clam shells are an economical and attractive alternative for metal clam shells. These clam shells are great for routing cables or wires thru a hole or for covering thru hull openings to shield water spray. These vents are UV and weather resistant. Available in two popular sizes.

Order No	Mfg No	Color	Opening	List
303029	CSS-1-DP	Black	7/16" H x 7/8" W	\$9.66
303018	CS-1-DP	Black	9/16" H x 1 7/8" W	\$10.11
720027	CSS-2-DP	White	7/16" H x 7/8" W	\$9.66
720028	CS-2-DP	White	9/16" H x 1 7/8" W	\$10.11

**WHITECAP®**




### Whitecap Clam Shell Ventilators

Beautifully styled in polished stainless steel for long life and good looks. Designed with large openings to provide the maximum capacity.

Order No	Mfg No	Size	Hose Size	List
240132	S-1389	7-5/8" L x 6-7/8" W x 2-13/16" H	4"	\$44.28

**PERKO®**  
Made in the USA




### Perko Locker Ventilators

Chrome plated brass. Requires four #6 screws (not included).

Order No	Mfg No	Diameter	List
702544	0330DP1CHR	2-1/2"	\$7.85
702545	0330DP2CHR	3-1/4"	\$11.78

**SEADOG LINE**  
QUALITY MARINE GEAR



### Sea Dog Vent Plug

Designed to be push fit into a 1" diameter round hole. Ideal for venting areas that may be subjected to heat or moisture build-up. Injection molded nylon. diameter 1". Color: natural. 4 per package.

Order No	Mfg No	List
351806	337360-1	\$3.40

Like Us On  
facebook

954-463-4307 • **D.S. Hull Company Inc.** • www.dshullco.com



## ENGINE & CONTROLS VENTS



### Beckson Drain/Vent

Flush vent design may be used for a floor drain or for ventilation of a speaker enclosure or locker. Diameter 5-1/2".

Order No	Mfg No	List
244417	SV-4B	\$8.95



### Perko Louvered Vents

Chrome plated brass. Louvers are 3" long.

Order No	Mfg No	Size	List
702558	033509ADP	11" x 3-1/2"	\$49.53



### Marine East 1-1/2" O.D. Round Louvered Vent

1" I.D.

Louvers Help Prevent Rain Intrusion

- Helps Prevent Mildew
- Inexpensive
- Made of High Impact Marine Grade Material
- Attractive Convex Grill
- Easy Installation

Order No	Mfg No	Color	List
382657	4605W	White	\$4.74
382668	4605	Black	\$4.74



### Marine East 2-1/2" Louvered Vent

Louvers help prevent rain intrusion. Helps prevent mildew. Inexpensive. Attractive convex grill styling. Easy installation. Available in white or black.

Order No	Mfg No	Color	List
382679	4615W	White	\$7.81
382680	4615	Black	\$7.81




Over 350 brand name manufacturers  
Enormous, 50,000 sq. ft. warehouse located next to Ft. Lauderdale International Airport to support all of our customers.  
Special orders are no problem.  
Selection is second to none.  
120 years combined marine experience within our sales team - we can find what you need!  
Exclusive Wesmar distributor.  
Hours: 7:30 a.m. - 4:30 p.m. - Monday - Friday.  
Our knowledgeable & friendly staff is ready to help you.  
Call Debbie Senti at 954-463-4307 ext. 313  
Call Jim Haun at 954-463-4307 ext. 304  
Call Lou Moran at 954-463-4307 ext. 314  
Call John Carracino 954-732-9570 (Cell)  
Email: johnc@dshullco.com  
Call Pamela Hutchisson at 954-463-4307 ext. 322  
Call Bob Leatherman at 954-463-4307 ext. 305 (Wesmar)



### Whitecap Flat Louvered Ventilators

Stamped from heavy gauge stainless steel and polished to a high luster. For cabin doors, lockers and other locations, for interior air circulation.

Order No	Mfg No	Size	List
240137	S-1327P	2-1/2" x 5"	\$7.40
240136	S-1326P	4-1/2" x 5"	\$10.68
240139	S-1330P	4-1/2" x 9"	\$17.18
240138	S-1328P	5" x 6"	\$13.83
240140	S-1334P	5" x 9"	\$16.68



### Sea Dog Louvered Vent

Injection molded ABS plastic.

Dimensions A & D are cutout dimensions.

Dimensions B & C are vent dimensions.

Order No	Mfg No	Color	A	B	C	D	List
352349	337381-1	White	1-7/8"	4-1/4"	3"	5-1/2"	\$5.28
352316	337380-1	Black	1-7/8"	4-1/4"	3"	5-1/2"	\$5.22
352350	337391-1	White	3-11/16"	4-1/4"	4-7/8"	5-1/2"	\$7.26
352327	337390-1	Black	3-11/16"	4-1/4"	4-7/8"	5-1/2"	\$6.90
352361	337401-1	White	3-11/16"	9"	4-7/8"	10-1/8"	\$9.90
352338	337400-1	Black	3-11/16"	9"	4-7/8"	10-1/8"	9.30