FUSED SWITCH PANELS & CIRCUIT BREAKER PANELS







Attwood Toggle Switch Panels

Sturdy bakelite, 6 gang, with 10 amp switches and 11/4" x 1" fuses included. Fuse connections are bridged with copper bus for single positive

connection. On/Off toggle switches and circuit ID plates included

Order No	Order No Mfg No		List
108248	14234-3	3	\$32.63
108249	14236-3	6	\$54.03



Hella Waterproof Switch Panels

- · Six or four 12 VDC 20 amp on/off switches.
- . In-line spade type fuses.
- · Complete set of labels.
- · Impact resistant UV stabilized plastic housing.
- · Template, mounting screws and gasket included.
- Pre-wired.

Order No	Mfg No	Gang	Color	List
231146	H73070031	4	Gray	\$60.00
231189	H73070041	6	Gray	\$77.78
231254	H73070121	4	White	\$60.00

H73070041



Blue Sea Systems Waterproof Circuit Breaker Panel Slate Gray

Designed for flybridge and open cockpit applications ON-OFF

Contura Switch	es ON indicatin	nes. Vertical			
Order No	Mfg No	Gang	Туре	Dimensions	List
386061	8373	6	Vertical	4.5" x 7.5"	\$219.99
386072	8374	3	Vertical	4.5" x 3.75"	\$136.99
386083	8371	8	Horizontal	9.37" x 4.25"	\$283.99
386094	8372	4	Horizontal	5.25" x 4.25"	\$165.99











H73070121

Blue Sea Systems Fused Switch Panels

- · Designed for flybridge and open cockpit applications
- · ON-OFF Contura Switches
- · ON indicating LEDs embedded in switches.

Order No	Mfg No	Gang	Dimensions	List
386037	8054	3 - Vertical	Width 5.25" x Height 3.75"	\$118.99
386026	8053	6 - Vertical	Width 5.25" x Height 7.50"	\$192.99
386059	8262	4 - Horizontal	Width 5.25" x Height:3.75"	\$144.99
386048	8261	8 - Horizontal	Width 9.37" x Height 3.75"	\$243.99

Replacement Switch for Circuit Breaker Panel

•		
Order No	Mfg No	Only
386407	8204	\$7.09

BLUE SEA

Blue Sea Systems WeatherDeck™ Water Resistant Fuse Panels

- Rated IP67 Temporary immersion for 30 minutes.
- Designed for flybridge and open cockpit applications.
- Independent label backlighting circuit for remote switching and dimming.
- Available in 2, 4, 6, and 8 circuit models.
- Each panel can be mounted in four different orientations.
- Integrated ATO/ATC fuse based circuit protection.

Order No	Mfg No	Color	Description	List
386251	4304	Gray	4 Position	\$103.99
386262	4306	Gray	6 Position	\$145.99

BLUE SEA

Blue Sea Systems WeatherDeck™ Water Resistant Circuit Breaker Panels

- Rated IP67-temporary immersion for 30 minutes.
- Designed for flybridge and open cockpit applications.
- Independent label backlighting allows switching and dimming.
- Compatible with all Blue Sea Systems Digital Dimmers.
- Available in 4 and 6 circuit models.
- Each panel can be mounted in four different orientations.

Order No	Mfg No	Color	Description	List
386307	4376	Gray	6 Position	\$154.99








O

0

Vertical Fused Rocker Switch Panels

- Fire Resistant Injection Molded Nylon/4 Illuminating Switches
- Panel rating: 12 volts, 37 amps total. Individual circuit: 10 amps maximum. Meets CE specifications.
- To customize panel to your specific setup, an assortment of preprinted labels are included.

					<u> </u>		
Order No	Mfg No	Gang	A	В	С	D	List
352463	424010-1	4	4-13/16"	4-1/2"	3-7/8"	3-5/8"	\$33.95
352485	424110-1	6	6-1/2"	4-1/2"	5-1/2"	3-5/8"	\$46.15



Splash Garde Vertical Rocker Switch Panels

- Ideal where panel front is subject to light spray and water. Note: Not designed for total immersion
- Mounting gasket included.
- Panel rating: 12 volts, 37 amps total. Individual circuit: 10 amps maximum.
- Meets CE specifications.
- To customize panel to your specific setup, an assortment of preprinted labels and fuses are

Order No	Mfg No	Gang	А	В	С	D	List
352474	424016-1	4	4-13/16"	4-1/2"	3-7/8"	3-5/8"	\$42.95
352496	424116-1	6	6-1/2"	4-1/2"	5-1/2"	3-5/8"	\$58.75

LIGHTS

BLOWER

DECK LIGHTS

COMPASS LIGHT



CIRCUIT BREAKERS • VOLTMETERS

SEPPOOF



Sea Dog Decal Sheet for Sea Dog Switch Panels

Includes the following: AC MAIN SHORE DC POWER BILGE PUMP SHOWER PUMP AIR COND. WINDLASS **BOW LIGHT** 24 VDC OUTLETS RUNNING LIGHTS **FANS** NAVIGATION LIGHTS **HEATER** REVERSED POLARITY **COCKPIT LIGHTS** CABIN LIGHTS STBD. STEREO /TV SPARE (2 **INSTRUMENTS** labels) AC POWER 32 VDC MAIN ENGINE RM. BLOWER 24 VDC MAIN LORAN BATTERY CHARGER ENG. ROOM LIGHTS REFRIG. CABIN LIGHTS DEPTH SOUNDER **PORT DECK LIGHTS** WIND INSTRUMENT GAS VALVE 12 VDC MAIN HORN IGNITION SPREADER LIGHTS AC OUTLETS INSTRUMENT LIGHTS RADAR 32 VDC OUTLETS HFAD 12 VDC OUTLETS MASTHEAD LIGHTS ANCHOR LIGHT **OUTLET STBD** SUMP PUMP ACCES-OUTLET PORT SORIES CARIN KNOTMETER

SEARCH LIGHTS	GPS	
Order No	Mfg No	List
352520	OP9A0101	\$14.79

VHF R/T

COMPUTER

RADIO

WATER HEATER

BLUE SEA



FORE



Digital

Analog

Blue Sea Systems DC Meters & Accessories **Voltmeters**

Simple 2-wire connections. Amperage draw: 1 milliampere. Accuracy: 3% of scale range. Face size: 2-3/4"

Order No	Mfg No	Voltage	Туре	List
385457	8251	7-60 VDC	Digital w/ Alarm	\$267.99
385382	8003	8-16 VDC	Analog	\$47.59
385393	8240	18-32 VDC	Analog	\$47.59





Ammeters

- Simple 2-wire connection from shunt no other power.
- Meter senses and powers from shunt connection.
- Packaged complete with shunt.

Order No Mfg No		Туре	List
385402	8022	0-50 A	\$94.99

BLUE SEA

Blue Sea Systems

187 Series Surface Mount Thermal Circuit Breaker

- Combines switching and circuit protection into a single device.
- Clear, single lever operation.
- 'Trip Free" design cannot be held "ON" during fault current condition.
- Waterproof.
- Recessed mounting holes for clean appearance
- Large Clearance around terminal study accept heavy gauge
- Robust 5/16 M8 terminals provide high torque connections.
- Large lever with vertical/horizontal orientation provides indication of trip status.
- Ignition protected Safe for installation aboard gasoline powered boats.
- Meets SAE J1171 external ignition protection requirements.

Order No	Mfg No	Amp Rating	List
386149	7136	30A	\$92.99
386150	7138	40A	\$92.99
386161	7139	50A	\$92.99
386172	7142	80A	\$92.99
386183	7144	100A	\$92.99
386194	7148	150A	\$92.99

BLUE SEA

285-Series Thermal DC Circuit **Breaker - Surface Mount**

- Drop in replacement for 185-Se ries Circuit Breakers.
- Visible reset lever shows open condition.
- Ignition protected Safe for installation aboard gasoline powered boats.
- Meets SAE J1171 external ignition protection requirements.
- Weather Resistant.
- Combines switching and circuit breaker function into one
- "Trip Free" cannot be held closed after trip.
- * Do not use for direct control of high inrush loads such as motor starting.

Interrupt Rating: 3,000A @ 30V DC Maximum Voltage Rating: 48 Volts DC


Terminal Stud Size: M6

Mounting Holes Accept" 1/4" (M6) screw

Order No	Mfg No	Amp Rating	List
386591	7180	25 Amp	\$58.99
386594	7181	30 Amp	\$58.99
386602	7182	40 Amp	\$58.99
386613	7183	50 Amp	\$58.99
386624	7186	80 Amp	\$58.99
386635	7187	100 Amp	\$58.99
386646	7189	150 Amp	\$58.99

BLUE SEA

Double Pole Magnetic AC Circuit Breakers



With neutral circuit on one pole and hot circuit on other pole, both poles will trip if either pole trips.

Order No	Mfg No	Amp Rating	Color	List
385214	7237	30 Amp	Black	\$52.99
385225	7238	30 Amp	White	\$52.99
385236	7241	50 Amp	Black	\$52.99
385247	7242	50 Amp	White	\$52.99







Single Pole Magnetic - AC/DC Circuit Breakers

Certified for both North American and European markets. Meets all American Boat and Yacht Council Standards. UL 1077 recognized.

Order No	Mfg No	Amp Rating	Color	List
112350	7202	5 Amp	White	\$22.99
112351	7206	10 Amp	White	\$22.99
112352	7210	15 Amp	White	\$22.99
112353	7214	20 Amp	White	\$22.99
112354	7218	25 Amp	White	\$22.99
112355	7222	30 Amp	White	\$22.99
112356	7226	40 Amp	White	\$22.99
112357	7230	50 Amp	White	\$22.99
112375	7201	5 Amp	Red	\$22.99
112377	7205	10 Amp	Red	\$22.99
112379	7209	15 Amp	Red	\$22.99
112381	7213	20 Amp	Red	\$22.99
112383	7217	25 Amp	Red	\$22.99
112385	7221	30 Amp	Red	\$22.99
112387	7225	40 Amp	Red	\$22.99
112389	7229	50 Amp	Red	\$22.99
112376	7200	5 Amp	Black	\$22.99
112378	7204	10 Amp	Black	\$22.99
112380	7208	15 Amp	Black	\$22.99
112382	7212	20 Amp	Black	\$22.99
112384	7216	25 Amp	Black	\$22.99
112386	7220	30 Amp	Black	\$22.99
112388	7224	40 Amp	Black	\$22.99
112390	7228	50 Amp	Black	\$22.99



Blue Sea Systems 360 Panel Adapter for Toggle Circuit Breakers Fits Blue Sea Systems Circuit Breakers above.

,		
Order No	Mfg No	List
387497	4112	\$13.69





Sierra ATO/ATC Style Fuse Blocks

Interlocking modules snap together. 1/4" tim plated copper tab terminals.

Flame resistant reinforced polyester base.

Rated 30 Amps peer circuit; 160 Amps total for block

Trace of the poor of data, 100 the poor of data,					
Order No	Mfg No	Gang	List		
353766	FS40430	4	\$24.66		
353756	FS40420	6	\$27.39		
353788	FS40450	8	\$29.39		
353777	FS40440	14	\$35.16		

Electrical

WATERPROOF BOOTS • FUSE BLOCK LABEL SETS

BLUE SEA

Blue Sea Systems 60 Label Sets

- 60 common DC labels
- Reinforced, weatherproof material
- Used on all Contura Waterproof Circuit Breaker Panels
- Used on Contura Waterproof Fuse Panels
- Used on ST Blade Fuse Blocks

Label dimensions: 0.625" W x 0.375" H

Order No	Mfg No	Color	List
386746	8214	Black	\$10.99
386757	8217	Gray	\$10.99



Push Button Reset Only Quick Connect Circuit Breakers

Lowest cost circuit breaker available. Compact design enables high density circuit protection.



Order No	Mfg No	Amp Rating	List	
385102	7050	3 Amp	\$6.99	
233160	7052	5 Amp	\$6.99	
385124	7053	7 Amp	\$6.99	
233161	7054	10 Amp	\$6.99	
233162	7056	15 Amp	\$6.99	
233163	7057	20 Amp	\$6.99	
385146	7058	25 Amp	\$6.99	
385157	7059	30 amp	\$6.99	
385179	7061	40 Amp	\$6.99	




Blue Sea Systems 360 Panel Adapter for Push **Button Reset Only**

Adapts Push Button Reset-Only Thermal Circuit Breakers (above) to Blue Sea Systems rocker panels and new battery management panels.

Order No	Mfg No	List
387038	5065	\$9.89










Cole Hersee Common Hot Feed **Fuse Blocks**

Solid brass buss bars. Common hot feed to 4 independently fused circuits.

Common ground strip accommodates all 4 circuits (can be wired as a hot feed for accessory circuits, if desired). Brass #10-32 stud terminals and hex nuts. Overall size 3-1/2" long x 2-3/4" wide by 25/32" high.



PLUE SEA



Can be used on any brand of single-pole circuit breakers using standard Toggle Type circuit breakers

- Uses circuit breaker mounting screw hole.
- Includes 2 mounting screws.

Order No	Mfg No	List
385337	4100	\$4.29

BLUE SEA

Blue Sea Systems ST Glass Fuse Block with Negative Bus

Clear insulating cover with label recesses for accepting large format labels.

Cover insulates all conductive parts, satisfying ABYC/USCG requirements and storing spare

Tin-plated copper buses and Phosphor Bronze fuse clips give 30 Ampere rating per circuit.


Accepts AGC (Fast Acting), MDL (Time-Delay) and all other 3AG Glass Fuses


6 circuits with negative bus

Order No	Mfg No	List
385002	5015	\$48.49



Blue Sea Systems ATO/ATC Fuse Block System





- Tin-plated copper buses and
- fuse clips give 30 Amperes rating per circuit. Accepts ATO and ATC fast acting blade fuses.
- 20 write-on circuit labels included.
- Includes negative bus, with cover.

Order No	Mfg No	Gang	List
385024	5025	6	\$50.99
385035	5026	12	\$63.99



Sierra Circuit Breaker and/or Fuse Block


- For ATO/ATC fuses
- · Interlocking modules snap together
- 1/4" tin plated copper tab terminals
- · Flame resistant reinforced polyester base
- · Rated 30 Amps per circuit, 160 Amp total for block With Ground Bus Bar

Order No	Mfg No	List
288444	FS40740	\$30.44



Cole Hersee In-Line Fuse Connector

Positive twist lock assures constant electrical contact, cannot open accidentally



Easy to install: Cut wire loop at desired point and splice into circuit. Brass contacts. Accommodates

all SFE, 1 AG, 3 AG and 7 AG fuses from 1 amp through 35 amps (fuse sizes ¼" diameter, 5/8" - 1-7/16" long). Molded red plastic housing with 8" loop of 14 gauge insulated copper wire.

Order No	Mfg No	Includes	List
108666	3031-0-BP	Holder Only	\$3.93
108667	3031-20-BP	with 20 Amp Fuse	\$4.97





ATC Fuse Holder

Order No	Mfg No	List
231933	BP/HHD-RP	\$3.15




Bussman In-Line Fuseholder for HHX Fuses (Maxi)

Includes cover For 20-60 Amp fuses

#6 lead wire. 5" length

Order No	Mfg No	List
231934	BP/HKP-HP-RP	\$6.55

SEPPOGLINE




Sea Dog ATM Mini Style LED Fuse Holder

For use with ATM Mini-Style Fuses.

IP67 waterproofing rating. 14 ga/12"; A: 1-9/16"; B: 15/16"; C: 3/16"; D: 1/2".

Order No	Mfg No	Max Amps	LED Indicator Light	List
354664	445098-1	30	No	\$5.95
354653	445097-1	30	Yes	\$8.50

SEPPOGLINE



Sea Dog ATO/ATC Style Inline Fuse Holder

For use with ATO/ATC Style Fuses.

IP67 waterproofing rating. 14 ga/12"; A: 1-1/4"; B: 1"; C: 3/16"; D: 3/4".

Order No	Mfg No	Max Amps	LED Indicator Light	List
354686	445198-1	30	No	\$5.95
354675	445197-1	30	Yes	\$8.50

BLUE SEA

Blue Sea Systems Waterproof In-Line ATO/ATC Fuse Holder

For use with ATO or ATC fuses. Supplied with 12 AWG pigtails. 30A Maximum fuse amperage.

Fuses sold separately.				
Order No	Mfg No	List		
387038	5065	\$9.89		

Electrical

FUSES & FUSE HOLDERS

Bussmann

Bussman Panel Mount Fuse Holders With Bayonet Type Knob

For 1/4" x 1-1/4" glass tube fuses. With bayonet type knob.

231934



BP/HKP-HP-RP



Bussmann

Glass tube fuses. 1/4" x 1-1/4"

2 pack.

AGC Fuses

\$6.55



Order No	Mfg No	Туре	List
335395	S-3313C	Round Fuse Holder	\$8.03
335406	S-3314C	Square	\$8.03

Bussmann



AGA Fuses

Glass tube fuses. 1/4" x 5/8".

Order No	Mfg No	Amp Rating	Pack	List
231950	BP/AGA-20-RP	20	5	\$3.29

Bussmann



AGU Fuses

Glass tube fuses. 13/32" x 1-1/2".

Order No	Mfg No	Amp Rating	Pack	List
231943	AGU-30	30	2	\$4.13
730232	AGU-35	35	2	\$4.13
231947	AGU-50	50	2	\$7.35

Bussmann

SFE Fuses



Glass tube fuses. 1/4" diameter. Sold in packs of 5.

Order No	Mfg No	Amp Rating	Length	List
231896	SFE-6	6	3/4"	\$4.20
231899	SFE-14	14	1-1/16"	\$2.77
231910	SFE-20	20	1-1/4"	\$2.77
231911	SFE-30	30	1-7/16"	\$4.06

Bussmann



Buss AGC Fuse Assortment

BOnlyer packaged 5 fuses per pack. Includes: 1 each AGC 1/2, 1, 1-1/2, 2 &

Order No	Mfg No	List
350833	MA-5	\$4.27

Order No	Mfg No	Amp Rating	Pack	List
231855	AGC-1/2	1/2	5	\$4.83
231856	AGC-1	1	5	\$3.08
231857	AGC-1-1/2	1-1/2	5	\$3.08
231858	AGC2	2	5	\$3.08
231859	AGC2-1/2	2-1/2	5	\$3.08
231860	AGC3	3	5	\$3.05
231861	AGC4	4	5	\$3.05
231862	AGC5	5	5	\$3.05
231863	AGC6	6	5	\$3.05
231864	AGC7-1/2	7-1/2	5	\$3.05
231865	AGC10	10	5	\$3.05
231866	AGC15	15	5	\$3.05
231867	AGC20	20	5	\$3.05
231868	AGC25	25	5	\$3.05
231869	AGC30	30	5	\$3.05
231870	AGC35	35	5	\$4.34
231871	AGC40	40	5	\$3.68

Bussmann^a



Glass tube slow blow fuses. 1/4" x 1-1/4". Two per pack.



Order No	Mfg No	Amp Rating	Pack	List
231883	MDL-10	10	2	\$7.46
231884	MDL-15	15	2	\$7.46
231885	MDL-20	20	2	\$7.46
231887	MDL-30	30	2	\$7.46

Bussmann⁻

Marine Fuse Assortment

6 fuses per package. Includes 1 each: SFE-9, SFE-14, SFE-20, AGC-10, AGC-15, AGC-30

Ado-10, Ado-1	5, Ado-50.	
Order No	Mfg No	List
350845	BP/AGC-SFE-A5-RP	\$2.80

Bussmann

ATC Fuses

Automotive blade type fuses. Sold in packs of 5.

Order No	Mfg No	Amp Rating	List
231926	ATC-5	5	\$4.97
231928	ATC-10	10	\$4.97
231929	ACT-15	15	\$4.97
231930	ACT-20	20	\$4.97
231931	ATC-25	25	\$4.97
231932	ATC-30	30	\$4.97





Bussman In-Line Fuse Holders

For 1/4" x 7/8" to 1-1/4" glass tube fuses.

Order No	Mfg No	Туре	List
231901	BP/HHB-RP	Universal	\$2.56
231903	BP/HRK-RP	Universal In-Line with #14 wire leads	\$4.83
231900	BP/HFB-RP	Waterproof In-Line for 1/4" x 1-1/4" fuses	\$10.29
231902	BP/HMK-RP	In-Line with 8" #14 wire leads for 1/4" x 1-1/4" fuses	\$5.60



ABC Fuses

231906

With Knob-Type Carriers

Order No	Mfg No	Mount	List
231904	HTB26I	Rear Hex Nut	\$5.22
231905	HTB66I	Front Hex Nut	\$6.16

Bussmann

HTB86I



Snap In

\$6.41

Ceramic fuses. 1/4" x 1-1/4".

Order No	Mfg No	Amp Rating	Pack	List
231851	ABC-10	10	2	\$6.27
231909	ABC-15	15	2	\$6.27
231852	ABC-20	20	2	\$6.27
231854	ABC-30	30	5	\$18.60

Bussmann AGX Fuses



Glass tube fuses. 1/4" x 1"

Order No	Mfg No	Amp Rating	Pack	List
231923	AGX5	5	5	\$7.53
231872	AGX10	10	5	\$5.43
231922	AGX15	15	5	\$5.43
350778	AGX20	20	5	\$3.99
350783	AGX25	25	5	\$3.99
350796	AGX30	30	5	\$3.99

Bussmann GMA Fuses



Order No	Mfg No	Amp Rating	Pack	List
231888	GMA-250 MA	1/4	2	\$5.88
231889	GMA-1	1	2	\$5.29
231890	GMA-3	3	2	\$5.29
231891	GMA-5	5	2	\$5.29
231893	GMA-10	10	2	\$5.29
231894	GMA-15	15	2	\$13.83

Electrical **FUSES & FUSE HOLDERS**

Bussmann 6 fuses per pack. Includes 1 each of:

ATC Fuse Assortment

ATC-5, 10, 15, 20, 25, 30.

Order No	Mfg No	List
350858	BP/ATC-A5-RP	\$5.46

50 Amp BP/FRN-R Fuse Package of 2.



Order No	Mfg No	List
107571	BP/FRN-R-50	\$36.75

BLUE SEA



ANL Amp Limiters

Has a silver plated soft copper link that is clearly visible. Sold Blue Sea Systems MAXI Fuse Block singly.

Order No	Mfg No	Amp Rating	List
231912	5122	50	\$23.99
231913	5124	80	\$23.99
231914	5125	100	\$23.99
231924	5127	150	\$23.99
231944	5129	200	\$23.99
385068	5133	300	\$29.29
231952	5136	400	\$29.29
231953	5137	500	\$29.29
385079	5161	600	\$44.39

BLUE SEA

Blue Sea Systems ANL Fuse Holder

Insulating cover satisfies ABYC/USCG requirements and cover breakouts allow ac cess in any direction.

- · For use on systems up to 32 Volts DC.
- Large 5/16"-18 studs accept 5/16" (M8) ring terminals, 14 AWG to 2/0 AWG wire.

Cover material: Polycarbonate. Maximum voltage rating: 32 Volts DC Recommended torque: 132 in-lb (14.9 N-m) Base material: Reinforced polycarbonate Fuse mounting blocks: Tin-plated copper

·· · · · · · · · · · · · · · · ·			
Order No	Mfg No	Amp Rating	List
385091	5005	300	\$28.79
385080	5503	750	\$57.99



Blue Sea Systems Maxi Fuses Economical.

Tin-plated connector blades for corrosion resistance. Visible indication of blown condition.

Sold in packages of 2.

Interrupt Rating: 1,000 Amperes DC.

Maximum voltage Rating: 32 volts DC.				
Order No	Mfg No	Amp Rating	List	
385847	5138	30	\$3.49	
385858	5139	40	\$3.49	
385869	5140	50	\$3.49	
385870	5141	60	\$3.49	
385892	5143	80	\$6.69	

BLUE SEA



Blue Sea Systems Class T Fuses

- Extremely fast short-circuit response.
- 20,000 Ampere Interrupt Capacity (AIC)

Order No	Mfg No	Amp Rating	List
386216	5118	250A	\$44.49
386227	5119	300A	\$44.49
386238	5120	350A	\$44.49
386249	5121	400A	\$44.49



- . The most economical fuse block for 30-80 Ampere fusing
- · Snap-on terminal cover insulates all conductive parts, satisfying ABYC/USCG requirements
- Accepts wire sizes 18-4 AWG from sides or bottom
- For use on systems up to 32 Volts DC
- · Ring termnal screws compress fuse blades within blocks for extremely low resistance connections
- Accepts MAXI Fuses

Base Material Reinforced Polycarbonate

Fuse Type MAXI Fuses

Fuse Rating 30-80 Amperes

Maximum Voltage Rating 32 Volts DC Maximum Amperage 80 Amperes

Order No	Mfg No	List
385903	5006	\$31.59





Blue Sea Systems Fuse Block Class T 225-400 Amp

- · The fuse system recommended by most inverter manufacturers for high speed response to short circuits.
- · Clear insulating cover, satisfies ABYC/USCG requirements.
- For use on systems up to 160 Volts DC.

Order No	Mfg No	List
386205	5502	\$57.99





Blue Sea Systems AMI / MIDI Fuses

- Fast-acting type fuses ideal for electronic devices
- Standard circuit protection device for automobiles and trucks
- Tin-plated connector blades for corrosion resistance
- Visible indication of blown condition
- Sold in packages of 2

Order No	Mfg No	Amp Rating	List
386779	5250	30	\$7.69
386781	5251	40	\$7.69
386792	5252	50	\$7.69
386803	5253	60	\$7.69
386814	5255	80	\$7.69
386825	5256	100	\$7.69
386836	5258	150	\$7.69
386847	5260	200	\$7.69

BLUE SEA

Blue Sea Systems AMI / MIDI Safety Fuse Block





- · Insulating cover satisfies ABYC/USCG insulation requirements
- Cover breakouts allow wire access in any direction
- 200A maximum with 4/0 cable
- · Accepts Blue Sea Systems Square Format standard or custom label

Fuses sold separately

5-1/2" Long with cover; 1-1/2" wide.

Order No	Mfg No	List
386858	7720	\$35.19





Blue Sea Systems MEGA® / AMG® Fuse

- Most economical fuse for 100-300 Ampere circuit protection.
- For use with Blue Sea Systems' MEGA®/AMG® Fuse Block.

Order No	Mfg No	Amp Rating	List
386869	5101	100	\$11.19
386870	5103	150	\$11.19
386882	5105	200	\$11.19
386893	5107	250	\$11.19
386904	5108	300	\$11.19

BLUE SEA

Blue Sea Systems MEGA® / AMG® Fuse Holder


- Ignition protected for installation aboard gasoline or diesel powered boats.
- · Sealed cover protects fuses from the harsh marine environment.
- · Insulating cover satisfies ABYC/USCG insulation require-
- · Cover breakouts allow wire access in any direction.
- 300A maximum with 4/0 cable.
- · Accepts Blue Sea Systems Square Format standard or custom label
- Fuses sold separately.

Order No	Mfg No	List
386915	7721	\$35.19



Blue Sea Systems MRBF Terminal Fuses

Requires the use of Terminal Fuse Blocks PN 5191 or PN 2151—do not mount the fuse directly to the battery terminal.



- cuit protection on large battery banks. Ignition protected—safe for installation aboard gasoline pow-
- ered boats Clear window—visual indication of blown condition.

Color coded for each amperage.			
Order No	Mfg No	Amp Rating	List
386926	5175	30	\$18.29
386937	5176	40	\$18.29
386948	5177	50	\$18.29
386960	5181	80	\$18.29
386971	5183	100	\$18.29
386983	5185	150	\$18.29
386994	5187	200	\$18.29



FUSE HOLDERS • BUSS BARS

BLUE SEA

Blue Sea Systems ST Blade Fuse Block 6 Independent Circuits with Cover

- · Corrosion resistant, tin-plated copper fuse clips reduce heat and improve the efficiency of the electrical system.
- · Clear insulating cover with label recesses accepts Small Format Labels.
- · Spare fuse holder in cover.
- · Accepts ring terminals.
- · Includes two terminal block jumpers.

Order No	Mfg No	List
387027	5035	\$44.59





Blue Sea Systems MRBF Terminal Fuse Holder

- New isolated stud design uses standard M8 (5/16") hardware and permits stacking of terminals.
- Compact, high-amp fuse—Appropriate for DC Main, inverter, windlass, and bow thruster circuit protection.
- Provides high current protection in tight space constraints.
- Weatherproof—suitable for small open-cockpit boats and other harsh environments.
- Insulating cap prevents accidental shorts.
- Fuse sold separately.

Order No	Mfg No	List
387005	5191	\$27.79



Blue Sea System ST Blade Compact Fuse Block

Provides surfact mount circuit protectionism for ATO®/ATC®. Ignition protected when cover is secure - meets ISO 8846 and SAE J1171 for use in gasoline department.

Sindle side design allows wire entry from on side to minimize

Tin-plated copper buses and fuse clips. Accepts ring or snap fork type terminals..

Maximum amperage: 100A per block; 30A per circuit Maximum voltage: 32 VDC

Order No	Mfg No	Circuits:	List
387408	5045	4	\$32.59
387419	5046	8	\$51.59



Blue Sea Systems Dual Bus Plus Base material: ABS. Bus material: tin-plated copper. cover material: clear polycarbonate.

- · Combines negative and positive buses on one block.
- · Clear polycarbonate cover snaps on to meet Coast Guard and ABYC insulation requirements.

Continuous amperage DC: 150 amps Continuous amperage AC: 130 amps Voltage rating DC: 48 volts
Voltage rating AC: 300 volts

Order No	Mfg No	List
385522	2722	\$31.89

BLUE SEA

Blue Sea System DualBus 100 Ampere Common BusBars Combines negative and positive buses on one block.

5 x 8-32 Screw Terminals.

Order No	Mfg No	Gang	List
385925	2701	5	\$24.49
385947	2702	10	\$31.89



Order No Fits Mfa No List 385936 2709 2701 \$14.19 385958 2710 2702 \$16.69





Blue Sea Systems MiniBus 100 Ampere Common Buss

Great for limited space applications. Large diameter nuts provide large electrical contact area. Stainless steel studs allow high torquing for excellent electrical contact. With the tin-plated copper bus and conductive nut current path it won't corrode. Recessed mounting holes eliminate accidental shorts to aluminum and steel mounting surfaces. Conformance verified for AC circuits up to 250 volts.

Order No	Mfg No	Terminal Type	List
385480	2304	5 X 8-32 Screws	\$18.79
385491	2305	4 X 10-24 Screws	\$20.79

Cover for 2304/2305 Bus Bar

Order No	Mfg No	List
385914	2713	\$3.79



Blue Sea Systems BusBar 150 Ampere Common Bus

The industry standard bus for hot distribution or negative connection circuits. Base material: ABS. Bus material: tin-plated conner

Voltage rating DC: 48 volts Voltage rating AC: 300 volts Continuous amperage DC: 150 amps Continuous amperage AC: 130 amps

Order No	Mfg No	Terminal Type	List
385533	2301	10 X 8-32 Screw	\$24.99
385969	2302	20 x 8-32 Screw	\$38.89
385544	2303	4 X 1/4" Stud	\$32.59

Bus Bar Cover

Order No	Mfg No	Fits	List
385555	2715	2301/2303	\$4.39
385971	2716	2302	\$7.19



Blue Sea Systems Grounding Bus Bar

1/2" wide; 3.75" long; .57" high. Drilled for #8 mounting screws. Six #8 screw terminals.

corone. Cir. 7 C coron terrimane.				
Order No	Mfg No	Gang	List	
385500	2306	6 X 8-32	\$9.09	

BLUE SEA



Blue Sea Systems MaxiBus 250 Ampere with Common Buss

Specifications:

Continuous amperage: 250 Amps DC

250 Amps AC

Voltage Rating: 48 Volts DC Max

300 volts AC Max.

Bus Material: Tin-plated copper. Base Material: Lexan Polycarbonate Terminal Screws: 4 X 5/16-18

Order No	Mfg No	Screw Terminals	List
385566	2127	4	\$55.99
387508	2128	6	\$54.99
387519	2105	12	\$81.99
385577	2719	Cover fITS 2105, 2126, 2127, 2128	\$31.79

BLUE SEA



Blue Sea Systems PowerBar 600 Ampere Cable Connector

Specifications:

Bus continuous amperage: 600 Amps DC

545 Amps AC

Voltage rating: 48 VDC max.

300 VAC max. Bus material: Tin-plated CDA 110 copper

Base material: GE Lexan polycarbonate.

X 3/8-16"

Order No	Mfg No	Item	List
385588	2104	Connector	\$119.99
385599	2708	Cover	\$25.69





Blue Sea Systems 1000A PowerBar 1000 With 3/8" Terminals

Bus continuous amperage: 1000 Amps DC

545 Amns AC

Voltage rating: 150 VDC max.

Bus material: Tin-plated CDA 110 copper Base material: GE Lexan polycarbonate.

Stepped bus design offers two elevations for conductors which doubles the density of the wire loom compared to traditional bus

Order No	Mfg No	Stud Terminals	List
387704	1992	8 x 5/16"	\$189.99
387715	1993	12 x 5/16"	\$237.99
387689	1990	8 x 3/8"	\$189.99
387693	1991	12 x 3/8"	\$237.99

Elegation

TERMINAL BLOCKS • BUS BARS • STUD INSULATORS • TERMINAL COVERS • JUNCTION BOXES





Blue Sea Systems Terminal Bloock 20A Each Circuit

- · Closed back design completely insulates power from the mounting surface.
- Each screw pair is one isolated circuit.
- · Jumpers allow creation of common circuits.

Order No	Mfg No	Screw Terminals	List
387543	2402	2	\$3.65
387554	2404	4	\$4.49
387565	2406	6	\$6.15
385576	2408	8	\$7.09
387587	2410	10	\$9.65



Blue Sea Systems Terminal Bloock 30A Each Circuit

- · Closed back design completely insulates power from the mounting surface.
- Each screw pair is one isolated circuit.
- · Jumpers allow creation of common circuits.

Order No	Mfg No	Screw Terminals	List
387598	2502	2	\$4.85
387609	2504	4	\$6.00
387612	2506	6	\$8.35
385623	2508	8	\$9.75
387634	2510	10	\$11.10
387645	2512	12	\$12.75



Blue Sea Systems 65A Terminal Block

- Closed back design completely insulates power from the mounting surface.
- Each screw pair is 1 isolated circuit.
- Jumpers allow creation of common circuits.
- Closed back design completely insulates power from the mounting surface.
- Each screw pair is one isolated circuit.
- Jumpers allow creation of common circuits.

Voltage rating: 600 Volts AC/DC Maximum

Amp rating: 65 Amps AC/DC

Order No	Mfg No	Gang Length		List	
386429	2604	4	3.88"	\$12.15	
386432	2606	6	5.26"	\$19.80	
386443	2608	8	6.64"	\$22.95	



Blue Sea Systems 20A Terminal Block Jumper

Allows creation of common circuits on independent connectors. Fits 20S Termina Blocks (Blue Sea 2400 Series), 5 per pack

Order No	Mfg No	Size List		
387656	9218	1/4" Stud	\$4.99	





Cole Hersee Terminal Blocks with Common Hot Feed

Solid brass buss bar safely carries up to 36 volts. Two brass 1/4" stud power terminals with hex nuts included. Moisture resistant molded plastic base. Accommodates five or ten circuits. 2-1/4" wide by 21/32" high.

Order No	Mfg No	Gang	List
103498	M449-BP	10	\$21.32





Heavy Duty Common Hot Feed Bus Bars

Solid brass busbar on molded plastic insulator base. 2 holes for #10 countersink flathead screws. Two #8-32 screws per gang and two 1/4-20 screws for main feed.

	Order No	Mfg No	Gang	List
Г	103489	M456	14	\$22.59





Cole Hersee Terminal Blocks

- Corrosion resistant construction. Moisture repellent
- Bakelite insulator base.
- Independent Hot Feed
- Nickel plated brass terminals and #8-32 screw.
 - Protective insulator barrier strips.

Order No	Mfg No	Gang	List
103499	M426-BP	4	\$9.04
103500	M427-BP	6	\$12.32
103476	M428-BP	8	\$15.05
103477	M429-BP	10	\$18.17





Terminal Block Jumper

Used in terminal Blocks with 5/8" between holes. (100 Amps total capacity)

Order No	Mfg No	List
234764	553021	\$8.37



Blue Sea Systems PowerPost Plus Common Buss

150 ampere bus allows small wire connections at high amperage cable connections.

Specifications:

Bus continuous amperage: 150 Amps DC 150 Amps AC Voltage rating: 48 VDC max.

Bus material: Tin-plated copper Base material: Glass-reinforced Nylon

Order No	Order No Mfg No Size		List
385603	2101	1/4" Stud	\$27.59
385614	2102	1/4" Stud	\$27.59
385625	2103	3/8" Stud	\$27.59





Blue Sea Systems PowerPost

Connects high amperage cables securely. Voltage rating: 48 Volts DC continuous.

Maximum ampreage not rated - Amperage flows between terminals stacked on post and is determined by wire and terminals

Order No	Mfg No	Description	List
386499	2010	#10-32 x 5/8" stud	\$9.59
386507	2011	1/4" x 3/4" Stud	\$9.59
386518	2001	1/4" x 1-1/16" Stud	\$14.59
386529	2002	5/16" x 7/8" Stud	\$14.59
386535	2003	3/8" x 7/8" Stud	\$14.59



Blue Sea Systems

Electrical Current Bulkhead Feed-through

- For passing high current cables through hulls, decks and bulkheads.
- · Terminal Feed Through Connectors eliminate chafing and provide excellent strain relief for the cable.
- · Large size terminals have a mounting face that can be gasketed or bedded to provide a water tight installation.
- Rated IP66 withstands water from heavy seas.

Maximum volt rating: 48 Volts DC

Base Material: Reinforced Thermoplastic Stud Material: Tin-Plated Copper Alloy

Order No Mfg No Stud Size Color List 386455 \$24.49 2201 5/16"-18 Black 386466 5/16"-18 \$24.49





Newmar Splash Proof Junction Boxes

Provides for secure, protected, below-deck wiring connections. Rugged cast aluminum box with white enamel finish. Provides easy wiring access through multiple grommeted cable entries. Supplied with high quality connector strips secure wires w/compression fittings. No terminals required.

Maximum wire gauge: 16

Maximum Amps: 6

maamam / mpo. o						
Order No	Mfg No	Cable Entries	Cable Diam- eter	Gang	List	
104203	PX-1	2	.25"	6	\$33.40	
104204	PX-2	8	.37"	12	\$39.60	